



Environmental Flow Assessment on Nam Ngiep 1 Hydropower Project

Revision Report

Nam Ngiep One Power Company Limited

January 2014

www.erm.com

Nam Ngiep1 Power Co., Ltd

Environmental Flow
Assessment on Nam Ngiep 1
Hydropower Project
Revision Report

January 2014

Environmental Resources Management
179 Bangkok City Tower
24th floor, South Sathorn Road
Thungmahamek, Sathon, Bangkok. Thailand
Telephone +66 2 6795200
Facsimile +66 2 6795209
www.erm.com

Nam Ngiep1 Power Co., Ltd

Environmental Flow Assessment on
Nam Ngiep 1 Hydropower Project
Revision Report

January 2014

Reference: 0185065 ERM EFA revision.docx

| |
|---|
| For and on behalf of ERM-Hong Kong, Limited |
|  |
| Signed: _____ |
| Approved by: <u>Terence Fong</u> |
| Position: <u>Partner</u> |
| Date: <u>20 January 2014</u> |

This report has been prepared by ERM-Hong Kong, Limited with all reasonable skill, care and diligence within the terms of the Contract with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client.

We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.

This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies on the report at their own risk.

CONTENTS

| | |
|---|-----------|
| ABBREVIATIONS | 3 |
| 1 INTRODUCTION | 4 |
| 1.1 BACKGROUND | 4 |
| 1.2 PURPOSE OF THE ENVIRONMENTAL FLOW ASSESSMENT | 5 |
| 2 PHYSICAL AND HYDROLOGICAL ENVIRONMENT OF NNP RIVER | 7 |
| 2.1 TOPOGRAPHY | 7 |
| 2.2 NNP RIVER BASIN | 8 |
| 2.3 METEOR-HYDROLOGY | 10 |
| 2.4 FIGURE 2.7HYDROLOGY | 15 |
| 3 EXISTING BIODIVERSITY AND ECOSYSTEM SERVICES OF THE DOWNSTREAM NAM NGEIP RIVER | 31 |
| 3.1 DOWNSTREAM BIODIVERSITY | 31 |
| 3.2 DOWNSTREAM ECOSYSTEM SERVICES | 39 |
| 4 CHANGE OF FLOW REGIME DUE TO THE PROJECT | 45 |
| 4.1 PROJECT DESCRIPTION | 45 |
| 4.2 CHANGE OF FLOW REGIME | 47 |
| 5 ENVIRONMENTAL FLOW ASSESSMENT | 57 |
| 5.1 ENVIRONMENTAL FLOW FOR NNP1 PROJECT | 57 |
| 5.2 ENVIRONMENTAL FLOW OF OTHER HYDROPOWER PROJECTS IN LAOS | 57 |
| 5.3 PROPOSED ENVIRONMENTAL FLOW | 59 |
| 5.4 EVALUATION OF CHANGE IN ENVIRONMENTAL FLOW ON DOWNSTREAM BIODIVERSITY AND ECOSYSTEM SERVICES | 61 |
| 5.5 WATERSHED MANAGEMENT ACTIVITIES IN THE NAM NIEP WATERSHED | 63 |
| 6 MONITORING PLAN | 65 |
| 6.1 WATER QUALITY SIMULATION | 65 |
| 6.2 WATER TEMPERATURE | 65 |
| 6.3 DISSOLVED OXYGEN | 69 |
| 6.4 MONITORING PLAN | 71 |
| 6.5 WATER QUALITY STANDARD | 75 |
| REFERENCES | 76 |

ANNEXES

- Annex A* *Water Quality Test Results*
Annex B *Fish and Fisheries Survey Locations along the Nam Ngiep River
in January 2008*
Annex C *Non uniform Flow Analysis*
Annex D *Release of Environment Flow*

ABBREVIATIONS

| | |
|--------|--|
| ADB | Asian Development Bank |
| BOD | Biochemical Oxygen Demand |
| COD | Chemical Oxygen Demand |
| DO | Disolved Oxygen |
| EFA | Environmental Flow Assessment |
| EGAT | Electric Generating Authorities of Thailand International |
| KANSAI | Kansai Electric Power Co., Inc |
| IAP | Independent Advisory Panel |
| IUCN | International Union for Conservation of Nature and Natural Resources |
| LHSE | Lao Holding State Enterprise |
| MSL | Height above Mean Sea Level |
| NNP | Nam Ngiep |
| NNP1PC | Nam Ngiep 1 Power Company Limited |
| TDS | Total Dissolved Solids |

CHEMICAL ABBREVIATIONS


| | |
|-------------------------------|------------|
| As | Arsenic |
| Cd | Cadmium |
| Cu | Copper |
| Fe | Iron |
| Hg | Mercury |
| Mn | Manganese |
| Ni | Nickle |
| P | Phosphorus |
| Pb | Lead |
| PO ₄ ³⁻ | Phosphates |
| N | Nitrogen |
| NH ₃ | Ammonia |
| NO ₃ ⁻ | Nitrate |
| Zn | Zinc |

1.1

BACKGROUND


The Nam Ngiep 1 Hydropower Project (NNP1 Project) involves construction and operation of a 290 megawatt (MW) hydroelectric power generation facility on a build-operate-transfer basis on the Nam Ngiep (NNP) River, Lao PDR. The NNP1 Project site is located on the NNP River (*Figure 1.1*), in the provinces of Vientiane, Xieng Khouang and Bolikhamxay, approximately 145 km northeast from the city of Vientiane or 50 km north from Pakxan District. The NNP1 Project will generate 272 MW of its capacity for export to Thailand and 18 MW for domestic supply.

Figure 1.1 Project Location



The Project will be funded predominantly by private sector funds and the Project proponent is Nam Ngiep 1 Power Company Limited (NNP1PC) whose owners include Kansai Electric Power Co., Inc. (KANSAI) of Japan, Electric Generating Authorities of Thailand International (EGAT) of Thailand and Lao Holding State Enterprise (LHSE) of Lao PDR. Therefore three (3) countries will each benefit from the NNP1 Project which also aims to contribute to poverty reduction amongst the local Lao population through provision of infrastructure, employment and compensation, education and electricity (*Figure 1.2*).

Figure 1.2 Benefit of the Project



An initial Environmental Flow Assessment (EFA) was prepared for the NNP1 Project by KANSAI in August 2012. The Asian Development Bank (ADB) and the Project’s Independent Advisory Panel (IAP) made comments on the initial EFA report and requested that NNP1PC revise it. NNP1PC has therefore contracted Environmental Resources Management ERM- Siam Co. Ltd (ERM) to undertake this task to fill gaps in the initial EFA study to the satisfaction of ADB’s requirements.

1.2 PURPOSE OF THE ENVIRONMENTAL FLOW ASSESSMENT

Environmental flow is described in “Flow: the essentials of environmental flows” (Dyson, Megan, ed. ; Bergkamp, Ger, ed. ; Scanlon, John, ed. ; IUCN, Water and Nature Initiative, 2003) as:

‘An environmental flow is the water regime provided within a river, wetland or coastal zone to maintain ecosystems and their benefits where there are competing water uses and where flows are regulated. Environmental flows provide critical contributions to river health, economic development and poverty alleviation. They ensure the continued availability of the many benefits that healthy river and groundwater systems bring to society.’

The EFA aims to identify the extent of the NNP River system likely to be affected by the NNP1 Project and alert NNP1PC to the likely impacts on biodiversity and ecosystem services that will need to be addressed.

The primary objective of the EFA revision Study is to assess the projected environmental flow rate(s) during operation of the Project that are sufficient to maintain the basic needs of the downstream biodiversity and ecosystem services of the NNP River i.e. that below the re-regulation dam. This revised EFA Report was developed in response to ADB and IAP’s comments, based on the initial EFA prepared by KANSAI in 2012 using data and study results

provided to ERM by NNP1PC, as well as the biodiversity baseline information collected by ERM in 2013.


Following the introduction, the remainder of the report is set out as follows:

- *Chapter 2* describes the physical environment of the NNP River including the topography along its length and the river basin areas, as well as hydrological aspects including rainfall, natural flows and flood analysis, suspended sediment load and water quality.
- *Chapter 3* describes the existing biodiversity and ecosystem services, particularly in the downstream NNP River.
- *Chapter 4* explains the predicted changes in flow regime due to the Project.
- *Chapter 5* details the Environmental Flow Assessment and how the changes in flow in the downstream NNP River are predicted to affect the existing biodiversity and ecosystem services.
- *Chapter 6* provides a suggested monitoring plan.

2.1 TOPOGRAPHY

The NNP River basin has a total catchment area of 4,680 km² with the NNP River measuring 160 km in length. The NNP River originates near Phonsavan in the upstream area of Xieng Khouang Province and travels south-southeast through the mountain regions of Hom district in Vientiane Province and Bolikhan district in Bolikhamxay Province (Figure 2.1). It emerges from the more mountainous region via a narrow gorge approximately 7.7 km upstream of the village of Hat Gniun, where the main NNP1 Project dam will be constructed. While the upstream section of the river is located in a highly mountainous area with some intermittent, narrow, inhabited plains, downstream it follows a relatively flatter river plain as it flows out into the Mekong River at Pakxan.

Figure 2.1 The NNP River Basin




The dam site will be located 145 km northeast of Vientiane city and 50 km north of Pakxan, along the NNP River. The upstream catchment area that drains to the main dam reservoir covers about 3,700 km².

The main reservoir will be quite narrow along most of its length and will cover an area of approximately 67 km². Figure 2.2 shows the longitudinal

profile of the river, illustrating that the average river gradient drops from approximately 1 to 515 upstream of the dam to around 1 to 2,141 for the lower river segment before it joins the Mekong River.

Figure 2.2 *Longitudinal Profile of the Main Reservoir*




Source: Kansai and EGAT, Technical Report, 2011

2.2 *NNP RIVER BASIN*

NNP River basin is divided into 33 sub-basins as shown in *Figure 2.3*. Most of the sub-basins are rather small with only 10 of them being bigger than 100 km². The new Department of Water Resources in Lao PDR, which is responsible for river basin planning and management, has reduced the number of sub-basins to 15 but their details have not been released yet. Therefore the original 33 sub-basins are presented in this report.

Figure 2.3 Sub-Catchments of NNP River



The contribution of flow from each sub-basin is calculated using the information of sub-basin area and the isohyete generated from the average annual rainfall from existing stations inside and around the basin. In addition the estimated water yield is also used in the calculation. The sub-basin areas, contribution of flow discharge, and annual volume of each sub-basin are summarized in Table 2.1. The contribution of each sub-basin to the river in terms of annual volume shows a wide range, with the biggest contribution being 542 mcm (million cubic meters) (Nam Phouan) and the smallest one only 10 mcm (North Nam Hok).

Table 2.1 Sub-basins of NNP River and Their Flow Contribution

| No | Name of sub-basin | Area | | Flow Contribution | Annual Volume |
|----|-------------------|-----------------|---|---------------------|---------------|
| | | km ² | % | (m ³ /s) | (mcm) |

| No | Name of sub-basin | Area | | Flow Contribution | Annual Volume |
|------------|----------------------------|-----------------|------------|---------------------|---------------|
| | | km ² | % | (m ³ /s) | (mcm) |
| 1 | Nam Ngiou | 93.7 | 2.51 | 2.7 | 84.8 |
| 2 | Nam Linsoung | 159.5 | 4.28 | 4.6 | 144.4 |
| 3 | N.W. Nam Chiat | 28.8 | 0.77 | 0.9 | 29.0 |
| 4 | N.E. Nam Chiat | 51.5 | 1.38 | 1.6 | 51.8 |
| 5 | Nam Sen | 299.5 | 8.04 | 9.6 | 301.3 |
| 6 | Longmat Internal Drainages | 56.6 | 1.52 | 2.0 | 62.6 |
| 7 | Nam Palan | 53.5 | 1.44 | 1.9 | 59.2 |
| 8 | Nam Phou Xao | 53.5 | 1.44 | 1.9 | 59.2 |
| 9 | N. Nam Siem | 25.7 | 0.69 | 0.9 | 28.5 |
| 10 | Nam Siem | 433.3 | 11.63 | 16.6 | 523.0 |
| 11 | S. Nam Siem | 30.9 | 0.83 | 1.2 | 37.3 |
| 12 | Nam Thong | 104.0 | 2.79 | 4.1 | 130.7 |
| 13 | Nam Phadoy | 115.3 | 3.09 | 4.4 | 139.1 |
| 14 | Nam pang | 81.3 | 2.18 | 3.4 | 106.3 |
| 15 | Nam Chian | 461.1 | 12.38 | 16.9 | 533.4 |
| 16 | N. Nam Hok | 7.2 | 0.19 | 0.3 | 9.4 |
| 17 | Nam Hok | 89.5 | 2.40 | 3.9 | 121.6 |
| 18 | Nam Mang | 57.6 | 1.55 | 2.5 | 78.3 |
| 19 | Houay Sam Liou | 75.1 | 2.02 | 3.4 | 105.8 |
| 20 | Nam Phouan | 399.4 | 10.72 | 17.2 | 542.3 |
| 21 | S. Nam Phouan | 17.5 | 0.47 | 0.8 | 24.6 |
| 22 | Nam Sou | 187.3 | 5.03 | 8.7 | 273.2 |
| 23 | Nam Ngok | 150.3 | 4.03 | 6.7 | 211.6 |
| 24 | Nam Pamom | 40.1 | 1.08 | 1.9 | 58.5 |
| 25 | Houay Katha | 36.0 | 0.97 | 1.7 | 52.5 |
| 26 | Houay Soup | 23.7 | 0.64 | 1.1 | 35.7 |
| 27 | Nam Xao | 273.8 | 7.35 | 13.1 | 413.1 |
| 28 | Houay Khinguak | 49.4 | 1.33 | 2.3 | 72.1 |
| 29 | Houay Kokkhen | 96.8 | 2.60 | 4.6 | 146.0 |
| 30 | Houay Pouxang | 18.5 | 0.50 | 0.9 | 27.0 |
| 31 | Nam Pa | 76.2 | 2.04 | 3.4 | 107.3 |
| 32 | S. Nam Pa | 15.4 | 0.41 | 0.7 | 21.7 |
| 33 | Nam Tek | 62.8 | 1.69 | 2.8 | 88.4 |
| All | Nam Ngiep | 3,725 | 100 | 148.4 | 4,680 |

2.3 METEOR-HYDROLOGY

2.3.1 Climate Condition

The construction area and downstream area for the NNP1 Project is located in the Bolikhamxay Province, Lao PDR, which is influenced by a southwest monsoon tropical climate regime. The weather there is dominated by monsoons which divide the year into clearly defined wet and dry seasons. The wet season begins from May and extends until October, while the dry season runs from November to April. The NNP River basin generally experiences better weather conditions than elsewhere in the Lao PDR, with less extremes of temperature.

Precipitation (mm), air and river water temperature (°C), and humidity (%) have been measured at B. Hat Gniun since April 2011, location shown in *Figure 2.4* and *Table 2.2*. These data found that air temperature ranged from 12°C to 38°C. In the middle of the wet season, from the beginning of June to the end of September, air temperature ranged from approximately 22°C to 36°C and from December to February (considered to be the high dry season)

temperatures ranged from approximately 12°C to 38°C. Figure 2.5 shows climate data from B. Hat Gniun meteorological station, Bolikhamxay Province.

Figure 2.4 *Location of Hydrological Gauging Locations within and Peripheral to the Project Basin Area*





Table 2.2 *List of Hydrological Gauging Stations within and Peripheral to the Project Basin Area*

| Gauging Station | | Elevation (m) |
|-----------------|--------------------------|---------------|
| Rainfall | | |
| R1 | B. Nakham (B. Pakthouei) | 159 |
| R2 | Pakxan | 155 |
| R3 | Muong Mai | 158 |
| R4 | Muong Kao (Bolikhan) | 158 |
| R5 | M. Khoun (B. Thoun) | 1,110 |
| R6 | Xieng Khouang | 1,050 |
| R7 | M. Phaxay (B.Hokai) | 1,100 |
| R8 | B. Naluang | 460 |
| R9 | Houayleuk (Tadleuk) | 220 |
| R10 | B. Thabok | 160 |
| R11 | Vientiane | 170 |
| R12 | Vangvieng | 215 |

| Gauging Station | | Elevation (m) |
|-----------------------------|--------------|---------------|
| R13 | Muong Mork | 900 |
| R14 | B. Thaviang | 370 |
| Discharge/River water level | | |
| | B. Hat Gniun | - |
| | Muong Mai | 153 |
| River water level | | |
| | Pakxan | 142 |

Figure 2.5 Air Temperature and Humidity Data at B. Hat Gniun Station, Bolikhamxay Province



2.3.2


Rainfall

Rainfall data were collected from three (3) gauging stations near Houay Soup along the NNP River – Pakxan (R2), Muong Mai (R3) and B. Hat Gniun. The rainfall station at B. Hat Gniun has collected data since 2011. Average annual

rainfall in these locations is: Pakxan (3,000 mm), Muong Mai (3,700 mm), B. Hat Gniun (2,950 mm). Monthly rainfall at each of these locations is shown in *Figure 2.6*.

According to the meteorological data from Pakxan, the seasonal variation of monthly rainfall follows the general pattern of the Southeast Asia monsoon, with about 90% of rainfall during the six month wet season from May to October. In the dry season from November to April, the monthly precipitation levels are quite low, ranging from 3.7 mm to 150.0 mm, equating to approximately 10% of the annual precipitation for this region over the whole dry season.

Figure 2.6 *Rainfall at Pakxan, Moung Mai and B. Hat Gniun Station*



These rainfall data available for areas within the basin and from peripheral areas were used in the Thiessen method to obtain the mean basin rainfall for the NNP River Basin. Missing data during the measurement period is derived using correlations.

Table 2.3 presents calculated mean basin rainfall in the NNP River Basin, as well as the annual inflow and runoff coefficient every year respectively. In the basin, annual rainfall fluctuates from a minimum of 1,342 mm at to a maximum of 2,653 mm. This is equivalent to approximately 71% and 141% of the mean annual rainfall (1,873 mm). The rainfall during a wet season in a preceding year basically affects a minimum inflow during a dry season in the following year.

The mean rainfall of NNP River basin was assumed to be 1,870 mm/year. This value is considerably less than the annual rainfall of Pakxan (3,000 mm).

Table 2.3 *Calculated Monthly Mean Basin Rainfall (1971-2000) (mm)*

| Year | Jan. | Feb. | Mar. | Apr. | May | Jun. | Jul. | Aug. | Sep. | Oct. | Nov. | Dec. | Annual rainfall (mm) | Annual inflow (m ³ /s) | Runoff coefficient |
|---------|------|------|------|------|-----|------|------|------|------|------|------|------|----------------------|-----------------------------------|--------------------|
| 1971 | 0 | 65 | 56 | 120 | 280 | 432 | 551 | 302 | 164 | 39 | 0 | 10 | 2,019 | 158.5 | 0.67 |
| 1972 | 0 | 2 | 27 | 120 | 192 | 395 | 316 | 350 | 75 | 107 | 16 | 2 | 1,603 | 104.9 | 0.56 |
| 1973 | 0 | 0 | 16 | 25 | 244 | 278 | 277 | 484 | 296 | 13 | 0 | 0 | 1,634 | 110.5 | 0.58 |
| 1974 | 3 | 11 | 13 | 111 | 195 | 216 | 403 | 471 | 152 | 49 | 16 | 0 | 1,642 | 112.1 | 0.58 |
| 1975 | 23 | 12 | 27 | 27 | 304 | 421 | 189 | 340 | 285 | 119 | 3 | 0 | 1,752 | 137.2 | 0.67 |
| 1976 | 0 | 54 | 4 | 53 | 210 | 230 | 385 | 427 | 250 | 170 | 0 | 0 | 1,783 | 140.5 | 0.67 |
| 1977 | 6 | 0 | 12 | 72 | 122 | 269 | 402 | 242 | 194 | 9 | 6 | 8 | 1,342 | 104.8 | 0.67 |
| 1978 | 10 | 12 | 39 | 122 | 38 | 518 | 400 | 313 | 360 | 87 | 5 | 0 | 1,904 | 146.2 | 0.65 |
| 1979 | 1 | 29 | 10 | 51 | 404 | 253 | 324 | 189 | 146 | 26 | 0 | 0 | 1,433 | 121.8 | 0.72 |
| 1980 | 0 | 7 | 29 | 67 | 236 | 415 | 433 | 367 | 256 | 39 | 0 | 0 | 1,849 | 154.0 | 0.71 |
| 1981 | 0 | 0 | 5 | 119 | 214 | 292 | 519 | 346 | 221 | 196 | 0 | 0 | 1,913 | 162.7 | 0.72 |
| 1982 | 2 | 0 | 72 | 134 | 240 | 304 | 363 | 540 | 508 | 42 | 21 | 0 | 2,226 | 191.8 | 0.73 |
| 1983 | 0 | 63 | 52 | 141 | 185 | 263 | 393 | 500 | 226 | 131 | 45 | 0 | 1,999 | 171.2 | 0.73 |
| 1984 | 26 | 33 | 10 | 100 | 191 | 301 | 351 | 356 | 222 | 74 | 24 | 0 | 1,688 | 143.7 | 0.73 |
| 1985 | 0 | 2 | 6 | 129 | 508 | 363 | 404 | 276 | 182 | 35 | 0 | 22 | 1,928 | 171.6 | 0.76 |
| 1986 | 0 | 31 | 42 | 158 | 133 | 333 | 250 | 332 | 229 | 67 | 25 | 0 | 1,601 | 128.3 | 0.68 |
| 1987 | 0 | 11 | 10 | 47 | 167 | 357 | 397 | 556 | 189 | 192 | 7 | 0 | 1,932 | 146.8 | 0.65 |
| 1988 | 85 | 0 | 120 | 123 | 215 | 460 | 523 | 285 | 320 | 128 | 5 | 5 | 2,270 | 177.4 | 0.67 |
| 1989 | 12 | 0 | 120 | 145 | 189 | 435 | 382 | 313 | 229 | 117 | 0 | 0 | 1,942 | 154.1 | 0.68 |
| 1990 | 4 | 36 | 66 | 99 | 173 | 644 | 717 | 305 | 267 | 311 | 30 | 0 | 2,653 | 200.0 | 0.64 |
| 1991 | 2 | 0 | 33 | 115 | 164 | 359 | 379 | 438 | 233 | 30 | 6 | 4 | 1,762 | 137.3 | 0.66 |
| 1992 | 35 | 28 | 1 | 41 | 127 | 315 | 354 | 263 | 140 | 26 | 0 | 35 | 1,365 | 93.9 | 0.59 |
| 1993 | 0 | 5 | 35 | 94 | 262 | 448 | 464 | 337 | 198 | 15 | 0 | 3 | 1,863 | 126.9 | 0.58 |
| 1994 | 9 | 32 | 106 | 118 | 171 | 401 | 413 | 330 | 219 | 115 | 38 | 9 | 1,960 | 147.7 | 0.64 |
| 1995 | 1 | 0 | 8 | 94 | 222 | 398 | 567 | 552 | 119 | 54 | 14 | 0 | 2,029 | 179.6 | 0.75 |
| 1996 | 0 | 8 | 41 | 107 | 251 | 337 | 451 | 555 | 215 | 29 | 84 | 3 | 2,080 | 178.0 | 0.73 |
| 1997 | 9 | 4 | 85 | 220 | 250 | 302 | 485 | 416 | 243 | 94 | 4 | 0 | 2,111 | 182.6 | 0.74 |
| 1998 | 0 | 11 | 17 | 86 | 231 | 295 | 364 | 282 | 156 | 45 | 9 | 8 | 1,503 | 118.3 | 0.67 |
| 1999 | 7 | 3 | 60 | 119 | 521 | 426 | 320 | 537 | 293 | 125 | 26 | 8 | 2,445 | 182.8 | 0.64 |
| 2000 | 4 | 46 | 7 | 178 | 296 | 359 | 293 | 382 | 312 | 93 | 2 | 0 | 1,972 | 167.0 | 0.72 |
| Maximum | 85 | 65 | 120 | 220 | 521 | 644 | 717 | 556 | 508 | 311 | 84 | 35 | 2,653 | 200 | 0.76 |
| Minimum | 0 | 0 | 1 | 25 | 38 | 216 | 189 | 189 | 75 | 9 | 0 | 0 | 1,342 | 94 | 0.56 |
| Average | 8 | 17 | 38 | 104 | 231 | 361 | 402 | 380 | 230 | 86 | 13 | 4 | 1,873 | 148.4 | 0.68 |

2.4 *FIGURE 2.7HYDROLOGY*

2.4.1 *Inflow*

The NNP River basin does not have long term and well maintained hydrological data. There are only two kinds of river flow (inflow) data available for the NNP1 Project:

- Analyzed data from the past 30 years(1971-2000) by “Tank model” runoff analysis based on rainfall data in the NNP River basin; and
- Measured data at B. Hat Gniun from 2007 to 2011.

Tank Model Analysis

Inflow is computed based on basin rainfall data by using “Tank Model” runoff analysis. A Tank Model is a simple concept that uses one or more tanks illustrated as reservoirs in a watershed, that considers rainfall as the input and generates the output as the surface runoff, subsurface flow, intermediate flow, sub-base flow and base flow. In addition, various phenomena such as infiltration, percolation, deep percolation and water storages in the tank can be explained by the model. Many researchers have reported that the Tank Model has demonstrated its ability to model the hydrologic response of a wide range of watersheds (Sugawara *et al.*, 1984; Sugawara, 1961; Basri *et al.*, 1998; Kuroda *et al* 1999; Basri *et al*, 1999; Jayadi *et al.*, 1999, Fukuda *et al.*, 1999; Sutoyo *et al.*, 2003; Basri *et al.*, 2002; Setiawan, 2003; Kuok *et al.*, 2010; Azmeri *et al.*, 2012).

The results of the inflow analysis by Tank Model (using data from 1971 to 2000) at the NNP1 main powerhouse is summarised in *Table 2.4*, and presented in *Figure 2.7* (estimated annual rainfall and discharge) and *Figure 2.8* (seasonal inflow change). The key findings are:

- Annual average discharge (inflow): 148.4 m³/s
- Minimum monthly inflow: 26.4 m³/s (in April 1973)
- Minimum daily flow: 23.5 m³/s (on 4 May 1973, full dataset not presented in this report)

It should be noted that Tank Model analysis is introduced to estimate long-term inflow and therefore might not best reflect momentary values, although the model was checked against measured data. The difference between measured discharge and calculated discharge was minimized through trial-and-error method based on years of actual measurement of discharge at different gauge stations.

Table 2.4 Estimated Monthly and Annual Mean Inflow at NNP1 Main Power House (Minimum Numbers Highlighted)

| Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Ave |
|------|-------|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1971 | 76.2 | 67.6 | 83.4 | 65.4 | 119.1 | 233.8 | 418.9 | 275.0 | 226.9 | 136.4 | 108.7 | 90.7 | 158.5 |
| 1972 | 75.1 | 62.7 | 52.6 | 64.1 | 71.3 | 198.2 | 178.5 | 242.5 | 106.7 | 86.8 | 66.0 | 54.4 | 104.9 |
| 1973 | 45.1 | 37.8 | 31.6 | 26.4 | 66.0 | 119.3 | 158.8 | 247.9 | 313.1 | 117.3 | 89.0 | 74.1 | 110.5 |
| 1974 | 61.5 | 51.6 | 43.1 | 38.6 | 55.3 | 116.1 | 196.7 | 303.1 | 224.8 | 101.4 | 83.4 | 69.3 | 112.1 |
| 1975 | 57.9 | 48.2 | 40.3 | 35.3 | 127.4 | 333.6 | 173.6 | 220.3 | 242.8 | 177.3 | 103.3 | 85.9 | 137.2 |
| 1976 | 71.3 | 73.4 | 50.6 | 47.3 | 77.0 | 154.4 | 202.4 | 335.3 | 253.8 | 210.1 | 116.2 | 94.7 | 140.5 |
| 1977 | 78.6 | 65.8 | 55.2 | 47.4 | 48.1 | 103.5 | 288.2 | 159.5 | 196.4 | 85.2 | 70.9 | 59.1 | 104.8 |
| 1978 | 49.0 | 41.3 | 35.1 | 51.5 | 28.7 | 287.3 | 248.1 | 312.0 | 349.8 | 154.3 | 108.1 | 89.9 | 146.2 |
| 1979 | 74.6 | 63.5 | 52.6 | 48.4 | 185.6 | 191.0 | 217.7 | 217.9 | 167.0 | 98.1 | 79.3 | 66.0 | 121.8 |
| 1980 | 54.8 | 45.9 | 39.6 | 36.8 | 99.7 | 252.6 | 299.8 | 341.7 | 318.1 | 144.8 | 116.9 | 97.3 | 154.0 |
| 1981 | 80.7 | 67.6 | 56.6 | 67.2 | 102.4 | 186.1 | 348.7 | 288.9 | 306.2 | 224.9 | 121.7 | 101.3 | 162.7 |
| 1982 | 84.1 | 70.4 | 64.5 | 85.2 | 128.3 | 234.9 | 276.8 | 427.9 | 409.6 | 244.6 | 151.0 | 124.8 | 191.8 |
| 1983 | 103.5 | 102.5 | 85.1 | 76.0 | 100.1 | 149.2 | 319.3 | 359.6 | 303.9 | 203.8 | 141.9 | 109.5 | 171.2 |
| 1984 | 94.1 | 79.1 | 64.1 | 63.7 | 99.4 | 176.9 | 232.1 | 293.4 | 281.1 | 140.4 | 109.6 | 90.6 | 143.7 |
| 1985 | 74.8 | 62.6 | 52.5 | 57.5 | 277.3 | 307.5 | 341.7 | 268.4 | 256.7 | 144.7 | 116.5 | 99.1 | 171.6 |
| 1986 | 80.7 | 68.0 | 56.8 | 71.6 | 78.9 | 225.2 | 163.6 | 262.5 | 219.2 | 137.3 | 96.5 | 79.3 | 128.3 |
| 1987 | 65.8 | 55.2 | 46.2 | 38.9 | 56.7 | 205.1 | 260.7 | 327.7 | 308.1 | 193.0 | 111.8 | 92.7 | 146.8 |
| 1988 | 95.6 | 72.0 | 62.8 | 85.7 | 131.5 | 307.7 | 345.1 | 316.4 | 263.6 | 213.9 | 128.1 | 106.7 | 177.4 |
| 1989 | 88.5 | 74.0 | 70.8 | 106.8 | 104.2 | 272.7 | 222.1 | 296.7 | 241.8 | 166.9 | 111.6 | 92.9 | 154.1 |
| 1990 | 77.1 | 64.9 | 57.7 | 52.8 | 68.9 | 346.3 | 546.7 | 331.5 | 281.8 | 301.0 | 149.1 | 122.7 | 200.0 |
| 1991 | 101.9 | 85.3 | 71.7 | 79.7 | 72.3 | 160.4 | 257.0 | 297.5 | 218.7 | 126.3 | 96.4 | 80.3 | 137.3 |
| 1992 | 71.6 | 58.1 | 47.6 | 40.9 | 37.5 | 153.6 | 195.4 | 194.1 | 120.1 | 80.9 | 66.2 | 61.2 | 93.9 |
| 1993 | 46.4 | 38.9 | 32.6 | 31.4 | 81.5 | 209.6 | 370.2 | 266.4 | 157.2 | 121.5 | 91.0 | 75.8 | 126.9 |
| 1994 | 63.3 | 56.2 | 61.1 | 70.0 | 80.0 | 244.2 | 259.3 | 303.9 | 250.4 | 167.9 | 119.3 | 96.2 | 147.7 |
| 1995 | 79.8 | 66.8 | 55.9 | 56.8 | 111.9 | 206.9 | 399.0 | 483.0 | 300.4 | 159.3 | 128.7 | 106.6 | 179.6 |
| 1996 | 88.5 | 73.8 | 63.7 | 61.3 | 116.4 | 223.4 | 306.5 | 454.4 | 303.3 | 164.5 | 165.3 | 114.5 | 178.0 |
| 1997 | 95.2 | 79.5 | 72.5 | 122.4 | 157.6 | 181.9 | 349.5 | 361.4 | 341.0 | 180.7 | 136.0 | 113.2 | 182.6 |
| 1998 | 93.9 | 78.7 | 65.9 | 60.1 | 84.6 | 152.9 | 243.2 | 213.4 | 178.1 | 98.9 | 81.5 | 67.9 | 118.3 |
| 1999 | 56.3 | 47.1 | 42.0 | 48.0 | 262.9 | 304.6 | 282.4 | 381.2 | 335.1 | 184.6 | 136.4 | 113.1 | 182.8 |
| 2000 | 93.9 | 81.6 | 66.0 | 95.6 | 175.8 | 258.4 | 228.2 | 319.0 | 318.7 | 153.9 | 116.5 | 96.7 | 167.0 |
| Ave | 76.0 | 64.7 | 56.0 | 61.1 | 106.9 | 216.6 | 277.7 | 303.4 | 259.8 | 157.4 | 110.6 | 90.9 | 148.4 |
| Max | 103.5 | 102.5 | 85.1 | 122.4 | 277.3 | 346.3 | 546.7 | 483.0 | 409.6 | 301.0 | 165.3 | 124.8 | 255.6 |
| Min | 45.1 | 37.8 | 31.6 | 26.4 | 28.7 | 103.5 | 158.8 | 159.5 | 106.7 | 80.9 | 66.0 | 54.4 | 74.9 |

Figure 2.7 Basin Annual Mean Rainfall and Discharge (Inflow) at NNP1 Main Power Station





Figure 2.8 Seasonal Change in Discharge (Inflow) at NNP1 Main Power Station



Measurement at B. Hat Gniun

The observed daily discharge at B. Hat Gniun gauging station from 2007 to 2011 is shown in Figure 2.9 and Table 2.5. The actual flow measurement recorded a minimum daily inflow of 12.8 m³/s on 25th and 26th April 2009 (Figure 2.10).

Figure 2.9 Observed Daily Discharge at B. Hat Gniun




Table 2.5 Measured Data at B. Hat Gniun

Daily minimum discharge

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | av. |
|------|------|------|------|------|------|------|-------|-------|-------|-------|------|------|-------|
| 2007 | | | | | | | 87.3 | 119.0 | 120.2 | 108.6 | 72.9 | 51.0 | |
| 2008 | 36.8 | 27.0 | 18.1 | 23.3 | 40.1 | 92.6 | 196.0 | 223.1 | 141.8 | 103.5 | 79.5 | 58.8 | 86.7 |
| 2009 | 34.8 | 30.8 | 22.2 | 12.8 | 15.7 | 85.7 | 147.3 | 176.9 | 119.7 | 84.3 | 57.2 | 46.0 | 69.5 |
| 2010 | 36.4 | 29.0 | 25.9 | 23.4 | 25.0 | 36.7 | 92.3 | 175.1 | 186.7 | 89.2 | 59.9 | 44.1 | 68.6 |
| 2011 | 32.9 | 28.2 | 26.1 | 24.4 | 34.8 | 66.5 | 332.9 | 371.1 | 181.5 | 132.9 | 80.8 | 56.4 | 114.0 |
| Ave | 35.2 | 28.8 | 23.1 | 21.0 | 28.9 | 70.4 | 171.2 | 213.0 | 150.0 | 103.7 | 70.0 | 51.2 | 84.7 |


Daily maximum discharge

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | av. |
|------|-------|------|-------|------|-------|--------|--------|--------|--------|-------|-------|------|-------|
| 2007 | | | | | | | 338.1 | 548.9 | 388.2 | 885.8 | 112.3 | 71.1 | |
| 2008 | 54.3 | 70.9 | 62.0 | 75.5 | 176.1 | 382.9 | 606.9 | 627.8 | 358.5 | 244.7 | 170.0 | 78.3 | 242.3 |
| 2009 | 57.4 | 46.0 | 44.3 | 66.8 | 348.2 | 272.2 | 733.2 | 420.6 | 386.0 | 140.5 | 81.6 | 56.7 | 221.1 |
| 2010 | 169.0 | 39.4 | 29.3 | 51.3 | 225.0 | 268.3 | 434.6 | 601.8 | 643.1 | 170.1 | 88.5 | 59.1 | 231.6 |
| 2011 | 43.5 | 33.1 | 146.0 | 48.9 | 288.5 | 1287.8 | 2818.6 | 2271.1 | 1245.7 | 505.1 | 139.4 | 79.4 | 742.3 |
| Ave | 81.0 | 47.4 | 70.4 | 60.6 | 259.5 | 552.8 | 986.3 | 894.0 | 604.3 | 389.2 | 118.4 | 68.9 | 359.3 |

Daily mean discharge

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | av. |
|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|------|-------|
| 2007 | | | | | | | 137.2 | 191.0 | 222.9 | 277.1 | 89.3 | 60.3 | |
| 2008 | 43.2 | 38.3 | 28.0 | 42.1 | 88.0 | 220.2 | 398.4 | 424.7 | 204.4 | 138.4 | 103.1 | 68.8 | 149.8 |
| 2009 | 44.3 | 38.0 | 29.1 | 32.1 | 79.6 | 129.8 | 325.7 | 278.4 | 157.9 | 102.6 | 67.1 | 50.6 | 111.2 |
| 2010 | 49.3 | 32.8 | 27.4 | 27.2 | 38.8 | 90.2 | 189.0 | 358.2 | 321.8 | 122.4 | 72.3 | 52.2 | 115.2 |
| 2011 | 38.6 | 30.5 | 41.4 | 29.7 | 98.0 | 242.4 | 617.6 | 667.8 | 468.9 | 207.3 | 103.1 | 67.6 | 217.7 |
| Ave | 43.8 | 34.9 | 31.5 | 32.8 | 76.1 | 170.6 | 333.6 | 384.0 | 275.2 | 169.6 | 87.0 | 59.9 | 148.5 |

Figure 2.10 Change of River Flow in March to May 2009 at B. Hat Gniun



Comparison of Hydrological Characteristics with other Projects

The annual average discharge of 148.4 m³/s for this Project was compared with other projects located in the middle of Laos (the Nam Theum River basin) and in the northwest (the Nam Ngum River basin) to confirm values of runoff coefficient and the specific yield as is shown in Table 2.6.


Table 2.6 *Comparison of Hydrological Characteristics with other Projects in North and Middle of Laos*

| Project | Source | Year | Catchment Area km ² | Annual average rainfall mm/year | Annual average discharge m ³ /s | Specific yield m ³ /s/100km ² | Runoff coefficient |
|-------------|---|------|-----------------------------------|------------------------------------|---|--|--------------------|
| Nam Ngiep 1 | KANSAI Update F/S | 2007 | 3,700 | 1,874 | 148.4 | 4.01 | 0.67 |
| | Feasibility Study on the NAM NGIEP 1 Project (Phase II) Final Report: volume1 Main Report (JICA) | 2002 | 3,700 | 1,874 | 147.2 | 3.98 | 0.67 |
| Nam Ngum 2 | Hydropower Development Strategy for LAO Draft Final Report (LAHMEYER) | 2000 | 5,640 | 2,166 | 200.6 | 3.56 | 0.52 |
| Nam Ngum 3 | | | 3,873 | 2,166 | 106.2 | 2.74 | 0.40 |
| Nam Ngum 5 | | | 483 | 1,944 | 22.7 | 4.70 | 0.76 |
| Nam Theun 3 | | | 2,338 | - | 110.00 | 4.70 | - |
| Nam Theun 2 | Water Management Plan for the NAM THEUN Final Report (NORPLAN A.S.) | 1997 | 4,013 | 2,250 | 233.0 | 5.81 | 0.81 |
| Nam Ngum 1 | Nam Ngum5 Hydropower Project Feasibility Study (LAHMEYER) | 1997 | 8,460 | - | 308.0 | 3.64 | - |
| Nam Ngum 5 | | | 483 | 2,200 | 22.8 | 4.72 | 0.68 |
| Nam Ngum 1 | NAM NGUM1 Hydropower Station extension Feasibility and Engineering study Mid-term Report (LAHMEYER) | 1995 | 8,460 | 2,250 | 301.2 | 3.56 | 0.50 |
| Nam Ngum 2 | | | 5,750 | 1,950 | 163.0 | 2.83 | 0.46 |
| Nam Ngum 3 | | | 3,810 | 1,600 | 74.1 | 1.94 | 0.38 |

2.4.2 Flood

The hourly rainfall data for the NNP River basin was prepared by the automatic rainfall recorder installed at B. Thaviang, near the centre of the basin (See *Figure 2.4* and *Table 2.2* for location) from September 1998 to December 2000. To estimate the hourly rainfall hydrograph under torrential rain conditions, 24-hour rainfall of 50 mm and more was selected from the hourly rainfall data observed at B. Thaviang and a pattern of typical rainfall for the NNP River basin was determined (*Figure 2.11*).

Figure 2.11 *Accumulated Hourly Rainfall Curves*



2.4.3 Base flow

Using the 13-year discharge data (1989-2002) of Muong Mai station (See *Figure 2.4* and *Table 2.2* for location), the base flow at Muong Mai station was estimated at 400 m³/s and the base flow at the dam site was estimated at 350 m³/s by multiplying the ratio of the basin.

2.4.4 Runoff coefficient

Typical hydrographs were selected from the 13-year discharge data of Muong Mai station. By cutting off the base flow from the hydrographs, the effective rainfall was obtained, to which a runoff coefficient was estimated.


2.4.5 Unit hydrograph

Hourly discharge data are necessary for preparing a unit hydrograph, but such data are not available. Hence the dimensionless unit hydrograph quoted by the US Soil Conservation Service was used as a unit hydrograph.

2.4.6 Probable flood discharge estimation

The probable flood discharge was estimated using two methods. The first was an estimation using the annual maximum daily discharge data from Muong Mai station and frequency curve. The flood time peak discharge at Muong Mai site was converted from annual maximum daily discharge by multiplying with the correction coefficient (1.2). Log Pearson Type-III for the frequency curve as the most suitable one out of the other four functions (Figure 2.12).

Figure 2.12 Flood frequency Distribution Curve



The second method was an estimation of probable rainfall derived from the annual maximum daily rainfall of the mean basin rainfall of data recorded from 1971–2000, using a frequency curve.

2.4.7 Flood analysis result

It was likely that the actual discharge measurement at Moung Mai station was more reliable than the rainfall data estimated by the Thiessen method. Thus, 5,210 m³/s of probable flood discharge in 1,000 years was adopted for designing the dam (Table 2.7).

Table 2.7 Flood Analysis Result

| Probable year | Probable flood discharge (m ³ /s) |
|---------------|--|
| 10,000 | 7,920 |
| 1,000 | 5,210 |
| 500 | 4,560 |
| 200 | 3,800 |
| 100 | 3,290 |
| 50 | 2,840 |
| 30 | 2,530 |
| 20 | 2,300 |
| 10 | 1,930 |
| 5 | 1,590 |
| 2 | 1,150 |
| 1.01 | 680 |

2.4.8 Sediment

Data of suspended load at B. Hat Gniun were collected by KANSAI from April 2010 to March 2011 (Figure 2.13). The following formula is obtained from the relationship between discharge and suspended sediment. In the figure, data from other projects such as Xekatom in Lao PDR and Tha-htay, Nanchu, Thaukyegat in Myanmar are plotted for reference.

$$Q_s = 7.063 \times 10^{-8} Q^{2.155}$$

where Q_s: Suspended Sediment (m³/sec), Q: Discharge (m³/sec)

Annual sediment yield at the dam site is estimated by the following equation. Bed load, which is equivalent to 20% in weight of suspended load, was added to the suspended load.

$$V_y = V_{ys} + V_{yb}$$

$$V_{ys} = \frac{R \times \frac{1}{\gamma} \times \frac{1}{(1 - n_s)}}{\quad}, \quad V_{yb} = \frac{R \times 0.2 \times \frac{1}{\gamma} \times \frac{1}{(1 - n_b)}}{\quad}$$

$$R = \text{Suspended load curve} \times D_h$$

,where

V_y : Annual sediment yield (m³/yr)

V_{ys}, V_{yb}: Sediment yield of suspended load, bed load (m³/yr)

R : Sediment weight (kg)


γ: Specific gravity (2,650 kg/m³)

n_s, n_b: Void content; Suspended load: 0.7, Bed load: 0.4

D_h : Discharge of duration curve (sec)

By using the above equation, the annual sediment yield of NNP1 is estimated to be 178 ton/ km²/ year.

Figure 2.13 *Suspended Sediment in NNP River Basin*




2.4.9 *Water Quality*

NNP River Water Quality Sampling at Downstream Area in April and October 2007

To monitor the baseline water quality of NNP River before project activities, surface water sampling at downstream locations was conducted. The downstream sampling stations included B. Hat Gniun (St 8), Ban Somseun (St 9) and Nam Ngeip bridge (St 10) and data were collection from these stations in April and October 2007 as shown in *Figure 2.14*.

Figure 2.14 Location of Surface Water Sampling Stations



Parameters of interest included physical and chemical water qualities (temperature, pH, alkaline, conductivity, salinity, hardness, turbidity, suspended solids and total dissolved solids), biological water qualities (DO, BOD5, PO43-, P, N, NO3-, NH3, oil and grease), bacteriological water quality (total coliform and fecal coliform) and trace elements (As, Cd, Cu, Fe, Hg, Mn, Ni, Pb and Zn). Regarding the biological water qualities, DO concentrations were high with a range of approximately > 7.0 as shown in Table 2.8.

Table 2.8 Results of Surface Water Quality from the NNP River in April and October 2007

| Parameters | Unit | St 8 | | St 9 | | St 10 | |
|------------------|---------|--------|--------|--------|--------|--------|--------|
| | | April | Oct. | April | Oct. | April | Oct. |
| Temperature | °C | 29.5 | 25.3 | 28.2 | 27.9 | 27.7 | 26.5 |
| pH | - | 7.09 | 7.09 | 8.18 | 7.34 | 7.58 | 7.17 |
| Alkalinity | meq/L | 0.26 | 0.14 | NA | 0.29 | NA | 0.27 |
| DO | mg/L | 7.21 | 7.23 | 7.60 | 7.47 | 7.20 | 6.97 |
| BOD5 | mg/L | 1.4 | 1.2 | 2.6 | 1.1 | 3.3 | 1.1 |
| Oil and Grease | mg/L | <0.01 | <0.01 | NA | <0.01 | NA | <0.01 |
| Turbidity | FTU | 17.9 | 16.2 | 47.9 | 15.7 | 32.9 | 17.3 |
| Suspended solids | mg/L | 21.4 | 22.1 | 112.0 | 17.9 | 72.0 | 21.2 |
| TDS | mg/L | 33.1 | 19.7 | 100.0 | 21.2 | 93.0 | 31.6 |
| Hardness | mg/L | 78 | 73 | 184.0 | 84.0 | 118.0 | 76.0 |
| Conductivity | µS/cm | 60.56 | 48.9 | 88.5 | 72.0 | 94.5 | 74.1 |
| Phosphate-P | mg/L | 0.48 | 0.1 | 0.14 | 0.20 | 0.16 | 0.12 |
| Total P | mg/L | 0.11 | 0.04 | 0.27 | 0.09 | 0.32 | 0.04 |
| Ammonium-N | mg/L | 0.05 | 0.02 | 0.01 | 0.04 | ND | 0.04 |
| Nitrate-N | mg/L | 0.14 | 0.21 | 0.17 | 0.10 | 0.20 | 0.09 |
| Total N | mg/L | 0.07 | 0.05 | NA | 0.07 | NA | 0.03 |
| Total coliform | MPN/100 | NA | NA | NA | NA | NA | NA |
| Fecal coliform | MPN/100 | NA | NA | NA | NA | NA | NA |
| Cadmium, Cd | mg/L | <0.001 | <0.001 | 0.06 | <0.001 | 0.05 | <0.001 |
| Mercury, Hg | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Copper, Cu | mg/L | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Iron, Fe | mg/L | 0.22 | 0.2 | <0.10 | 0.10 | <0.10 | 0.11 |
| Manganese, Mn | mg/L | 0.18 | 0.11 | 0.76 | 0.13 | 0.70 | <0.10 |
| Nickel, Ni | mg/L | <0.10 | <0.10 | NA | <0.10 | NA | <0.10 |
| Lead, Pb | mg/L | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Zinc, Zn | mg/L | <0.02 | <0.02 | 0.02 | <0.02 | <0.02 | <0.02 |
| Arsenic, As | mg/L | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |

Note: NA = Not available


In general, the water quality of samples collected in October was classified as Class 2 according to the Thai Surface Water Standards (it should be noted that Lao PDR does not yet have its own comprehensive water quality standard). This is considered a very clean, fresh surface water resource that can be used for consumption with only simple water treatment before use. It is also of a sufficiently high quality to support aquatic organisms for fisheries and to safely undertake recreational activities. However, the water quality of samples collected in April fell to Class 3 according to the Thai Surface Water Standards, which is considered a medium clean, fresh surface water resource that can be used for agriculture but that needs to pass through more comprehensive water treatment before being used for consumption. The increase of BOD5 (The Biochemical Oxygen Demand occurring over a 5-day period) was caused by the nutrients flushed from the agricultural lands and residential areas into the river during the start of the rainy season.

NNP River Water Temperature Measurement at B. Hat Gniun since 2011

Periodic measurement of the river water temperature at B Hat Gniun has been conducted since 2011. The daily river water temperature in 2011 ranged from 11.4°C in December to 30.2°C in June. The monthly average river water

temperature ranged from 20.4°C in April to 26.4°C in December, according to the data from 2011 as shown in *Figure 2.15*.


Figure 2.15 *River Water Temperature in 2011*



The daily fluctuation of river and air water temperature in May and October 2012 is shown in *Figure 2.16*. Data collection is carried out at 6 am (0600), 12 noon (1200), and 6 pm (1800) respectively.

River water temperature fluctuates far less than air temperature. River water temperature keeps a relatively stable daily value whereas air temperature varies daily, being lowest in the morning and highest around noon. The fluctuation in river water temperature ranged from 23.9°C to 29.8°C compared to air temperature which ranged from 22.0°C to 35.0°C in May 2012. In October 2012, river water temperature ranged from 22.0°C to 27.5°C compared to that of air temperature which ranged from 19.0°C to 37.0°C.

Figure 2.16 *Daily Fluctuation of River Water and Air Temperature on May and October 2012*



NNP River Water Quality Sampling during March 2013

As part of the NNP1 Biodiversity Offset Assessment Study, ERM consultants conducted water quality monitoring along the NNP River and the Nam Xan River at strategic locations to assess water quality conditions and facilitate the biodiversity offset study. Water quality sampling results along the Nam Xan River were presented in the *NNP1 Biodiversity Offset Design Report* and the key findings are presented in *Annex A*. Surface water quality samples along the length of the surveyed NNP River were taken at six (6) stations (*Table 2.9*) every 1 km on 15 March 2013 (*Figure 2.17*).

Table 2.9 *Locations for Surface Water Quality Sampling along the Surveyed Stretch of NNP River*

| Station | Location |
|---------|---|
| SW-1 | Upstream of main dam and powerhouse (PH) |
| SW-2 | Downstream of main dam and PH, and upstream re-regulating dam and PH |
| SW-3 | Downstream re-regulating dam and PH, and upstream of one tributary (Nam Xiao) |
| SW-4 | Downstream of Nam Xiao |
| SW-5 | Upstream of one tributary (Nam Pa) |
| SW-6 | Downstream of Nam Pa |




Figure 2.17 *Water Quality Sampling Sites along the NNP River in March 2013*



The parameters were measured against the relevant water quality standard for drinking water and surface water listed in Lao PDR National Environmental Standard (Lao PDR 2009) and analysed. All parameters were recorded as well as date and time, GPS UTM (Zone 48, based on WGS 84 datum), physical conditions such as weather, water colour, odour, visible oil and grease, floating solids and any activities near the sites that were considered useful for helping to interpret the water quality data.

The results of water quality analysis indicate that along the NNP River the average DO level of 6.5 mg/L complies with the Ambient Surface Water Quality Standard of Lao PDF. TDS was measured at the sites and shows an average level of 46.7 mg/L. No Ambient Surface Water Quality Standard applies to TDS in Lao or Thailand but this level of TDS is considered high with water having a turbid and colored appearance with the presence of suspended matter during the site sampling.

Figure 2.18 pH, Dissolved Oxygen, Temperature and Total Dissolved Solids along the Surveyed Section of NNP River in March 2013



The flow regime of any aquatic ecosystem plays a role in the health and productivity of the system and influences the nearby biodiversity and ecosystem services; for some species, flows can trigger movement during certain periods. This section provides information on the terrestrial/ riparian habitats of the NNP River downstream of the re-regulation dam and goes on to report on the existing aquatic biodiversity and ecosystem services in that section of the river.

Data from two key surveys have been used to determine the existing biodiversity and ecosystem services in the downstream NNP River. A dry season, baseline survey conducted along the NNP River in January 2008 at ten aquatic sampling stations. Examination of aquatic fauna and flora included distribution of indigenous fish species and their abundance in particular areas of the river. Plankton, benthos and aquatic plants, which provide nutrients to young fish, were also studied. Study results and other relevant data (hydrology, water quality) were used to predict possible changes in aquatic life after project development and its effect on peoples' livelihood. *Annex B* shows how six stations were located upstream from the Project's main dam site, one between the main dam and the re-regulation dam and the other three located downstream of the re-regulation dam.

A further biodiversity study, including a detailed aquatic biota survey, was conducted by the Thailand Institute of Scientific and Technological Research in March (dry season) and July (wet season) 2013 in four different areas potentially affected by the NNP1 Project. One area was along the NNP River and included five (5) sampling sites (NNg1 through to NNg5) upstream of the proposed main dam and three (3) sampling sites (NNg6 through to NNg8) downstream of the proposed main dam. The aquatic biota survey included collection and identification of phytoplankton, zooplankton and benthos as well as capture and identification of fish species and discussion with local fishermen.

3.1 DOWNSTREAM BIODIVERSITY

3.1.1 *Terrestrial/ Riparian Habitat and Flora Downstream of Re-Regulation Dam (Lower NNP River)*

Downstream of the re-regulation dam, the terrain is predominately flat and tilts gradually towards the Mekong River. In this area, the NNP River runs parallel to the Nam Xan before it merges with the Mekong at Pakxan.

Forest along the Lower NNP River is dominated by disturbed mixed deciduous forest with approximately 60-70% canopy cover. The forest is

highly respected by local people and well preserved with a top canopy height of 20-30 m. Records from the 2007 and 2013 surveys indicate that forest species include, among others, *Gironniera nervosa*, *Ficus racemosa* L., *Morus alba* L. and *Xanthophyllum lanceatum* as well as *Callicarpa arborea*, *Litsea glutinosa*, *Crudia Chrysantha*, and *Cratoxylum formosum* in the middle canopy and saplings and seedlings of higher canopy trees in the lower canopy such as *Trewia nudiflora* L., *Baccaurea ramiflora*, *Pseuduvaria rugosa* and *Mallotus philippinensis*. This NNP River downstream area is, however, disturbed and dominated by agricultural land use with high human activity.

Aquatic riverine and tributary habitats show seasonal variation in terms of water depth, clarity, flow and wetted width. In general river habitats are fast flowing with greater water depth and flows during the wet season, flooding all banks and vegetation. Erosion always happens due to the strong water flow resulting in steep banks along the river. Dry season river habitats exhibited riffle zones which are flooded during the wet season and while the main river flows rapidly in the wet and dry season, in the tributary areas the water course in some areas dried to isolated pools. For the Lower NNP River, depth in the typical dry season was recorded as 2-3 m but shallower in riffle zones where water flows fastest, and 4-5 m deep in the wet season.

The river bed is generally dominated by sand and gravel with some boulders and the width of the river varies from 50-100 m in the dry season to 100-150 m during the wet season during surveys. While the riparian zone is mainly covered by large trees and bamboos, aquatic plants were sparsely present on the river bank which generally exposed and dried in the dry season. Over the course of the 2007 and 2013 surveys, 22 plant species were recorded along the downstream NNP River. Most of these are common but three tree species are listed under IUCN as 'Endangered' and two trees/shrubs as 'Vulnerable'.

The three endangered tree species are *Dipterocarpus alatus*, *Shorea roxburghii* and *Azelia xylocarpa* and those listed as vulnerable are *Hopea odorata* and *Syzygium vestitum*. All five species were listed as endangered in 1998 by IUCN, generally due to the rate of habitat loss or selective logging for their wood, but the IUCN records now require updating. *Dipterocarpus alatus* is mainly found along river banks, *Shorea roxburghii* is unusual for its adaptation to withstand adverse climatic conditions and soil types, *Azelia xylocarpa* is highly exploited for its hard, attractive wood quality and *Hopea odorata* is a widespread tree which usually occurs in lowland riparian forest on deep rich soils.

3.1.2 *Provincial Protected Area*


Protected areas in Bolikhamxay Province cover 382,404 ha or about 24% of the Province. Of this 296,070 ha are National Protected Areas, 52,152 ha are Provincial Protected Areas and 34,182 ha are District Protected Areas. Below are more specific details for each protected area:

- National Protected Areas cover 18.5% of the Province's land base.
- Provincial Protected Areas cover 3.4% of the Province's land base.
- District Protected Areas cover 2.1% of the Province's land base.

One provincial protected area close to the Project Area is that of Houy Nghua PPA, which falls to the east of the downstream NNP River as it flows towards the Mekong River. The Houy Nghua Provincial Protected Area ("HNG PPA") (*Figure 3.1*) is 5,495 ha and approximately 6 km from the Provincial Administration Office. There is a HNG PPA Management Plan for which the Provincial Agriculture and forestry office is ultimately responsible and this management plan includes an Aquatic & Wildlife Unit. There are five (5) villages in the management zone including Ban Sisavath, Ban Nonsomboun, Ban Sisomxeun, Theu Hua and B. Hat Gnuin (which is the nearest village to where the NNP1 Project dam will be built).

The HNG PPA has been established since 1995 with various changes to the area it covers but it contains abundant biodiversity and natural resources which are reported to be very important to the livelihoods of communities in adjacent villages and within the district as well. HNG PPA is also a significant natural property of the district, with the possibility to create income in the future from eco-tourism.

Figure 3.1 Houy Nghua PPA Boundary



3.1.3 Aquatic Biota

Fish

The fish community of the Mekong River is one of the largest in the world with most of the production based on migratory river species (Poulsen *et al.*, 2004). Fish migration is an important component for many fish species life cycle. In the Mekong, fish migration can be generally described in terms of (Poulsen *et al.*, 2004):

- Annual movement between inundated floodplains (where most fish production originates) and dry season refuges;
- Movement into spawning areas within the river system usually upstream) from dry season refuges, generally upon start of flooding; and
- Passive migration of fish fry downstream from spawning areas.

The January 2008 dry season survey found 42 fish species along the NNP River at ten sampling stations located both upstream (6 stations) and downstream (4 stations) of the main dam site. The community detected included relatively similar proportions of surface feeders, column feeders and

bottom feeders and was made up of species common to the Mekong tributaries and dominated by fish from the Cyprinidae family. Cyprinidae family species were reported to adapt to different environmental in various sections of the river, and this family was also the dominant group recorded during 2013 surveys. The 2013 surveys (wet and dry) recorded 75 fish species across four different areas potentially affected by the NNP1 Project, just one of which was the NNP River. In total 47 species of fish have been recorded in the NNP River downstream of the main dam site during the surveys.

Results of the January 2008 survey reported in the Project EIA note that larger species of fish such as *Bagarius yarrelli*, *Cirrhinus molitorella*, *Hemibagrus wyckioides* and *Labeo erythropterus* were found in the NNP River upstream of the dam site. Many of these larger fish, particularly *Cirrhinus molitorella*, *Hemibagrus wyckioides* and *Labeo erythropterus* are migratory species of the lower Mekong basin that move upstream along the river and its tributaries during the wet season for spawning (EIA citing Poulsen *et al.*, 2004).

Both surveys noted a number of juvenile individuals of the migratory species (e.g. *Opsarius pulchellus*, *Puntius brevis*, *Rasbora daniconius*, *Raimas guttatus* and *Poropuntius spp.*) suggesting that the NNP River plays a role in providing habitat for the reproductive cycle (EIA citing Lowe-McConnell, 1995).

Benthic Fauna

Benthic sampling has detected individuals from 30 invertebrate families across whole the Project area and candidate offsets sites. Species richness varied at each sampling site with no specific trends in richness across sampling areas. For the downstream NNP River, benthic family richness ranged from seven (7) families at NNg6 & NNg7 to eleven families at NNg8, and included species such as earthworms, the Stonefly Nymph and Mayfly Nymph as well as Damselfly Nymph.

A higher density of earthworms at stations further downstream towards the convergence with the Mekong River, indicate the soils around these areas are in a virgin or near virgin stage. Earthworms and other insects are excellent food for many kinds of local fish.

Plankton Community

The NNP River is host to a great diversity of plankton species. Of the 104 species found during the January 2008 surveys, 64 were phytoplanktons and the other 40 species were zooplanktons (EIA, 2012). The highest density of planktons were found at the site furthest downstream and closest to the convergence with the Mekong River, followed by stations just upstream, at and just downstream of the dams.

In the NNP River, the dominant phytoplankton species is *Nitzschia sp.* from phylum Bacillariophyta and the dominant zooplankton species is *Testudinella patina*.

During the dry season, most of the river becomes shallow, so that light can penetrate into the water for longer periods and with higher light intensity. This can accelerate photosynthesis for the planktons and algae to grow. The relative richness of plankton species is due to substantial variations in ecosystems, caused by the range of climatic and geological conditions of the NNP River.

Threatened Species

Biodiversity surveys in the downstream NNP River area recorded 47 fish species of which one (1) species is listed as Protected (List II) in the Regulation of Ministry of Agriculture and Forestry No. 0360/MAF (2003) and six (6) species are listed as endangered, vulnerable or near threatened on the IUCN Red List. Information on these threatened species are summarised in *Table 3.1*.

Table 3.1 Threatened Fish Species Recorded in Lower NNP River Area

| Species / Common Name | Status | IUCN Status | Habitat requirements | Relative Abundance |
|---|--------|-------------|---|--------------------|
| <i>Poropuntius deauratus</i> Yellow tail brook barb (Cyprinidae family) | | EN | <p>Yellow tail brook barb is the dominant species in the river. It generally occurs in medium size and small rivers and streams (Serov <i>et al.</i>, 2006), and is usually found in clear water with rapid current. During surveys for the Project juvenile fish were recorded in the rivers and tributaries. This species has been recorded in coastal freshwater river drainages in Central Viet Nam, between the Thu Bon River and the Quang Tri River (Huckstorf & Freyhof, 2011) and sometimes large clear rivers from Thailand, Cambodia and Vietnam (Rainboth, 1996) although Kottelat (2000) notes records from Cambodia, China, Laos, Malaysia and Thailand are due to misidentification (Huckstorf & Freyhof, 2011).</p> <p>Yellow tail brook barb is at least 6 cm Standard Length (SL) (Fishbase, 2013) feeds on fine debris, algae, diatoms and aquatic insects (Rainboth, 1996) and does not persist in confined bodies of waters or reservoirs.</p> | VC |
| <i>Cirrhinus cirrhosis</i> * Mrigal carp* (Cyprinidae family) | | VU | <p>Mrigal carp is an introduced species in Lao PDR being native to India and introduced in a number of other countries (Rema Devi, 2011) largely in connection with aquaculture, such that its distribution can no longer be determined.</p> <p>This species is a potamodromous (migrates within freshwater) benthopelagic fish, inhabiting fast flowing streams and rivers. It is a plankton feeder with juveniles being omnivorous to about 5 cm Total Length (TL) and adults being almost entirely herbivorous. This fish has a rapid growth rate; by the age of two individuals can reach a length of 60 cm and can weigh as much as 2 kg. It is commonly 40 cm (TL) (with average weight of 1 kg) and can reach up to 100 cm. There is a maximum published weight of 12.7kg from a 1991 specimen in India (Fishbase, 2013).</p> <p>These fish are widely cultured, and although adults thrive in ponds, they fail to breed naturally in ponds, needing swift rivers to spawn. Spawning occurs in water bodies with a depth of 50-100cm and over sand or clay substrate (Fishbase, 2013).</p> | LC |
| <i>Yasuhikotakia splendida</i> Jaguar loach (Cobitidae family) | | VU | <p>Jaguar loach is native to Lao PDR and found in the Sekong River, the Mekong at Savannakhet as well as in the Mun River at Keng Tana, Thailand (Baird, 2011b).</p> <p>The species is reported to inhabit swift or moderately swift, clearwater, freshwater streams and rivers with predominantly rocky or cobblestone bottoms. It has a reported maximum SL of 10 cm (Fishbase, 2013).</p> | C |

| Species / Common Name | Status | IUCN Status | Habitat requirements | Relative Abundance |
|---|--------|-------------|---|--------------------|
| <i>Mekongina erythrospila</i> (Labeoninae family) | | NT | The <i>Mekongina erythrospila</i> is endemic to the Mekong basin in Thailand, Lao PDR and Viet Nam. <i>Mekongina erythrospila</i> is found in rapidly flowing medium and large-sized rivers. It has a reported maximum SL of 45 cm and inhabits slower deeper reaches during the dry-season but prefers rocky stretches with rapids and fast-flowing current (Fishbase, 2013). It feeds on aquatic chlorophytes, periphyton and phytoplankton and spawning is thought to occur in the Mekong mainstream at onset of the monsoon (Poulsen, 2004). Juveniles migrate in big schools comprising several hundred fish (usually with other cyprinids and loaches) from upper basin areas to the mainstream and back while adults remain in upper catchment areas (Baird, 2011). | VC |
| <i>Bagarius bagarius</i> & <i>Bagarius yarrelli</i> Gnooch & Giant Gnooch (Sisoridae family) | | NT | The confused taxonomy surrounding the identities of <i>Bagarius</i> species in the Indian subcontinent and IndoChina is badly in need of resolution in order to accurately assess their conservation status. Adults inhabit a variety of fluvial habitats, although it is typically associated with rapid and rocky pools of large and medium-sized rivers. This species is potamodromous and benthopelagic and feeds on insects, small fish, frogs and shrimps. It is thought to breed in rivers prior to the beginning of the annual flood season (Fishbase, 2013). These fish are relatively large, predatory fish and are actively fished for food and, in places, for ornamental trade as sport fish. | C |
| <i>Luciosoma bleekeri</i> Apollo shark minnow | ✓ | LC | The Apollo shark minnow was recorded during project surveys within the Nam Ngiep study sites (upper and lower) and as well as being recorded in other locations within the Mekong basin, this species is also known from Cambodia, Thailand and Viet Nam (Vidthayanon, 2012b). The Apollo shark minnow is mainly found in rivers. It also inhabits tributaries and flooded forests, moving to marshlands and floodplains in the rainy season and into permanent water as flood waters recede (November and December) (Rainboth, 1996). The Apollo shark minor feeds on insects, small crustaceans and some small other crustaceans and fish (Vidthayanon, 2012b). | VC |

Status = Regulation of the Ministry of Agriculture and Forestry No. 0360/MAF, dated 8th December 2003

IUCN Stats = EN-Endangered; VU-Vulnerable; NT-Near Threatened; LC-Least Concern; DD-Data Deficient

Relative abundance = VC: Very Common, C: Common, LC: Less Common

* = Introduced species

It is evident that villagers in the Project area regularly use aquatic biodiversity e.g. fish as a food source, however, the dependence on the NNP River and tributaries varies by village and is largely associated with accessibility. This section describes the downstream ecosystem services supported by the NNP River and uses and much of the data is from village and market surveys undertaken by ERM in February and March 2013.

Table 3.2 provides a summary of the villages located in the downstream area of the re-regulation dam, including the number of households and population. There are nine (9) villages located within this zone; three (3) are located in the Bolikhan District and six (6) are located further downstream in the Pakxan District.

Table 3.2 *Households and Population in the Project Area*

| Province | District | Village | No of Households | Population |
|-------------|----------|-----------|------------------|------------|
| Bolikhamxay | Bolikhan | Nampa | 84 | 584 |
| | | Somseun | 221 | 1,207 |
| | | Houykoun | 358 | 2,180 |
| Bolikhamxay | Pakxan | Thong Noi | 165 | 839 |
| | | Thong Yai | 86 | 437 |
| | | Sanaxay | 274 | 1,156 |
| | | Phonsy | 137 | 719 |
| | | Pak Ngiep | 173 | 859 |
| | | Sanoudom | 94 | 457 |

Source: SDP of the Nam Ngiep 1 Hydropower Project

The villages are home to three main ethnic groups - lowland Lao, Hmong and Khmu. Despite traditional ways of living, conditions are changing in Laos PDR. This in part is being driven by government policy, which is consolidating smaller villages into larger ones to improve access to infrastructure, such as roads, and communication technology. This has meant considerable population increases, particularly over the past four to five years, in a number of the villages in the Project area (refer to *Social Impact Assessment Report – Nam Ngiep 1 Hydropower Project*) and it is likely that the overall growing population is causing more pressure on the natural resources, including through over-fishing. Indeed villagers have noted that availability of naturally occurring resources, especially forest animals and fish, has been declining in recent years.

3.2.1

Fisheries

When compared to hunting, fishing occurs on a more regular basis. This is largely because of the close proximity of villages to waterways. The most common fishing method is with a cast weighted net, an item commonly seen in most houses. Larger nets are used during the rainy season to catch larger fish that swim up river from the Mekong River. At Hatsaykham, the survey team observed other methods such as scaring fish into a net hung across a short section of the river and gathering by hand. Other equipment observed in villages included lines, hooks and spear guns. Fishing takes place at established riverside sites at which small shelters are built.

Fish is generally caught only for household consumption, but it is also a common item used in inter-household exchange and transactions. Surplus fish tends to be sold at below market rates suggesting such transactions may more likely be part of a local gift economy rather than a commercial transaction. This being said, it was common to hear that small fish are eaten at home while big fish, when found, are sold. The Project EIA (2012) also reports that fish is the main source of protein for the people in the villages along the river.

Aside from the importance of fishing for subsistence living, fishing may have been more important for income generation in earlier times but with greater availability of alternative protein sources and reported reduction in fish stock availability and size, villages have adapted. Incomes of the downstream communities are shown in *Table 3.3* and *Table 3.4*.

Table 3.3 Sources of Income for Villages in downstream Area

| Village | Items | | | | | | | | | |
|-----------|------------|-------|-----------|-------|-----------|------|------------|-------|-------------|-----|
| | On Farm | | | | | | Off Farm | | Total | |
| | Crop | | Livestock | | Fishery | | Income | % | Income | % |
| | Income | % | Income | % | Income | % | | | | |
| Thahuea | 4,214,286 | 42.69 | 3,157,142 | 31.98 | 285,714 | 2.89 | 2,214,286 | 22.43 | 9,871,429 | 100 |
| Nampa | 5,727,273 | 40.38 | 4,636,364 | 32.69 | 181,818 | 1.28 | 3,636,364 | 25.64 | 14,181,818 | 100 |
| Somseun | 5,816,667 | 34.88 | 5,276,667 | 31.64 | 466,667 | 2.8 | 5,166,667 | 30.68 | 16,676,667 | 100 |
| Houykhoun | 1,533,333 | 12.79 | 1,079,167 | 9 | 20,833 | 0.17 | 9,354,167 | 78.03 | 11,987,500 | 100 |
| Tong Noi | 4,422,727 | 27.81 | 1,727,273 | 10.86 | 1,369,091 | 8.61 | 8,386,364 | 52.73 | 15,905,455 | 100 |
| Thong Yai | 3,233,333 | 21.86 | 683,333 | 4.62 | 125,000 | 0.85 | 10,750,000 | 72.68 | 14,791,667 | 100 |
| Sanaxay | 194,286 | 1.36 | 337,143 | 2.36 | 0 | 0 | 13,771,429 | 96.28 | 14,302,857 | 100 |
| Phonsy | 852,941 | 9.99 | 705,882 | 8.26 | 294,118 | 3.44 | 6,688,235 | 78.31 | 8,541,176 | 100 |
| Pak Ngiep | 15,140,909 | 54.53 | 1,436,364 | 5.17 | 977,273 | 3.52 | 10,213,646 | 36.78 | 277,681,820 | 100 |
| Sanoudom | 2,258,333 | 12.23 | 458,333 | 2.48 | 500,000 | 2.71 | 15,250,000 | 82.58 | 18,466,667 | 100 |

Table 3.4 Sources of Income of the Host Villages

| Village | On Farm | | | | | | Off Farm | | Total | |
|-----------|-----------|------|-----------|------|-----------|------|-----------|------|------------|-----|
| | Crop | | Livestock | | Fishery | | Income | % | Income | % |
| | Income | % | Income | % | Income | % | | | | |
| Hat Gniun | 9,874,341 | 52.7 | 95,952 | 0.5 | 3,626,047 | 19.3 | 5,150,896 | 27.5 | 18,747,236 | 100 |
| Thahuea | 4,214,286 | 25.5 | 3,157,143 | 43.4 | 285,714 | 7.2 | 2,214,286 | 23.9 | 9,871,429 | 100 |

3.2.2 Navigation

A total of 829 boats consisting of wooden boats with engines and canoes are operated by villagers along the NNP River sections surveyed for the Project. These are used for fishing purposes and transportation of passengers and materials (Table 3.5). Especially in the wet season, river navigation is a crucial means of transport between villages along the NNP River and further downstream to Pakxan.

There is no obvious navigation system or rules of navigation for the NNP1 River and jetties are not abundant.

If the road between Nongsomboun and B. Hat Gniun is improved so that it can be used through the year, the frequency of navigation is expected reduce.

Table 3.5 Kinds of Boat and Usages

| Village | | XomXuen | HuayKhoum | Hat Guin | HatSayKham | ThaHue | ThongNoy | ThongYai | NamPa | XaNaXay | NamNgep | PhoneSy | SaenOudom |
|---------------------------|------------------------------|---------------------------|-------------|-------------|-------------|-------------|-------------|-------------|----------------|-------------|----------------|-------------|-------------|
| Total | | 1196 | 2191 | 610 | 217 | 273 | 849 | 529 | 521 | 1185 | 955 | 753 | NA |
| M | | 597 | 1108 | 323 | 105 | 152 | 433 | 279 | 270 | 599 | 484 | 373 | NA |
| FM | | 599 | 1083 | 287 | 112 | 121 | 416 | 250 | 251 | 586 | 471 | 380 | NA |
| Boat | with engine | 221 | 5 | 68 | 10 | 18 | 30 | 7 | 85 | 5 | 70 | 100 | 30 |
| | Usag type | private | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | | shere | 1 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | Initial cost (kip)/boat | 4,500,000 | 1,500,000 | 6,500,000 | 2,080,000 | 1,000,000 | 3,900,000 | 3,900,000 | 1,300,000 | 1,500,000 | 1,820,000 | 3,900,000 |
| | | Maintenance cost(kip) | NA | NA | 1,000,000 | 500,000 | 300,000 | 260,000 | 1,040,000 | 1,500,000 | NA | 200,000 | 520,000 |
| | | service life (years) | 10 | 5 | 4 | 6 | 3 | 5 | 10 | 5 | 10 | 3 | 6 |
| | without engine | NA | NA | NA | 8 | 11 | NA | 20 | 20 | NA | 100 | 20 | NA |
| | Usag type | private | NA | NA | NA | ✓ | ✓ | NA | ✓ | ✓ | NA | ✓ | NA |
| | | shere | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | Initial cost (kip)/boat | NA | NA | NA | 1,300,000 | 500,000 | NA | 1,040,000 | 520,000 | NA | 520,000 | 600,000 |
| | | Maintenance cost(kip) | NA | NA | NA | 400,000 | NA | NA | NA | 500,000 | NA | 100,000 | 200,000 |
| | | service life (years) | NA | NA | NA | 6 | 3 | NA | NA | 5 | NA | 3 | 5 |
| Canoe | with engine | NA | NA | NA | NA | 10 | NA | NA | NA | 25 | NA | NA | NA |
| | Usag type | private | NA | NA | NA | ✓ | NA | NA | NA | ✓ | NA | NA | NA |
| | | shere | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | Initial cost (kip)/boat | NA | NA | NA | NA | 200,000 | NA | NA | NA | 500,000 | NA | NA |
| | | Maintenance cost(kip) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | service life (years) | NA | NA | NA | NA | 2 | NA | NA | NA | 10 | NA | NA |
| | without engine | NA | 50 | NA | NA | NA | 60 | NA | NA | NA | NA | NA | 35 |
| | private | NA | ✓ | NA | NA | NA | ✓ | NA | NA | NA | NA | NA | ✓ |
| | shere | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | Initial cost (kip)/boat | NA | 500,000 | NA | NA | NA | 600,000 | NA | NA | NA | NA | 780,000 |
| | | Maintenance cost(kip) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 100,000 |
| | | service life (years) | NA | NA | NA | NA | NA | 4 | NA | NA | NA | NA | 3 |
| Number of jetty | | 3 | 2 | 3 | 3 | 4 | 8 | 3 | 5 | 6 | 25 | 7 | 3 |
| private | | NA | NA | NA | NA | NA | NA | NA | NA | NA | ✓ | NA | NA |
| shere | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Type of jetty | | Land | Land | Gemeral | Natural | Natural | Natural | Natural | land,rock | Land | Land, jetty in | Natural | Natural |
| fishery | type of boat | engine boat | engine boat | engine boat | engine boat | engine boat | engine boat | engine boat | engine boat | engine boat | engine boat | engine boat | engine boat |
| | destination | NA | HatGuin | XomXuen | XomXuen | XomXuen | NamPa,Xom | HatGuin,Xo | upsteam of | Nex,NamNge | along NamN | songhne | NamTex,Mek |
| | number of workers (Man) | NA | some member | NA | 6 | 6 | 6 | 5 | 2 | NA | 2 | 2 | 20 |
| | frequency | dry season (time/month) | 7 | 5 | NA | 5 | 20 | 12 | 15 | 26 | 4 | 26 | 25 |
| | | rainy season (time/month) | 4 | 3 | 9 | 8 | 25 | 12 | 10 | 26 | 5 | 26 | 26 |
| | Expense or charge (kip/time) | 10,000 | 60,000 | 180,000 | 200,000 | 80,000 | 60,000 | 60,000 | 24,000 | 20,000 | 33,000 | 10,000 | 150,000 |
| transportation | type of boat | engine boat | NA | engine boat | engine boat | engine boat | NA | NA | engine boat | NA | NA | engine boat | NA |
| | destination | paddy field | NA | NA | across Nam | across Nam | NA | NA | across Nam | NA | NA | across Nam | NA |
| | number of workers | NA | NA | NA | 2 | NA | NA | NA | 10 | NA | NA | 6 | NA |
| | frequency | dry season (time/month) | 30 | NA | NA | 20 | 25 | NA | NA | 3 | NA | NA | 20 |
| | | rainy season (time/month) | 20 | NA | 15 | 20 | 25 | NA | NA | 1 | NA | NA | 25 |
| | Expense or charge (kip/time) | 20,000 | NA | NA | 5000 | 10,000 | NA | NA | 24,000 | NA | NA | 10,000 | NA |
| transportation | type of boat | engine boat | NA | engine boat | NA | engine boat | NA | NA | engine boat | NA | NA | NA | NA |
| | destination | HatGuin | NA | NA | NA | XomXuen | NA | NA | NaPa water | NA | NA | NA | NA |
| | number of workers | NA | NA | NA | NA | 6 | NA | NA | 7 | NA | NA | NA | NA |
| | frequency | dry season (time/month) | NA | NA | NA | NA | NA | NA | 0 | NA | NA | NA | NA |
| | | rainy season (time/month) | 5 | NA | 15 | NA | 5 | NA | 3 | NA | NA | NA | NA |
| | Expense or charge (kip/time) | 100,000 | NA | 400,000 | NA | 100,000 | NA | NA | 36,000 | NA | NA | NA | NA |
| rental boat | type of boat | NA | NA | engine boat | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | destination | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | number of workers | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | frequency | dry season (time/month) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | rainy season (time/month) | NA | NA | 5 | NA | NA | NA | NA | NA | NA | NA | NA |
| | Expense or charge (kip/time) | NA | NA | 500,000 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| kind of navigation system | | NA | NA | NA | NA | NA | NA | NA | transportation | NA | NA | NA | NA |
| rule of navigation system | | NA | NA | NA | NA | NA | NA | NA | 1 boat must | NA | NA | NA | NA |

3.2.3 Other Activities related to the NNP River

The NNP River in the Project Area is utilized for various activities other than fisheries and navigation by villagers (Table 3.6). The river water is used for essential activities for residents such as drinking, irrigation, laundry, bathing and washing. It is also used for micro-hydro power generation at B.Hat Gnuin.

With regards to drinking water, villagers mainly get their drinking water from gravity flow water systems, with the water obtained from springs or other sources with all-year flows, or from wells, with the NNP River and tributaries as a supplemental source of domestic water rather than the principle one. In fact, of all the villages in the affected area of the Project, only the community of Houayphamom in the reservoir area and the sub-village of Hatsaykham near B. Hat Gnuin, depend entirely on the Nam Ngep and nearby tributaries for all their water. Hence none of the villages

in the area downstream of the re-regulation dam rely on the NNP River for their drinking water.

For most of its course, the Nam Ngiep passes through valleys with steep embankments and even farther downstream, where the topography is less mountainous, the river flows through a valley between higher hills. Nearly all the agricultural fields are on lands above the river and the main agriculture production – vegetables, lowland rice, upland crops, and tree crops – depends upon rainfall rather than river water. A few areas are irrigated, but these use water from streams flowing down toward the Nam Ngiep from the mountains. Farmers use river and/ or local stream water only for some small plots, about 0.08 to 0.3 ha with bamboo fences, near the embankments. Those are mostly vegetable plots, and they are planted when the waters are high and more accessible, just after the rice harvest in October or November. The vegetables that are grown tend to be for household consumption, while any surplus is sold at local markets. No irrigation system was observed during surveys. Villagers typically rely on rainfall or nearby local streams rather than the NNP River. In the event of a drought (or a decrease in rainfall), villagers often let their crops die.

Some materials are extracted from the river, such as gravel and sand for construction (e.g. of houses) but mining, such as for gold dust, is not carried out.

Table 3.6 Other Activities Related to the NNP1 River

| | Village | XomXuen | HuayKhoun | Hat Guiun | HatSayKham | ThaHue | ThongNoy | ThongYai | NamPa | XaNaXay | NamNgiep | PhoneSy | SaenOuDom |
|------------------|----------------------------------|---------------|----------------|---------------|--------------|--------|----------------|----------|--------------|-----------------|--------------|-------------|-----------|
| Total | | 1196 | 2191 | 610 | 217 | 273 | 849 | 529 | 521 | 1185 | 955 | 753 | NA |
| M | | 597 | 1108 | 323 | 105 | 152 | 433 | 279 | 270 | 599 | 484 | 373 | NA |
| FM | | 599 | 1083 | 287 | 112 | 121 | 416 | 250 | 251 | 586 | 471 | 380 | NA |
| Laundry | description | some HH | NA | NA | for HH consu | NA | villager using | NA | NA | general using | NA | HH consump | NA |
| | number of occupation | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | annual income (kip) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | operation period (year-year) | NA | NA | NA | NA | NA | 1937-2012 | NA | NA | NA | NA | 1964-2012 | NA |
| Bathing | description | some person | go to upland s | NA | NA | NA | villager using | NA | people go to | take shower | take shower | HH consump | NA |
| | number of occupation | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | annual income (kip) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | operation period (year-year) | NA | NA | NA | NA | NA | 1937-2012 | NA | until 2012 | NA | until 2012 | NA | NA |
| Power generati | description | NA | NA | use generator | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | number of occupation | NA | NA | 20 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | annual income (kip) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | operation period (year-year) | NA | NA | 6 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Extracting sand | description | NA | By use Exca | NA | excavate san | NA | NA | NA | By use Exca | NA | Excavate san | NA | NA |
| | number of occupation | NA | 1 | NA | NA | NA | NA | NA | 1 | NA | NA | NA | NA |
| | annual income (kip) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | operation period (year-year) | NA | 2010 | NA | NA | NA | NA | NA | 1992-1993;19 | NA | NA | NA | NA |
| Mining | description | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | number of occupation | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | annual income (kip) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | operation period (year-year) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Drinking | supplied HH or area(ha) | 221 | NA | NA | 30 | NA | NA | NA | 58 | NA | NA | NA | NA |
| | quantity of water supply(m3/day) | based on usin | NA | NA | 100 | NA | 20 | NA | 10 | NA | NA | 150 | NA |
| | water supply period(days/year) | 365 | NA | NA | 180 | NA | NA | NA | 180 | NA | NA | NA | NA |
| | charge (kip) | NA | NA | NA | NA | NA | 4000 | NA | NA | NA | NA | NA | NA |
| | method of intake | carry,pump | NA | NA | carry | NA | pump | NA | carry | NA | NA | pump | NA |
| | operation period (year-year) | until 2000 | NA | NA | 1994-2012 | NA | 1937-2012 | NA | until 2008 | NA | NA | 2002-2012 | NA |
| HH consuming | supplied HH or area(ha) | 221 | NA | NA | 30 | NA | NA | NA | 97 | unit 1,2,3 of v | 100 | NA | NA |
| | quantity of water supply(m3/day) | based on usin | NA | NA | 200 | NA | 4000 | NA | 200 | NA | 200 | 200 | NA |
| | water supply period(days/year) | 365 | NA | NA | 180 | NA | NA | NA | 365 | NA | 365 | NA | NA |
| | chage (kip) | NA | NA | NA | NA | NA | NA | NA | NA | NA | 20,000 | NA | NA |
| | method of intake | carry,pump | NA | Carry | carry | NA | pump | NA | pump | pump | pump | NA | NA |
| | operation period (year-year) | until 2000 | NA | NA | 1994-2012 | NA | 1937-2012 | NA | until 2012 | NA | until 2012 | NA | NA |
| Irrigation | supplied HH or area(ha) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | pumping for | NA |
| | quantity of water supply(m3/day) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | water supply period(days/year) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | chage (kip) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 60,000/day | NA |
| | method of intake | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | operation period (year-year) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| Fishery | apporting organization | Luxembourg | NA | NA | word vision | NA | NA | NA | Luxembourg | NA | WWF;MoAF | NA | NA |
| | period of right(year) | 3 | NA | NA | 2007-2012 | NA | NA | NA | 2008-2012 | NA | 2001 | NA | NA |
| | approved date | NA | NA | NA | 10/05/2007 | NA | NA | NA | 2008 | NA | 2011 | NA | NA |
| | expense of right (kip) | NA | NA | NA | 800,000 | NA | NA | NA | 900,000 | NA | NA | NA | NA |
| Irrigation water | apporting organization | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | period of right(year) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | approved date | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | expense of right (kip) | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |

4.1 PROJECT DESCRIPTION

The NNP1 project consists of a main power station and a re-regulation power station. The main power station is designed to have a capacity of 272.0 MW and annual power generation of 1,515.0 GWh. The re-regulation dam of the re-regulation power station is planned to re-regulate and stabilize the maximum plant discharge of 230.0 m³/s released from the main power station for the safety to the downstream area of the re-regulation dam. The re-regulation power station is designed to have 18 MW and annual power generation of 105 GWh. The main dam creates a reservoir with the normal water level (NWL) at Elevation (EL) 320 m and minimum operating level (MOL) at EL 296 m. The effective storage capacity is 1,192 Mm³ at normal water level 320 m. The dam inundation area is approximately 70 km length and includes a total surface area of just under 70 km². The basic specifications of the main features are shown *Table 4.1*.

Table 4.1 *Main Features of the Project*


| Facility | Items | Unit | Specifications |
|-----------------------|----------------------------|--|---|
| Main Power Station | | | |
| Main Reservoir | Flood water level | EL. m | 320.0 |
| | Normal water level | EL. m | 320.0 |
| | Rated water level | EL. m | 312.0 |
| | Minimum operating level | EL. m | 296.0 |
| | Available depth | m | 24.0 |
| | Reservoir surface area | km ² | 66.9 |
| | Effective storage capacity | 10 ⁶ m ³ | 1,192 |
| | Catchment area | km ² | 3,700 |
| | Average annual inflow | m ³ /s mill.m ³ | 148.4 4,680 |
| Main dam | Type | - | Concrete gravity dam (Roller-Compacted Concrete) |
| | Dam height | m | 148.0 |
| | Crest length | m | 530.0 |
| | Dam volume | 10 ³ m ³ | 2,034 |
| | Crest level | EL. m | 322.0 |
| Spillway | Gate type | - | Radial gate |
| | Number of gates | - | 4 |
| | Design flood | m ³ /s | 5,210 (1,000-year) |
| Intake | Type | - | Bell-mouth |
| | Number | - | 2 |
| | Discharge capacity | m ³ /s | 230.0 |
| Penstock | Type | - | Embedded and concrete-lined |
| | Number | - | 2 |
| | Length | m | 185.81 |
| | Diameter | m | 5.2 |
| Powerhouse | Type | - | Semi-underground |
| | Length | m | 25.0 |
| | Width | m | 62.5 |
| | Height | m | 47.2 |
| Turbine and generator | Maximum plant discharge | m ³ /s | 230.0 |
| | Gross head | m | 132.7 |
| | Effective head | m | 130.9 |

| Facility | Items | Unit | Specifications |
|------------------------------------|----------------------------|--------------------------------|----------------------------------|
| Transmission line | Type of turbine | - | Francis |
| | Rated output | MW | 272 (at Substation) |
| | Annual power generation | GWh | 1,546 (at Substation) |
| | Voltage | kV | 230 |
| | Distance | km | 125 |
| | Connecting point | - | Nabong S/S |
| | Width of right of way | m | 80 (40 m each side of CL) |
| | Number of towers | - | 262 |
| Re-regulation Power Station | | | |
| Re-regulation reservoir | Flood water level | EL. m | 185.9 |
| | Normal water level | EL. m | 179.0 |
| | Rated water level | EL. m | 179.0 |
| | Minimum operating level | EL. m | 174.0 |
| | Available depth | m | 5.0 |
| | Reservoir surface area | km ² | 1.27 at NWL |
| | Effective storage capacity | 10 ⁶ m ³ | 4.6 |
| | Catchment area | km ² | 3,725 |
| Re-regulation Dam | Type | - | Concrete Gravity dam |
| | Dam height | m | 20.6 |
| | Crest length | m | 290.0 |
| | Dam volume | 10 ³ m ³ | 23.9 |
| | Crest level | EL. m | 187.0 (non-overflow section) |
| Re-regulation Gate | Type | - | Fixed wheel gate |
| | Number | - | 1 |
| | Discharge capacity | m ³ /s | 5,210 (1,000-year) |
| Saddle dam | Type | - | RCC associate with rock fill dam |
| | Crest length | m | 507.1 |
| | Dam height | m | 14.6 |
| Spillway | Gate type | - | Ungate spillway (labyrinth type) |
| | Design flood | m ³ /s | 5,210 (1,000-year) |
| Intake | Type | - | Open |
| | Number | - | 1 |
| | Discharge capacity | m ³ /s | 160.0 |
| Powerhouse | Type | - | Semi-underground |
| | Length | m | 46.4 |
| | Width | m | 22.05 |
| | Height | m | 49.10 |
| Turbine and Generator | Maximum plant discharge | m ³ /s | 160.0 |
| | Gross head | m | 13.1 |
| | Effective head | m | 12.7 |
| | Type of water turbine | - | Bulb |
| | Rated output | MW | 18 (at Substation) |
| | Annual power generation | GWh | 105 (at Substation) |
| | Transmission line | Voltage | kV |
| Distance | | km | 40 |
| Connecting point | | - | Pakxan S/S |
| Width of right of way | | m | 50 (25 m each side of CL) |
| Number of towers | | - | 110 |

The NNP1 project has been developed on a 'Built Operate and Transfer' basis. The Project will generate and sell electricity to EGAT and Electricite du Laos EDL for 27 years under a concession provided by the Government of Laos (GoL) and the Power Purchase Agreements with EGAT and EDL respectively.

The general layout of the Project is shown in *Figure 4.1*.

Figure 4.1 General Layout of the Project




4.2 CHANGE OF FLOW REGIME

4.2.1 Change to Baseline Flow Regime (Natural River)

Due to lack of long term observed data, the annual, monthly and daily discharge downstream of the re-regulation dam has been calculated by Tank Model method using 1971 to 2000 data. The calculated mean annual inflow is estimated to be 148.4 m³/s at the main dam and 149.4 m³/s at the re-regulation dam. Figure 4.2 presents seasonal inflow and outflow of the main dam (top panel) after construction; and inflow to the re-regulation dam before and after construction (bottom panel). Figure 4.4 shows monthly and annual natural inflow to the main dam, outflow from the main dam and outflow from the re-regulation dam over the 30-year period.

The dam-reservoir systems regulate the flood discharge during the wet seasons and increase the flow rates during the dry seasons, so that the seasonal flow regime shows less fluctuation over the year. Daily and monthly flow fluctuations are also likely to be less evident after the regulation.

Figure 4.2 (a) Seasonal Inflow and Outflow of the Main Reservoir



(b) Seasonal Inflow to the Re-Regulation Dam before and after the dam construction





Figure 4.4 Annual and Monthly Natural Inflow to the Main Dam and Outflow from the Main Dam and the Re-regulation Dam over the 30-year Period



The observed daily discharge at B. Hat Gniun gauging station from 2007 to 2011 recorded the daily minimum discharge at being 12.8 m³/s in April 2009 and the maximum discharge as being 2,818.6 m³/s in July 2011.

4.2.2 During Construction

The river water will be discharged through a diversion tunnel during construction. In case of flood, flood peak discharge will be reduced by

reservoir storage effect. The flow regime during construction is, however, equivalent to that of a natural river.

4.2.3 During Initial Impounding

During initial impounding, the river water is discharged through a riparian release conduit that is set in the reservoir at EL 245.0 m. At the start of the initial impounding, the elevation of the riparian release conduit is set at EL 245.0 m so that the river water cannot be discharged through the riparian outlet until the reservoir water level reaches EL 245.0 m, which is predicted to take approximately two weeks. Thus the stored water at the re-regulation reservoir is discharged to secure a riparian release of 5.5 m³/s. The discharge scheme during initial impounding is summarized in Figure 4.5. The breakdown of environmental flow to ensure a release of 5.5 m³/s is shown in Figure 4.6.

Figure 4.5 Discharge Scheme during Initial Impounding






Figure 4.6 Breakdown of Discharge Volume



Non-uniform flow analysis was applied to estimate the downstream water level, water depth and flow velocity for the riparian release of 5.5 m³/s during the initial impounding (Annex C). Figure 4.7 presents the analysed water depths along the 3km downstream of the re-regulation dam. The minimum water depth of 0.5 m occurred at the section CR 31 between the regulation dam and Ban Hat Gniun during initial impounding. The water depth increases as more inflows join.

According to the tentative programme the initial impounding starts on 1st July 2018. Initially the stored water in the re-regulation reservoir will be discharged with natural inflow to the re-regulation reservoir, and within about two weeks the reservoir water level would reach the sill elevation. It will take about one wet season to fill the reservoir at the first impoundment but it could vary depending on climate conditions according to the past 30 year inflow data. After that, the discharge from the riparian release conduit increases gradually as the reservoir water level increases.

Figure 4.7 Water Level along the 3km downstream of the Re-regulation Dam during Initial Impounding (Riparian Environmental Flow of 5.5 m³/s)



4.2.4 During Operation

Changes in Flow Rate, Water Level, River Width and Flow Velocity

After the construction of the NNP1 main dam and the re-regulation dam, stable outflow downstream of the re-regulating powerhouse can be secured. The discharge from the normal operation of the main power station is designed at 16-hour peak generation on weekdays and Saturday. The main power station would not operate on Sunday. The discharge from the main dam would be stored in the re-regulation reservoir and then discharged downstream. On the weekend, the outflow from the re-regulation reservoir will be reduced to 48 m³/s for a period of 17 hrs, and reduced further to 27 m³/s for a period of 15 hours (during which time it is released from the re-regulation gate). The flow pattern is illustrated in Table 4.2 and Figure 4.8, and the discharge pattern over the weekend is shown in Figure 4.9.

Table 4.2 Typical Operation Pattern during Week Day and Saturday and Sunday

| No | Case | Timing | Period | Discharge (m ³ /s) | | Explanation |
|----|------|--------|--------|-------------------------------|---------------|-------------|
| | | | | Main P/S | Re-regul. P/S | |
| | | | | | | |

| | | | | | | |
|-----|------------------|---|-------------|-------|-------|---|
| N-1 | Normal operation | 6am-10pm Mon-Sat | 16 hrs/day | 230.0 | 160.0 | Nearly maximum plant discharge re-regulation P/H |
| N-2 | | 10pm-6am Mon-Sat | 8 hrs/day | 0 | 160.0 | Nearly maximum plant discharge re-regulation P/H |
| N-3 | | 14pm Sun - 6 am Mon | 15 hrs/week | 0 | 48.0 | Minimum plant discharge of re-regulation P/H during off-peak |
| N-4 | | 10pm Sat - 14pm Sun | 17 hrs/week | 0 | 27.0 | Water release through spillway during off-peak |
| E-1 | Extreme | When there is zero inflow from the Nam Ngiep basin- | | 27.0 | 27.0 | Riparian release from main reservoir through spillway during extreme drought year |

Figure 4.8 *Outflow Pattern from the Main Dam and Re-regulation Dam*





Figure 4.9 *Discharge Pattern from Re-Regulation Reservoir during Weekend*




The re-regulation reservoir will be operated between NWL of EL179.0 m and MOL of EL 174.0 m. From Monday to Saturday, the re-regulation reservoir will store part of the discharge from the main dam as it operates for 16-hours, re-use it for power generation and release it downstream evenly over the 24-

hour period in order to augment the downstream river flow for the remaining 8-hours when the main dam is not discharging, thus flattening the peak discharge from Monday to Saturday. The re-regulation reservoir will release the discharge downstream in two steps from 10pm on Saturday to 6am on Monday, thus maintaining a discharge flow even when the main dam is not discharging. This typical operation accounts for over 97% of the reservoir simulation period of 30 years.

Figure 4.10 presents the analysed 47.9 km section of the NNP1 River between the re-regulation dam and the confluence with the Mekong River. During off-peak on Saturday when the release flow drops from 160.0 to 27.0 m³/s over 4 hours ramp down time the maximum fluctuation of water surface area change reaches 160.0 m at the cross section CR34 near the B. Hatkham village whilst the maximum fluctuation of the water level change of 1.5 m occurs further downstream at 15.9 km upstream of the confluence with the Me Kong River when flow release changes from 160.0 m³/s to 27.0 m³/s.

Figure 4.10 Water Level along the 3km downstream of the Re-regulation Dam during the Operation (Riparian Release of 27.0 m³/s)



The analysis also predicts that the maximum reduction in the flow velocity drops by 0.7 m/s at the most at the section CR 31, where the minimum water depth of 1.0 m was also predicted under the release rate of 27.0 m³/s. Meanwhile, the shallow river water depths of 1.2, 1.2 and 1.4 m also occurred at locations between Nam Miang and Nam Tak River at respective cross sections of CR 33, 34 and 35. It is noted that such regulated low water depths would have also occurred under the natural dry conditions without the dam operation, evident by the minimum daily flows (less than 27.0 m³/s) recorded at B. Hat Gniun in March, April and May in the years from 2008 to 2011 (Table 2.5).

In these typical operation patterns, the fluctuation of water level would be controlled not to cause a change of over 0.6 m /hour nor 1.7 m / 24 hours

according to the Concession Agreement (the limitation is not applied in the case of flood period). In the remaining 3% of the simulation period, it will be reduced to 40.0 m³/s or less in the dry season and there is a 1% or less possibility of the water being released from the reservoir stopping due to a shortage of reservoir storage volume.

Seasonally, the dam operations will contribute to about 0.5 - 0.7 m increase in water levels than under natural conditions in dry seasons. This can be considered as a positive impact for the downstream, since there will be increased flow even during the drier periods. The higher water levels will occur over almost the entire downstream segment of the river during March and April. The greatest predicted increase of the river width is in May at 21.6 km below the re-regulation dam, with an increase of 31.7 m compared to the width under natural flow without the dam.

Table 4.3 presents the summary of minimum natural inflow to the main dam, outflows from the immediately downstream of re-regulation with the riparian release. The proposed minimum weekly release of 27.0 m³/s is higher than the observed and modelled minimum average monthly and also daily river flow in the past 30 yr.

Table 4.3 *Minimum Natural Inflows to the Main Dam and Minimum Outflows from the Immediately Downstream of the Re-regulation Dam*

| Condition | Cases | Flow rate (m ³ /s) |
|---|---|-------------------------------|
| Without Dam (Natural inflow to main dam) | Min. average monthly river flow in 30 yr (1971-2000), estimated by Tank Model | 26.4 |
| | Min. daily river flow in 30 yr (1971-2000) , estimated by Tank Model | 23.5 |
| | Min. daily inflow measured at B. Hat Gniun (25 th and 26 th April 2009) | 12.8 |
| With Dam (immediately downstream of re-regulation dam) | Min. daily/weekly flow rate during dry condition | 27.0 |
| | Riparian release during extreme drought year | 27.0 |

Frequency of Less Water Release

A. Water release of 27.0 m³/s through re-regulation dam during off-peak in the weekend

In dry conditions, water release of 27.0 m³/s through the re-regulation dam during off-peak in the weekend is likely to occur when it does not have enough storage in the main reservoir. Figure 4.11 and Figure 4.12 present the frequency of the discharge of 27.0 m³/s during operation on a monthly and yearly basis (using Tank Model to review the past 30 years of data). Seasonal frequency of daily outflow 27.0 m³/s from the re-regulation dam is on average 4.5 days in Jan and reduces to about 1.5 days in July (Figure 4.11). In the past 30 years, the number of days when outflow reaches 27.0 m³/s

ranges from the minimum 19 days in 1997 to the maximum of over 50 days in 1972, 1973, 1974 and 1977 (drought years) (Figure 4.12).

Figure 4.11 *Monthly Occurrence (Days) of Discharge of 27.0 m³/s through the Re-regulation Dam*





Figure 4.12 *Annual Occurrence (Days) of Discharge of 27.0 m³/s through the Re-regulation Dam*



B. Riparian release of 27 m³/s in case of extreme draught year


Extreme drought years have happened in the past 30 years and the model estimated that a riparian release (assuming with the dam existed) would have occurred on 49 days continuously in September and October 1972, 1977 and 1992. Figure 4.13 shows the number of concession days over the past 30 years when there would have been an outflow of 27.0 m³/s through the intake/powerhouse at EL 275.5 m in the main dam. During these periods inflow of small amount is used to store water in the main reservoir without

operation of the main powerhouse to keep the reservoir water level above the rule curve for the reservoir operation. It is noted that the occurrence of riparian release could be postponed by months as compared to the timing of the driest natural inflow to the main dam, benefiting from the operation capacity of the reservoir. By the time riparian release took place (for example in September and October), the natural inflow to the main reservoir might have recovered from the minimum flow of the year. The numbers of days when riparian releases occurred are listed below and as shown in *Annex D*.

- 1972: 15 days in September to October
- 1977: 2 days in October
- 1992: 32 days in September to October

Accordingly, the frequency when the daily outflow is 5.5 m³/s from the re-regulation dam is 0.5 % (less than 1.5 days /year over 30 years). In such a situation, the amount of environmental flow (riparian release) would be secure enough to mitigate the extremely low flow conditions in the year of extreme drought in the downstream areas.

Figure 4.13 Occurrence of Riparian Release of 27.0 m³/s



Without the dam operation, the Tank Model indicated in the past 30 years (1971 -2000) there were 55 days when the inflows at the main reservoir were less than 27.0 m³/s occurring in the years of 1973, 1978 and 1998. With the secured riparian release, such low flows would have been augmented to 27.0 m³/s. Hence, changes to the dry flow regime are considered to be fairly minor given the low flow rates and frequency that could naturally takes place during the extreme drought years.

EFA aims to identify the extent of the NNP River system likely to be affected by the NNP1 Project and alert NNP1PC to the likely impacts on biodiversity and ecosystem services that will need to be addressed.

The primary objective of the EFA revision Study is to assess the projected environmental flow rate(s) during operation of the Project that are sufficient to maintain the basic needs of the downstream biodiversity and ecosystem services of the NNP River i.e. that below the re-regulation dam.

The dam-reservoir systems regulate the flood discharge during the wet seasons and increase the flow rates during the dry seasons, so that the seasonal flow regime shows less fluctuation over the year. Daily and monthly flow fluctuations are also likely to be less after the regulation.

5.1 ENVIRONMENTAL FLOW FOR NNP1 PROJECT

Environmental flow or “Riparian release” is defined in Chapter 1 and for the purposed of this assessment will be the discharge from the NNP1 main reservoir and re-regulation reservoir that will maintain normal functions of the river downstream of the re-regulation dam, including from a biodiversity perspective concerning the terrestrial/ riparian habitats and aquatic biota, as well as from a utilization perspective (ecosystem services) such as through fisheries, navigation, etc.

A certain amount of discharge from the main dam should be secured to maintain the basic level of natural processes and ecological value of the aquatic ecosystem even in a drought year or an emergency event such as an unexpected shutdown of the main power station. In this context, a mechanism of environmental flow release will be introduced as one of the mitigation measures, taking into account various anticipated impacts on downstream biodiversity and ecosystem services as well as the minimum flow of the NNP River from past records.

5.2 ENVIRONMENTAL FLOW OF OTHER HYDROPOWER PROJECTS IN LAOS

It is found that there is no standard for environmental flow in the Mae Kong riparian countries including all Mekong River Commission reports. Therefore the riparian release from the other projects in Lao PDR have been reviewed, as shown in *Table 5.1*, showing the catchment area, minimum discharge and specific discharge for the proposed dams to be developed in Lao PDR. The specific discharge ranges from the lowest value of zero (0) to the maximum value of 0.10 m³/s/100 km².

Table 5.1 Riparian Flow of Other Projects in Laos


| Name of the project | Catchment area (km ²) | Minimum discharge (m ³ /s) | Specific discharge (m ³ /s/100km ²) |
|---------------------|--------------------------------------|--|---|
| Nam Theun 2 | 4,031 | 2.0 | 0.05 |
| Theun Hinboun | 8,937 | 5.0 | 0.06 |
| Thuen Hinboun Exp | 4,903 | 5.0 | 0.10 |
| Houay Ho | 192 | 0.0 | 0.00 |
| Nam Leuk | 274 | 0.0 | 0.00 |
| Nam Ngum 3 | 3,890 | 1.0 | 0.03 |
| Nam Mang 3 | 82 | 0.0 | 0.00 |
| Xe Set | 320 | 0.0 | 0.00 |

*1: Under construction, commencement of commercial operation in 2009.

*2: The minimum discharge of Nam Ngum 3 is a proposed value from the EIA draft final report (Dec 2007, Norplan)

According to the location and the rainfall condition, NNP1 Project (No. 15 in Figure 5.1) has a similarity to Nam Theun 2 project (No. 12 in Figure 5.1). If the same method that was used to estimate the riparian flow for Nam Theun 2 project (a specific discharge rate of 0.05 m³/s/100 km²) is used for NNP1, the minimum riparian flow for the NNP1 Project (with a catchment area of 3,700 km²) is approximately 1.85 m³/s (=0.05 m³/s/100 km² x 3,700 km² catchment area).

Figure 5.1 Location of Proposed Dams to be Developed in Lao PDR



5.3.1 During Initial Impounding

Considering the practice of environmental flow of other projects in Laos an environmental flow discharge of 5.5 m³/s is adopted for the NNP1 Project during the initial impounding. This is a much higher specific discharge than that of other projects in Laos. The proposed riparian flow rate during the initial pounding has also considered the restrictions by the designed capacity of the re-regulation pond and riparian release conduit.

During the initial impounding the riparian release is set to 5.5 m³/s. The section with reduced water is limited to 3 km downstream at the confluence of the Nam Xao River, where the minimum flow will increase to more than 18.6 m³/s (Figure 5.2) with the July inflows (Table 5.2) from the Nam Tak and Nam Xao.

Figure 5.2 Minimum Recovered Discharge 3 km Downstream of the NNP1 Re-regulation Dam during Initial Impounding in July 2018




Table 5.2 Discharge at Each Point Downstream

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------------------|-----|-----|-----|-----|-----|------|------|------|------|------|-----|-----|
| Nam Tak | 1.2 | 1.0 | 0.9 | 1.0 | 1.7 | 3.4 | 4.4 | 4.8 | 4.1 | 2.5 | 1.7 | 1.4 |
| Nam Xao | 6.4 | 5.4 | 4.7 | 5.1 | 9.0 | 18.2 | 23.3 | 25.5 | 21.8 | 13.2 | 9.3 | 7.6 |
| Nam Xao minimum daily flow | 3.3 | 2.7 | 1.8 | 1.3 | 1.6 | 3.7 | 8.7 | 11.2 | 12.0 | 8.5 | 7.3 | 4.4 |

Note: The minimum daily flow in the Nam Xao is estimated by multiplying ratio of basin area to NNP River basin area to the minimum daily flow recorded in the NNP River in Table 2.5.

It is noted that the initial impounding is scheduled to take place in the beginning of rainy season in July with an increasing natural inflow to the main reservoir in order to reduce the impacts of low flows on downstream riverine system. The filling of the main reservoir will takes one wet season and complete before the dry season. Non-uniform river flow analysis (Annex C) was performed based on river sectional surveys and the river water flows to investigate the downstream minimum water depth during the initial impounding. Near the B. Hat Gniun village the minimum water depth was predicted to increase to about 1.0 m (refer to Figure 4.7), which should provide


sufficient depth for boat navigation according to the villager's experience. In case that there is a point where the river depth is not enough for boat navigation, the villagers can convey boat by hand so far. It is noted that after construction up to the main dam, access road will be constructed and a bridge across the NNP River just at the downstream of the re-regulation dam. Consequently, the needs for navigation may be decreased. Local villagers' boat navigation is hence not anticipated to be a critical issue.

5.3.2 *During Operation*

After the commencement of operation, the environmental flow rate would be augmented to 27.0 m³/s, released through the intake at EL 274.4 m rather than the riparian release conduit at EL 244.6 m in the main reservoir.

During years of extreme drought, a discharge of riparian release of 27.0 m³/s is likely to concur with the dry seasonal tributary flow in the Nam Xao River. The minimum daily flow in the Nam Xao River is estimated to range from 1.3 (April) to 12.0 m³/s (Sept) (dry season) (*Table 5.2* **Error! Reference source not found.**). This is calculated by multiplying the ratio of the Nam Xao River basin area to the NNP River basin area with the minimum daily flow in the NNP River in *Table 2.5*. In the past 30 years, the model suggests that riparian releases would have been taken place in September and October (*Annex D*). If discharging riparian release increases to 27.0 m³/s during the normal operation, the minimum flow encountered between immediate downstream of the re-regulation dam and the Nam Xao will be increased to at least 38.0 m³/s near the Nam Xao confluence, which is higher than the observed minimum daily mean natural inflows at Hat Gniun. The minimum water depth downstream will be increased from 0.5 m (when the riparian release is 5.5 m³/s during initial impounding) to 1.0 m at Hat Gniun.

Required minimum water depth for navigation and fish has been considered. A villager at B. Hat Gniun stated that the minimum required water depth for navigation is 0.5 m (H_b) and suggested that the required water depth for fish is usually double the height of the fish. In case there is a point where the river depth is not enough for boat navigation, the villagers can convey boat by hand so far. A depth of 0.5 m enables boat navigation and appears to be sufficient for the ecology of most fish. Required minimum water depth for navigation and fish are 0.5 m.



As a result of assessment for environmental flow and discussions with related authorities, the required environmental flow and water depth is determined as shown in *Table 5.3*, which is set in *Annex C of the Concession Agreement* between the GoL and the NNP1 PC. The compliance status with the below threshold will be adequately monitored during impoundment and operational phase.

Table 5.3 Flow Requirement in Annex C of Concession Agreement

| [During impoundment] | | | |
|-------------------------------------|--|--|--|
| River reach | Absolute Minimum Flow | Water depth (measured at a fixed point immediately downstream of the re-regulation dam) | |
| Downstream of the re-regulation dam | <ul style="list-style-type: none"> Min 5.5 m³/s at all times in the dry season and in the rainy season | <ul style="list-style-type: none"> 0.5 m | |
| [During the Operational Phase] | | | |
| River reach | Absolute Minimum Flow | [Water depth] | Max Fluctuations |
| Downstream of the re-regulation dam | <ul style="list-style-type: none"> Min 5.5 m³/s at all times in the dry season and in the rainy season | <ul style="list-style-type: none"> Min water depth in m in the entire reach from downstream of the re-regulating pond until [*km] during dry and rainy season respectively (measured at the deepest point in any cross-section) | <ul style="list-style-type: none"> 1.7 m Max fluctuation in any 24 hour period 1.7m Max fluctuation in any period of seven consecutive days Max rate of change is 0.6n m/h Max frequency in events per 24 hours and in any 7 days consecutive period |

During the normal operation the riparian flow will be drawn from the upper layer of the reservoir, unlike the deep storage released during the short time period of the initial impounding. Computer models were made to determine the quality of outflow at the intake water level and results are outlined in Section 6. The impact on aquatic biota will be confirmed by continuous monitoring as outlined in Section 6 and aeration measure is to be made if needed.

5.4 EVALUATION OF CHANGE IN ENVIRONMENTAL FLOW ON DOWNSTREAM BIODIVERSITY AND ECOSYSTEM SERVICES

As discussed in the previous sections, the dam-reservoir systems regulate the flood discharge during the wet seasons and increase the flow rates during the dry seasons, so that the seasonal flow regime shows less fluctuation over the year. In general, there will expect to be no major negative impacts to the downstream (below the re-regulation dam) biodiversity and ecosystem services under normal operation of the Project (discharge rate ranging from 27.0 m³/s to 160.0 m³/s as indicated in Table 4.2.

The key concern is the potential impacts on downstream biodiversity and ecosystem services during initial impounding and extreme drought years.

It should be noted that operation of the main powerhouse will be stopped during extreme drought period and a riparian release of 27.0 m³/s from the reservoir will be discharged continuously (in which the natural inflow is likely less than 27.0 m³/s). By the time riparian release took place, the natural inflow to the main reservoir might have recovered from the minimum flow of

the year. And therefore the amount of environmental flow (riparian release) would be secure enough to mitigate the extremely low flow conditions in the year of extreme drought in the downstream areas and benefiting from the operation capacity of the reservoir. It is also noted that the frequency of when the daily outflow is 27.0 m³/s from the re-regulation dam is 0.5 % (less than 1.5 days /year over 30 years).

Further to a review of the downstream biodiversity and ecosystem services as detailed in *Section 3*, the terrestrial/ riparian habitats and flora including the endangered trees species downstream of re-regulation dam (Lower NNP River), as well as the Houy Ngua PPA, are less dependent on the NNP River. While the aquatic biota and fishery resources on the NNP River are expected to be more sensitive to the change of water flow due to NNP1 Project. And therefore the evaluation of change in environmental flow on downstream biodiversity and ecosystem services in the following section are focussed on aquatic biota and fishery resources.

Aquatic Biota and Fisheries Resources

Direct and indirect impacts on the aquatic biota and fisheries resources due to the construction of the dams and associated infrastructure, including habitat loss, habitat fragmentation and barrier to movement etc, have been discussed and evaluated, and associated mitigation measures/ offsets (including fish enhancement program) were also recommended in the Project EIA Report and *Biodiversity Offset Design Report*. There were 47 fish species, including one protected species (Apollo shark minnow *Luciosoma bleekeri*) and six endangered, vulnerable or near threatened species (Yellow tail brook barb *Poropuntius deauratus* (EN), Mrigal carp *Cirrhinus cirrhosis* (VU), Jaguar loach *Yasuhikotakia splendida* (VU), Mekongina erythrospila (NT), Gnooch *Bagarius bagarius* (NT) and Giant Gnooch *Bagarius yarrelli* (NT)) in the downstream NNP River area. Cyprinidae family species was the dominant group recorded during 2013 surveys and were reported to adapt to different environmental in various sections of the river.

During initial impounding which restricted to one wet season, the riparian release through the re-regulation dam will fall to 5.5 m³/s. Potential impacts on downstream fishes and benthic fauna during initial impounding are expected to be anticipated. The reduced flow and water depth of the river may affect the abundance and richness of the fishes and benthic fauna (also considered as the food source for fish species). However, the reduced flow and water depth will be improved further downstream at least starting at 3km downstream of the re-regulation dam by confluent of Nam Xao river and also in the event of after rains (which will be frequent during wet season) . The fish species may move to river section of adequate water level and the fish abundance and richness are likely to adjust in response to the altered flow regime until the water flow recovered. Regarding the benthic fauna of less mobility such as earthworms and other invertebrates including insect larvae/ nymphs (ie Stonefly, Mayfly and Damselfly), the changes in waterflow will expect to reduce their diversity and abundance in certain extent. With

consideration of the initial impounding water flow reduction happening during wet season and restricted to one wet season, significant adverse impacts on downstream fishes and benthic fauna during initial impounding do not expect to be anticipated.

Under normal operation of the Project, water flow will be stabilised with less fluctuation and expect to be of sufficient discharge rate for the downstream aquatic biota including fishes, as well as fishing activities. Although the aquatic biota will experience weekly changes of flow from 160.0 m³/s to 48 or 27.0 m³/s from 10pm on Saturday to 6am on Monday, the changes will be reduced further downstream as the waterflow will increase at least starting at 3km downstream of the re-regulation dam by confluent of Nam Xao river. Significant impacts on the downstream fishes do not expect to be anticipated due to such short duration and their high mobility as they can temporarily move to river section of adequate water level and back to the affected areas after waterflow increased. The temporary changes in waterflow will reduce the water depth that may expose the benthic faunal community to air. However, the benthic fauna will likely to hide in microhabitats of sufficient water or high humidity (ie pools, underneath the stones or litters or logs etc) and their activities will be reactivated/ resumed after waterflow recovered. It should be noted that the river section of concern is mainly focus on the 3km downstream of the re-regulation dam. Consequently, adverse impacts on aquatic biota and fisheries resources during normal operation do not expect to be anticipated.

During extreme drought years, the natural inflow will expect to be reduced to minimal. With the provision of continuous environmental flow (27.0 m³/s) by the Project (using the water stored in the reservoir), additional water inflow to downstream areas will be resulted and positive impacts on the downstream fisheries resources and aquatic biota including the protected, endangered, vulnerable or near threatened fish species will expect to be anticipated.

5.5

WATERSHED MANAGEMENT ACTIVITIES IN THE NAM NIEP WATERSHED

Watershed management activities above and below the Nam Ngiep Dam will provide opportunities to improve the aquatic and riparian habitats of the watershed. Combined with the environmental flow regime, these management actions will have the objectives of:

- Improving knowledge of aquatic biodiversity values in Lao PDR;
- Engaging the community in watershed management;
- Managing key threats to water quality and aquatic habitats; and
- Monitoring and evaluating the effectiveness of management actions on water quality and aquatic habitats.

Management of fish habitat, targeting to protect and enhance habitat for fish species lifecycle, is one of the recommended watershed management activities

that can also be considered as a measure for the change of flow due to the Project and details please refer to the *NNP1 Biodiversity Offset Design Report*.


6.1 WATER QUALITY SIMULATION

The predicted change of temperature and DO were simulated by computer to help understand how the water quality would be affected by the dam construction. The water quality models were calculated to predict the quality change of inflow and outflow or discharge due to the project. The variation of water quality, as predicted by the variations of DO and water temperature, was found to arise largely from the seasonal variation rather than hourly variation. In addition, since the NNP1 reservoir is considered as the annual regulation reservoir, the water quality simulation in the reservoir was conducted on a daily interval rather than an hourly interval.

6.2 WATER TEMPERATURE


The inflow water temperature was estimated by using a correlation equation between air temperature and observed data of water temperature. The daytime water temperature at the dam site was measured in 2011. The average daytime water temperature of reservoir surface close to the dam was the lowest (25.9°C) in January while the highest (30.1°C) was in May (Figure 6.1). The difference in the water surface temperatures between the reservoir and at the dam fluctuated throughout the year. The thermocline zone was predicted to form around EL. 250 m and it may affect the water quality for eight years.

Figure 6.1 Monthly Daytime Water Temperature in the Reservoir



The water temperature of discharged water tends to be higher than that of the natural inflow (Figure 6.2). The temperature of the discharged water also tends to be lower than that of reservoir surface water close to the dam.

Figure 6.2 Comparison of Inflow and Outflow Water Temperature of NNP1 River



The water temperatures of the downstream river before and after the dam construction were significantly different. The average temperature downstream after the dam construction would be about 4°C higher than that before the construction (Figure 6.3). The temperature of discharged water gradually changes as the water flows downstream and it gradually approaches the temperature of water before construction of the dam.


Due to the limits of available data on temperature, the impact assessment of water temperature on aquatic life in the project area had to be made by indirectly linking it to the biochemical functions that are affected by temperature change. The water temperature change could affect biochemical functions such as those that control the immune response, spawning, hatching, and survival rate of larva of aquatic life.

One study of small dams in warm climate areas assessed the impact of changing water temperatures on fish and macro-invertebrate communities below those dams. The results of this study showed that the main change downstream was that macro-invertebrates showed shifts in community composition below these small, surface release dams (Lessard and Hayes, 2003). With reference to this study, at a minimum it is expected that there will be changes in the community composition of macro-invertebrates in those areas downstream from the NNP1 dam that are predicted to experience significant increases in temperature (up to 4°C).

The assessment of the impact on aquatic organisms due to temperature changes downstream of the NNP1 dam was conducted using the results of a


temperature model, which may not reflect the real life situation. This makes it imperative that an effective and regular monitoring system be in place to determine the actual impact of the NNP1 dam on downstream aquatic life during construction and throughout the operation of the dam.

Figure 6.3 Comparison of Downstream Water Temperature of NNP1




The prediction of DO change due to the Project was conducted by reviewing the impacts of similar dam projects, using eight (8) years (1991-1998) of data collected from those dams and comparing the results with that of natural inflow. The result of the computation shows that the DO in the discharged water from the main dam has a significant tendency to be lower than that of inflow. The predicted range of the DO in the discharge varies from 3.5 mg/L to 7.9 mg/L through the year (Figure 6.4).

Figure 6.4 Comparison of Inflow and Outflow DO Levels



DO concentration of discharged water from the re-regulating dam is over 6 mg/L almost all the year. The DO concentration increases gradually as the water flows further downstream due to oxygenation and dilution (Figure 6.5).

Figure 6.5 Prediction of DO Changes per Month (Longitudinal Profile of the River)



In natural conditions, a concentration of 5 mg/L DO was recommended for optimum fish health. To prevent low DO affects the fish health, the regular monitoring system should be conducted during construction and throughout the operation of the dam. Sensitivity to low levels of dissolved oxygen was species specific; however, most species of fish were distressed when DO falls to 2-4 mg/L. Mortality usually occurs at concentrations less than 2 mg/L.

Overall the water quality simulation predicts that there is a possibility of adverse impact on aquatic biota within an approximate 6 km range from the re-regulation pond. This is due to the DO in this section of river being predicted to be 3.5 to 6.0 mg/L, which is less than the 5 mg/L DO recommended for optimum fish health. The adverse impact on aquatic biota will be confirmed by continuous monitoring as outlined below.

6.4 *MONITORING PLAN*

The monitoring plan will be carried out to ensure that the water quality of the NNP1 reservoir and river are maintained. The monitoring will be conducted periodically at selected sites upstream from the reservoir, in the reservoir and downstream from the dam. The monitoring will be divided into two phases, one during construction and the other during operation. The monitoring locations and frequency will be decided in accordance with the Concession Agreement and EIA report. As needed, in response to an emergency (such as fish dying downstream, foul odours, excessive algal growth) or viable complains from people around the reservoir or downstream, additional monitoring and countermeasures should be implemented.

The monitoring parameters, measuring points and frequencies are outlined below.

6.4.1 *During construction phase*

- Monthly to observe parameters of physical and chemical water quality (temperature, pH, conductivity, turbidity, suspended solid, total dissolved solid), biological water quality (DO, COD, BOD5), and bacteriological water quality (total coliform and fecal coliform) at sites upstream from the dam (at two (2) sites – most upstream and most downstream points within the main reservoir) and downstream (at two (2) sites – one immediately downstream from the re-regulating dam and another farther downstream before the confluence with the Nam Xao River.);
- Seasonally (3 times/year in wet, dry and transition period) to report all the above parameters, plus Mn;
- Quarterly during the inundation period only, for ambient water quality parameters as listed in *Table 6.1*, in addition to the above parameters, plus Mn; and

- In addition, necessary parameters for biomass simulation to be observed in accordance with *Appendix 2 of Annex C* of CA.

6.4.2 *During operation phase*

- Bi-weekly tests (short to medium term) – to observe temperature, pH, conductivity, turbidity, SS, DO, COD, BOD5, total coliform and faecal coliform at sites upstream (at two (2) sites – most upstream and most downstream points within the main reservoir) and downstream (at one (1) site – immediately downstream from the re-regulating dam);
- Seasonally (3 times/year in wet, dry and transition period) (long-term) – to observe physical and chemical water quality (temperature, pH, conductivity, turbidity, suspended solid, total dissolved solid), biological water quality (DO, COD, BOD5, P, PO43-, N, NO3-, NH3), bacteriological water quality (total coliform and faecal coliform) and Mn at the three sites;
- Quarterly (long-term)– observe the ambient water quality parameters as listed in *Table 6.1* in addition to the above parameters;
- In addition, necessary parameters for biomass simulation to be observed in accordance with *Appendix 2 of Annex C* of CA; and
- As needed, to observe any parameters considered important in response to an emergency (such as fish dying downstream, foul odors, excessive algal growth) or viable complaints from people around the reservoir or downstream.

Table 6.1 *Summary of Water Quality Monitoring*

| | Construction period | | | | Operation period | | |
|--|-------------------------------------|---------------------------------------|---|---|--------------------------------------|--|--|
| | Most upstream in the main reservoir | Most downstream in the main reservoir | Immediately downstream of the re-regulation dam | Further downstream from the re-regulation dam | Most upstream in the main reservoir* | Most downstream in the main reservoir* | Immediately downstream of the re-regulation dam* |
| Temperature | Monthly | Monthly | Monthly | Monthly | Biweekly-3 times/year | Biweekly-3 times/year | Biweekly-3 times/year |
| pH | Monthly | Monthly | Monthly | Monthly | Biweekly-3 times/year | Biweekly-3 times/year | Biweekly-3 times/year |
| Conductivity | Monthly | Monthly | Monthly | Monthly | Biweekly-3 times/year | Biweekly-3 times/year | Biweekly-3 times/year |
| Turbidity | Monthly | Monthly | Monthly | Monthly | Biweekly-3 times/year | Biweekly-3 times/year | Biweekly-3 times/year |
| SS | Monthly | Monthly | Monthly | Monthly | Biweekly-3 times/year | Biweekly-3 times/year | Biweekly-3 times/year |
| TDS | Monthly | Monthly | Monthly | Monthly | Biweekly-3 times/year | Biweekly-3 times/year | Biweekly-3 times/year |
| DO | Monthly | Monthly | Monthly | Monthly | Biweekly-3 times/year | Biweekly-3 times/year | Biweekly-3 times/year |
| COD | Monthly | Monthly | Monthly | Monthly | Biweekly-3 times/year | Biweekly-3 times/year | Biweekly-3 times/year |
| BOD5 | Monthly | Monthly | Monthly | Monthly | Biweekly-3 times/year | Biweekly-3 times/year | Biweekly-3 times/year |
| Total coliform Bacteria | Monthly | Monthly | Monthly | Monthly | Biweekly-3 times/year | Biweekly-3 times/year | Biweekly-3 times/year |
| Total faecal Coliform | Monthly | Monthly | Monthly | Monthly | Biweekly-3 times/year | Biweekly-3 times/year | Biweekly-3 times/year |
| Mn | 3 times/year | 4 times/ year | 5 times/year | 6 times/year | 7 times/year | 8 times/year | 9 times/year |
| Ambient water quality parameters as listed in <i>Table 6.2</i> other than above parameters | Quarterly during inundation only | Quarterly during inundation only | Quarterly during inundation only | - | Quarterly | Quarterly | Quarterly |

*First frequency given is for short/medium term and second is for long term monitoring

The water quality standard is prescribed in accordance with the *Annex C* in the Concession Agreement. The related water quality standards are shown in *Table 6.2*.

Table 6.2 *Ambient Surface Water Quality Standard in Annex C – Concession Agreement*

| Parameter | Unit | Standard |
|---|-------------|----------|
| pH | | 5-9 |
| Dissolved Oxygen | mg/l | >6.0 |
| BOD5 | mg/l | 1.5 |
| COD | mg/l | 5.0 |
| Nitrogen as nitrate (N-NO ₃) | mg/l | 5.0 |
| Nitrogen as ammonia (N-NH ₃) | mg/l | 0.2 |
| Sulfate | mg/l | 500 |
| Total coliform bacteria | MPN/ml | 5,000 |
| Total faecal coliform | MPN/ml | 1,000 |
| Phenols | mg/l | 0.005 |
| Arsenic (As) | mg/l | 0.01 |
| Cadmium (Cd) CaCO ₃ ≤ 100 mg/l | mg/l | 0.005 |
| Cadmium (Cd) CaCO ₃ ≥ 100 mg/l | mg/l | 0.05 |
| Chromium (VI) (Cr ⁶⁺) | mg/l | 0.05 |
| Copper (Cu) | mg/l | 0.1 |
| Cyanide | mg/l | 0.005 |
| Lead (Pb) | mg/l | 0.05 |
| Mercury (Hg) | mg/l | 0.002 |
| Nickel (Ni) | mg/l | 0.1 |
| Zinc (Zn) | mg/l | 1.0 |
| Manganese (Mn) | mg/l | 1.0 |
| Alpha α -Radioactivity | Becquerel/l | 0.1 |
| Beta β -Radioactivity | Becquerel/l | 1.0 |
| Total Organochlorine | mg/l | 0.05 |
| DDT | mg/l | 1.0 |
| Alpha-BHC | mg/l | 0.02 |
| Dieldrin | mg/l | 0.1 |
| Aldrin | mg/l | 0.1 |
| Heptachlor and Heptachlor Epoxide | mg/l | 0.2 |
| Endrin | mg/l | 0 |

REFERENCES

- Azmeri, Basri, H., and Herissandy, N. (2012). Changing land use impact analysis toward water availability on Krueng Meureudu watershed. *Journal of Ekonomi dan Pembangunan*, 5 (1): 83-98.
- Baird, I. 2011. *Yasuhikotakia splendida*. In: IUCN 2013. IUCN Red List of Threatened Species. Version 2013.1. <www.iucnredlist.org>.
- Basri, H., Fukuda, T., and Kuroda, M. (1998). Water balance and water Quality analysis of paddy field irrigation system in low lying area. *J. Fac. Agr, Kyushu Univ.*, 43(1-2): 222-237.
- Basri, H., Nakano, Y., Kuroda, M., and Funakoshi, T. (1999). Water requirement analysis of paddy field irrigation system in diversified land use area. *J. Fac. Agr, Kyushu Univ.*, 44(1-2): 175-187.
- Basri, H., Syahrul and Nursidah. (2002). Evaluation of hydrological response of Krueng Ireue watershed using computer simulation of tank model. *Jurnal Agrista*, 6 (1): 7-18.
- Dyson, Megan, ed. ; Bergkamp, Ger, ed. ; Scanlon, John, ed. ; IUCN, Water and Nature Initiative, 2003, *Flow: the Essentials of Environmental Flows*, page 118. ISBN 2-8317-0725-0
- Environmental Research Institute (ERI) (2012). Nam Ngiep 1 Hydropower Project Environmental Impact Assessment Draft Report, Prepared by ERI, Chulalongkorn University. Fishbase (2013). Available at www.fishbase.org.
- Fukuda, T., Jayadi, R., Nakano, Y., and Kuroda, M. (1999). Application of complex tank model for evaluating performance of water operation in a Reused water irrigation system. *J. Fac. Agr., Kyushu Univ.*, 44 (1-2): 189-198.
- Jayadi, R., Fukuda, T., Nakano, Y., and Kuroda, M. (1999). Evaluation of Reused water effect on irrigation water quality of low-lying paddy area. *J. Fac. Agr, Kyushu Univ.*, 44(1-2): 199-211.
- Kottelat, M., 1998. Fishes of the Nam Theun and Xe Bangfai basins, Laos, with diagnoses of twenty-two new species (Teleostei: Cyprinidae, Balitoridae, Cobitidae, Coiidae and Odontobutidae). *Ichthyol. Explor. Freshwat.* 9(1):1-128.
- Kuok, K.K., Harun, S., and Shamsuddin, S.M. (2010). Global optimization of the hydrologic tank model's parameters. *Canadian Journal on Civil Engineering*, 1(1): 1-14.
- Kuroda, M., Nakano, Y., Basri, H., and Funakoshi, T. (1999). Analysis of intake water of agricultural water use operated under traditional water right in Japan. *J. Fac. Agr, Kyushu Univ.*, 44 (1-2): 149-156.

Lessard, J. L. and Hayes, D. B. Effects of elevated water temperature on fish and macroinvertebrate communities below small dams. 19 (7), Pages 721 - 732. Published Online: 2 Apr 2003.

Poulsen, A.F. 2001. Integration of fishers knowledge into research on a large tropical river basin, the Mekong River in Southweast Asia. In: Haagan, N., C. Brignall and L. Woods (eds), Putting Fishers Knowledge to Work 11 (1): 198-207.

Serov, D.V., Nezdoliy, V.K. and Pavlov, D.S. 2006. The Freshwater Fishes of Central Vietnam. KMK Scientific Press Ltd., Moscow, Nha Trang.

Setiawan, B. I. (2003). Optimation of tank model's parameters. Bulletin Keteknikan Pertanian, 17(1): 8-16.

Singhanouvong, D., C. Soulignavong, K. Vonghachak, B. Saadsy and T.J. Warren, 1996. The main dry-season fish migrations of the Mekong mainstream at Hat Village, Muang Khong District, Hee Village, Muang Mouan District and Hatsalao Village, Paxse. Indigenous Fishery Develoment Project, Fisheries Ecology Technical Report no. 3. Lao People's Democratic Republic. 130 p.

Sugawara, M., Watanabe, E. Ozaki, E., and Katsuyama, Y. (1984). Tank model with snow component. The National Research Center for Disaster Prevention, Science and Technology Agency, Japan.

Sugawara, M. (1961). Automatic callibration of tank model. Hydrological Sciences-Bulletin-des Sciences Hydrologiques, 24(3): 375-388.

Sugawara, M. (1961). On the analysis of runoff structure about several Japanese River. Japanese Journal of Geophysic, 4 (2): 1-76.

Sutoyo, Yanuar, M., and Purwanto, J. (2003). River runoff prediction based on rainfall data using tank model. Bulletin Keteknikan Pertanian, 13 (3): 25-39.

Taki, Y., 1978. An analytical study of the fish fauna of the Mekong basin as a biological production system in nature. Research Institute of Evolutionary Biology Special Publications no. 1,77 p. Tokyo, Japan..

Annex A

Water Quality Test Results

RESULTS OF WATER QUALITY ANALYSIS NAM NGIEP RIVER AT B HAT GNIUN, B HOUAY SOUP AND B POU IN JULY 2012 AND FEB 2013

| pH | | | | | | |
|------------|-------------|--------------|-------|------------------------|---------------|---------------|
| date | B Hat Gniun | B Houay Soup | B Pou | Ambient, Effluent(Max) | Ambientt(Min) | Effluent(Min) |
| 2012.07.24 | 9.7 | 6.2 | | 9 | 5 | 6 |
| 2012.08.10 | | 6.4 | | 9 | 5 | 6 |
| 2013.02.15 | 8.3 | | | 9 | 5 | 6 |
| 2013.02.16 | | | 8.1 | 9 | 5 | 6 |

| Do | | | | | |
|------------|-------------|--------------|-------|---------|----------|
| date | B Hat Gniun | B Houay Soup | B Pou | Ambient | Effluent |
| 2012.07.24 | 9.7 | 8 | | 6 | |
| 2012.08.10 | | 8.8 | | 6 | |
| 2013.02.15 | 10.3 | | | 6 | |
| 2013.02.16 | | | 7.8 | 6 | |

| BOD | | | | | |
|------------|-------------|--------------|-------|---------|----------|
| date | B Hat Gniun | B Houay Soup | B Pou | Ambient | Effluent |
| 2012.07.24 | 3 | 2 | | 2 | 30 |
| 2012.08.10 | | 2 | | 2 | 30 |
| 2013.02.15 | | | | 2 | 30 |

| COD | | | | | |
|------------|-------------|--------------|-------|---------|----------|
| date | B Hat Gniun | B Houay Soup | B Pou | Ambient | Effluent |
| 2012.07.24 | 4 | 2 | | 5 | 125 |
| 2012.08.10 | | 4 | | 5 | 125 |
| 2013.02.15 | 2 | | | 5 | 125 |
| 2013.02.16 | | | 2 | 5 | 125 |

| Turbidity | | | |
|------------------|--------------------|---------------------|--------------|
| date | B Hat Gniun | B Houay Soup | B Pou |
| 2012.07.24 | 192.3 | 153.84 | |
| 2012.08.10 | | 153.84 | |
| 2013.02.15 | 153.84 | | |
| 2013.02.16 | | | 153.84 |

| Water temperature | | | |
|--------------------------|--------------------|---------------------|--------------|
| date | B Hat Gniun | B Houay Soup | B Pou |
| 2012.07.24 | 25.4 | 25.4 | |
| 2012.08.10 | | 24.8 | |
| 2013.02.15 | 26.1 | | |
| 2013.02.16 | | | 26.4 |

A2 RESULTS OF WATER QUALITY ANALYSIS NAM NGIEP RIVER MARCH 2013

| Station No. | Cumulative Distance (km) | E | N | Time | Water Temp (°C) | pH | Conductivity (uS/cm) | TDS (mg/L) | DO (mg/L) | Turbidity (FTU) | Turbidity (NTU) | Total Coliform | Physical |
|-------------|--------------------------|--------|---------|-------|-----------------|------|----------------------|------------|-----------|-----------------|-----------------|----------------|--------------------------------------|
| SW-1 | 0 | 344191 | 2062133 | 10:42 | 26.6 | 8.12 | 95 | 47 | 7.1 | NM | 9.17 | 12 | Sunny/Clear / odourless/ Medium flow |
| SW-2 | 4.29 | 347507 | 2062246 | 12:41 | 27.7 | 8.01 | 97 | 55 | 6.9 | NM | 8.32 | 3 | Sunny/Clear / odourless/ Medium flow |
| 201 | 5.17 | 348295 | 2062526 | 12:48 | 27.5 | 8.15 | 94 | 46 | 6.3 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 202 | 6.15 | 349181 | 2062555 | 12:51 | 27.5 | 8.19 | 92 | 46 | 6.5 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 203 | 7.17 | 350022 | 2062701 | 12:56 | 27.6 | 8.18 | 93 | 46 | 4.3 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 204 | 8.19 | 350176 | 2063595 | 13:00 | 29.2 | 8.21 | 97 | 48 | 4.4 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| SW-3 | 9.14 | 350994 | 2063234 | 13:03 | 28.8 | 8.16 | 93 | 47 | 6.5 | NM | 6.17 | 3 | Sunny/Clear / odourless/ Medium flow |
| 301 | 10.2 | 351840 | 2062703 | 13:10 | 28.4 | 8.22 | 94 | 47 | 6.8 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| SW-4 | 11.2 | 352339 | 2061963 | 13:14 | 27.7 | 8.14 | 96 | 48 | 7.1 | NM | 7.16 | 6 | Sunny/Clear / odourless/ Medium flow |
| 401 | 12.2 | 352375 | 2060981 | 13:20 | 28.4 | 8.09 | 94 | 46 | 6.9 | NM | - | - | Sunny/Clear / odourless/ Medium |

| Station No. | Cumulative Distance (km) | E | N | Time | Water Temp (°C) | pH | Conductivity (uS/cm) | TDS (mg/L) | DO (mg/L) | Turbidity (FTU) | Turbidity (NTU) | Total Coliform | Physical |
|------------------------------|--------------------------|--------|---------|-------|-----------------|------|----------------------|------------|-----------|-----------------|-----------------|----------------|--|
| | | | | | | | | | | | | | flow |
| 402 | 13.2 | 352361 | 2060033 | 13:23 | 28 | 8.17 | 94 | 46 | 7 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 403 | 14.1 | 352496 | 2059277 | 13:27 | 28.1 | 8.17 | 93 | 46 | 7.1 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 404_DS of Houy Soup | 15.4 | 352318 | 2058113 | 13:31 | 28.6 | 8.2 | 94 | 46 | 6 | NM | 8.05 | - | Sunny/Clear / odourless/ Medium flow |
| 405 | 16.2 | 352290 | 2057567 | 13:34 | 28.2 | 8.19 | 93 | 46 | 7 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 406 | 17.3 | 352596 | 2056700 | 13:38 | 28.2 | 8.2 | 93 | 47 | 6.5 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 407 | 18.2 | 353258 | 2056287 | 13:41 | 28.1 | 8.17 | 94 | 47 | 7 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 408 | 19.2 | 352768 | 2055462 | 13:44 | 27.9 | 8.18 | 91 | 45 | 6.6 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 409 | 20.4 | 353014 | 2054559 | 13:48 | 28 | 8.15 | 98 | 46 | 5.2 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 410 | 21.2 | 353480 | 2053919 | 13:51 | 28.2 | 8.13 | 94 | 46 | 5.5 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 411 | 22.2 | 354140 | 2053232 | 13:54 | 28.2 | 8.13 | 92 | 46 | 6.9 | NM | - | - | Sunny/Clear / odourless/ Medium |

| Station No. | Cumulative Distance (km) | E | N | Time | Water Temp (°C) | pH | Conductivity (uS/cm) | TDS (mg/L) | DO (mg/L) | Turbidity (FTU) | Turbidity (NTU) | Total Coliform | Physical |
|-------------|--------------------------|--------|---------|-------|-----------------|------|----------------------|------------|-----------|-----------------|-----------------|----------------|--|
| | | | | | | | | | | | | | flow |
| 412 | 23.2 | 354940 | 2052645 | 13:57 | 28.1 | 8.12 | 94 | 47 | 6.6 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 413 | 24.5 | 355942 | 2051955 | 14:00 | 28.1 | 8.06 | 92 | 47 | 6.3 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 414 | 25.2 | 355734 | 2051360 | 14:03 | 28.2 | 8.1 | 92 | 47 | 6.7 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 415 | 26.1 | 356360 | 2050922 | 14:05 | 28.7 | 8.07 | 92 | 47 | 6.9 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 416 | 27.3 | 357160 | 2050357 | 14:09 | 28.3 | 8.07 | 94 | 46 | 6.5 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 417 | 28.1 | 356692 | 2049737 | 14:11 | 28.2 | 8.02 | 93 | 46 | 6.4 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 418 | 29.1 | 356750 | 2048962 | 14:14 | 28.2 | 8.06 | 92 | 46 | 6.8 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 419 | 30.2 | 357308 | 2048258 | 14:18 | 28.5 | 8.04 | 93 | 45 | 6.9 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 420 | 31.2 | 357798 | 2047445 | 14:21 | 28.4 | 8.04 | 93 | 46 | 6.8 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 421 | 32.2 | 358252 | 2046605 | 14:24 | 28.7 | 8.04 | 94 | 46 | 6.8 | NM | - | - | Sunny/Clear / odourless/ Medium flow |

| Station No. | Cumulative Distance (km) | E | N | Time | Water Temp (°C) | pH | Conductivity (uS/cm) | TDS (mg/L) | DO (mg/L) | Turbidity (FTU) | Turbidity (NTU) | Total Coliform | Physical |
|-------------|--------------------------|--------|---------|-------|-----------------|------|----------------------|------------|-----------|-----------------|-----------------|----------------|--------------------------------------|
| 422 | 33.3 | 357509 | 2045919 | 14:27 | 28.4 | 8.01 | 95 | 46 | 7.1 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 423 | 34.1 | 357196 | 2045265 | 14:30 | 28.5 | 8.01 | 93 | 46 | 7.2 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| 424 | 35.1 | 356700 | 2044695 | 14:33 | 29.2 | 8.04 | 92 | 45 | 6.5 | NM | - | - | Sunny/Clear / odourless/ Medium flow |
| SW-5 | 36.5 | 355618 | 2044464 | 14:41 | 28.9 | 7.97 | 92 | 47 | 7.3 | NM | 5.03 | 5 | Sunny/Clear / odourless/ Medium flow |
| SW-6 | 37.9 | 354831 | 2044030 | 14:48 | 29.8 | 8.1 | 99 | 49 | 5.9 | NM | 6.81 | 7 | Sunny/Clear / odourless/ Medium flow |

NM = Not measurable


Annex B

Fish and Fisheries Survey
Locations along the Nam
Ngiep River in January 2008

**FISH AND FISHERIES SURVEY LOCATIONS ALONG THE NAM NGIEP RIVER
IN JANUARY 2008**

| No. | Name | Village | Location | | Coordinate | |
|----------|------------------|------------------|-----------------|--------------------|--------------------|---------------------|
| | | | District | Province | N | E |
| 1 | Station 1 | Piengta | Thathom | Xieng Khouang | 19°01'33.6" | 103°25'09.6" |
| 2 | Station 2 | Hatsamkhone | Thathom | Xieng Khouang | 19°00'46.0" | 103°26'40.3" |
| 3 | Station 3 | Pou | Thathom | Xieng Khouang | 19°00'52.5" | 103°27'37.7" |
| 4 | Station 4 | Houypamom | Hom | Vientiane | 18°59'32.6" | 103°30'10.5" |
| 5 | Station 5 | Sopphuane | Hom | Vientiane | 18°50'01.9" | 103°26'19.9" |
| 6 | Station 6 | Sopyouak | Hom | Vientiane | 18°42'53.7" | 103°26'40.9" |
| 7 | Station 7 | Hatsaykham | Bolikhan | Bolikhamxay | 18°38'41.1" | 103°33'17.4" |
| 8 | Station 8 | Hat Gniun | Bolikhan | Bolikhamxay | 18°39'23.6" | 103°35'03.6" |
| 9 | Station 9 | Somseun | Bolikhan | Bolikhamxay | 18°25'03.5" | 103°36'22.6" |
| 10 | Station 10 | Pak Ngiep | Pakxan | Bolikhamxay | 18°31'58.8" | 103°38'48.3" |

FIGURE B1 FISH AND FISHERIES SURVEY LOCATIONS ALONG THE NAM NGIEP RIVER



Annex C

Results of Non-uniform Flow Analysis

C1. SUMMARY OF ANALYSIS

C1.1 ANALYTIC METHOD

Water flow condition downstream of the re-regulation dam is analyzed through non-uniform flow analysis.

Unknown hydraulic value such as water level, water velocity and etc., upstream are calculated by the hydraulic value downstream by applying the energy constant law as follows;

$$z_1 + h_1 + \frac{v_1^2}{2g} + h_L = z_2 + h_2 + \frac{v_2^2}{2g}$$

Here, z : elevation of river bed

h : water depth

v : water velocity

h_L : loss in head

$$h_L = \frac{\Delta x}{2g} \left(\frac{n_1^2 v_1^2}{R_1^{4/3}} + \frac{n_2^2 v_2^2}{R_2^{4/3}} \right)$$

n ; coefficient of roughness by Manning equation = 0.04 checked by observed data

R ; hydraulic mean depth




Figure C1 Image of hydraulic value

Software for non-uniform analysis named “ELNORE FUJITSU FIP Japan” is used for the analysis

C1.2 ANALYTIC CONDITION

C1.2.1 River cross section

The analysis is conducted in the sections between the downstream of the re-regulation dam and the confluence of Mekong River as shown in figure below. The total 37 sections are used for analysis. The drawings of river cross section of total 37 sections are attached in Appendix.




Figure C2 Analyzed section

1.2.2 Inflow from tributary of the Nam Ngiep River

Inflow from 12 tributaries of the Nam Ngiep River between the re-regulation dam and the confluence of the Mekong River are counted. The each inflow from these tributary is calculated by multiplied with the ratio of the basin area at the Nam Ngiep 1 dam site, respectively. The inflow from each tributary is calculated by multiplied the ratio of each river basin area to that of the Nam Ngiep River at the re-regulation dam.




Figure C3 Tributaries of Nam Ngiep River

Table C 1 Catchment area of tributary

| Tributary | Catchment area (km ²) |
|--|-----------------------------------|
| 1 Nam Miang | 33 |
| 2 Nam Tak | 58 |
| 3 Nam Xao | 311 |
| 4 Houay Soup | 60 |
| 5 Houay Khinguak (Upstream) | 27 |
| 6 Houay Khinguak (Downstream) | 61 |
| 7 Houay Kokkhen | 42 |
| 8 Houay Pongxang | 12 |
| 9 Small tributary around B Muong Mai village | 27 |
| 10 Nam Pa | 90 |
| 11 Nam Tek Noy | 102 |
| 12 Small tributary around Mekong | 10 |
| Total | 833 |
| Ref) Nam Ngiep at re-regulation dam | 3,725 |

Table C2 *Annual average inflow by applying inflow from tributaries in the case of release discharge of 48 m³/s from re-regulation dam*

| Section | Tributary | Catchment area (km ²) | Inflow from tributary (m ³ /s) | Inflow at Nam Ngiep (m ³ /s) |
|---------|-------------------|-----------------------------------|---|---|
| 29 | | | | 80.9 |
| 28 | | | | 80.9 |
| 27 | Nam Teknoy | 102 | 4.1 | 80.9 |
| 26 | | | | 76.8 |
| 25 | | | | 76.8 |
| 24 | | | | 76.8 |
| 23 | | | | 76.8 |
| 22 | | | | 76.8 |
| 21 | | | | 76.8 |
| 20 | | | | 76.8 |
| 19 | | | | 76.8 |
| 18 | Nam Pa | 90 | 3.6 | 76.8 |
| 17 | | | | 73.2 |
| 16 | | | | 73.2 |
| 15 | B Muong Mai | 27 | 1.1 | 73.2 |
| 14 | | | | 72.2 |
| 13 | Houay Pongxan | 12 | 0.5 | 72.2 |
| 12 | | | | 71.7 |
| 11 | Houay kokkhen | 42 | 1.7 | 71.7 |
| 10 | | | | 70.0 |
| 9 | | | | 70.0 |
| 8 | Houay khinguak | 61 | 2.4 | 70.0 |
| 7 | Houay Khinguak | 27 | 1.1 | 67.6 |
| 6 | | | | 66.5 |
| 5 | | | | 66.5 |
| 4 | Houay Soup | 60 | 2.4 | 66.5 |
| 3 | | | | 64.1 |
| 2 | Nam Xao, Nam thak | 369 | 14.8 | 64.1 |
| 1 | | | | 49.3 |
| CR35 | | | | 49.3 |
| CR34 | | | | 49.3 |
| CR33 | Nam Miang | 33 | 1.3 | 49.3 |
| CR32 | | | | 48.0 |
| CR31 | | | | 48.0 |
| CR30 | | | | 48.0 |
| CR29 | | | | 48.0 |
| CR28 | Re-regulation dam | | | 48.0 |

1.2.3 Water level at the downstream end of Nam Ngiep River

For the calculation, the water level at the confluence of the Nam Ngiep River and the Mekong River is input as an initial condition. The observed water level data at Pakxan Gauging Station from 1991 to 2000 are applied as below.

Table C3 Water level of Mekong River in 1991 to 2000


| | | | | | | | | | | | | | (m) |
|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|
| Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Ave | |
| 145. | 144. | 144. | 144. | 145. | 147. | 151. | 153. | 153. | 149. | 147. | 146. | 147. | |
| 0 | 4 | 2 | 3 | 4 | 6 | 3 | 2 | 0 | 7 | 7 | 1 | 7 | |


C2 STUDY CASE

Study case is shown in table below.

Table C4 Study case

| Case | Operation type | | Discharge from re-regulation dam (m ³ /s) | Water level at downstream end (EL.m) |
|------|--------------------|-------------|--|---|
| | Timing | Period | | |
| 1 | 6am Sat - 6am Mon | 15 hrs/week | 27 | EL 147.7 m "Average of whole season" |
| 2 | | 17 hrs/week | 48 | |
| 3 | 6am - 10pm Mon-Sa | 16 hrs/day | 160 | |
| 4 | Initial impounding | 15 days | 5.5 | EL 149.25 m "Sep, 1992" |





C3 RESULTS OF STUDY

[Original plan in table 3-1]

- Minimum water depth and surface width
The minimum water depth and surface width occur at the section CR31 and CR33 between the regulation dam and Ban Hat Gnuin respectively during initial impoundings of 5.5 m³/s: 0.5 m and 16.1 m
- Maximum velocity
The maximum velocity is around 1.3 m/s during normal operation of 160 m³/s.
- Maximum fluctuation of water depth
The maximum fluctuation of the water level change occurs at the section 19 when water release changes from 160 m³/s to 27 m³/s: 1.5 m.
- Maximum fluctuation of water flow velocity
The maximum fluctuation of the water level change occurs at the section CR-31 when water release changes from 160 m³/s to 27 m³/s: 0.7 m/s.

[Case-1 to Case-3]




Figure C5 Water level along NNP River




Figure C6 Water depth along the NNP River




Figure C7 Width of river flow along the NNP River




Figure C8 Water velocity along the NNP River




Figure C9 *Fluctuation of water level along the NNP River*




Figure C10 *Fluctuation of water surface width along the NNP River*




Figure C11 Fluctuation of water flow velocity width along the NNP River

Case- 4




Figure C12 Water level along NNP River




Figure C13 Water depth along the NNP River




Figure C14 Width of river flow along the NNP River




Figure C15 Water velocity along the NNP River

4-1 Data sheet of Case-1(27 m³/s), Case-2(48 m³/s), and Case 3(160 m³/s)

| Tributary | Distance from Mekong (km) | No. | River bed | Left bank | Right bank | Discharge (m ³ /s) | | | Water level (EL.m) | | | Water depth (m) | | | Width of water surface (m) | | | Water velocity (m/s) | | |
|-----------------|---------------------------|-------|-----------|-----------|------------|-------------------------------|------|-------|--------------------|-------|-------|-----------------|-----|-----|----------------------------|-------|-------|----------------------|-----|-----|
| | | | | | | 27 | 48 | 160 | 27 | 48 | 160 | 27 | 48 | 160 | 27 | 48 | 160 | 27 | 48 | 160 |
| Mekong | 0.0 | 29 | 143.0 | 154.3 | 154.3 | 59.9 | 80.9 | 192.9 | 147.7 | 147.7 | 147.7 | 4.6 | 4.6 | 4.6 | 112.0 | 112.0 | 112.0 | 0.1 | 0.2 | 0.4 |
| | 0.9 | 28 | 138.2 | 156.0 | 156.2 | 59.9 | 80.9 | 192.9 | 147.7 | 147.7 | 147.7 | 9.4 | 9.4 | 9.5 | 73.3 | 73.3 | 73.4 | 0.2 | 0.2 | 0.5 |
| Nam Teknoy | 1.9 | 27 | 141.7 | 154.4 | 154.4 | 59.9 | 80.9 | 192.9 | 147.7 | 147.7 | 147.8 | 5.9 | 5.9 | 6.0 | 90.3 | 90.3 | 90.9 | 0.2 | 0.2 | 0.5 |
| | 3.4 | 26 | 144.3 | 156.2 | 155.0 | 55.8 | 76.8 | 188.8 | 147.7 | 147.7 | 147.9 | 3.4 | 3.4 | 3.6 | 105.3 | 105.4 | 106.2 | 0.2 | 0.3 | 0.6 |
| | 4.5 | 25 | 142.2 | 160.3 | 155.7 | 55.8 | 76.8 | 188.8 | 147.7 | 147.7 | 148.0 | 5.5 | 5.5 | 5.8 | 73.1 | 73.3 | 74.8 | 0.2 | 0.2 | 0.6 |
| | 6.1 | 24 | 144.9 | 177.1 | 159.3 | 55.8 | 76.8 | 188.8 | 147.7 | 147.8 | 148.3 | 2.9 | 2.9 | 3.4 | 91.0 | 91.3 | 93.3 | 0.3 | 0.4 | 0.7 |
| | 8.0 | 23 | 145.4 | 156.5 | 156.4 | 55.8 | 76.8 | 188.8 | 147.8 | 148.0 | 148.7 | 2.5 | 2.6 | 3.3 | 95.6 | 95.9 | 98.3 | 0.3 | 0.4 | 0.7 |
| | 9.6 | 22 | 144.3 | 156.8 | 157.5 | 55.8 | 76.8 | 188.8 | 147.9 | 148.1 | 149.0 | 3.6 | 3.8 | 4.7 | 69.0 | 69.4 | 72.1 | 0.4 | 0.4 | 0.8 |
| | 10.6 | 21 | 144.3 | 157.8 | 156.0 | 55.8 | 76.8 | 188.8 | 148.0 | 148.2 | 149.2 | 3.7 | 3.9 | 4.9 | 74.6 | 75.2 | 78.4 | 0.3 | 0.4 | 0.6 |
| | 13.4 | 20 | 146.2 | 156.0 | 157.0 | 55.8 | 76.8 | 188.8 | 148.4 | 148.6 | 149.7 | 2.2 | 2.5 | 3.6 | 95.3 | 96.5 | 99.3 | 0.4 | 0.5 | 0.7 |
| | 15.9 | 19 | 143.2 | 158.0 | 160.2 | 55.8 | 76.8 | 188.8 | 148.7 | 149.0 | 150.2 | 5.5 | 5.8 | 6.9 | 79.4 | 82.7 | 94.0 | 0.3 | 0.4 | 0.6 |
| Nam Pa | 17.5 | 18 | 147.3 | 158.4 | 158.9 | 55.8 | 76.8 | 188.8 | 149.3 | 149.6 | 150.7 | 2.0 | 2.3 | 3.4 | 66.2 | 68.6 | 76.3 | 0.7 | 0.8 | 1.1 |
| | 18.5 | 17 | 148.1 | 159.3 | 158.7 | 52.3 | 73.3 | 185.3 | 149.9 | 150.2 | 151.3 | 1.8 | 2.1 | 3.2 | 77.0 | 78.1 | 80.4 | 0.5 | 0.6 | 0.9 |
| | 20.5 | 16 | 148.6 | 160.2 | 159.9 | 52.3 | 73.3 | 185.3 | 150.6 | 150.9 | 152.0 | 2.0 | 2.3 | 3.4 | 100.0 | 102.6 | 105.1 | 0.5 | 0.6 | 0.8 |
| B Muong Mai | 22.2 | 15 | 149.0 | 160.6 | 159.6 | 52.3 | 73.3 | 185.3 | 151.2 | 151.4 | 152.5 | 2.2 | 2.5 | 3.5 | 104.9 | 106.9 | 112.6 | 0.5 | 0.5 | 0.7 |
| | 23.3 | 14 | 149.0 | 160.4 | 160.6 | 51.2 | 72.2 | 184.2 | 151.4 | 151.7 | 152.8 | 2.4 | 2.7 | 3.7 | 56.9 | 58.4 | 111.1 | 0.5 | 0.6 | 0.7 |
| Houay Pounghan | 25.9 | 13 | 150.4 | 162.1 | 176.1 | 51.2 | 72.2 | 184.2 | 152.0 | 152.3 | 153.4 | 1.6 | 1.9 | 3.0 | 90.2 | 93.6 | 98.6 | 0.5 | 0.6 | 0.8 |
| | 27.0 | 12 | 150.9 | 163.1 | 162.2 | 50.7 | 71.7 | 183.7 | 152.7 | 152.9 | 153.9 | 1.8 | 2.0 | 3.0 | 100.7 | 114.1 | 128.3 | 0.6 | 0.7 | 0.8 |
| Houay kokkhen | 28.0 | 11 | 150.6 | 168.6 | 163.2 | 50.7 | 71.7 | 183.7 | 153.1 | 153.4 | 154.2 | 2.5 | 2.8 | 3.7 | 85.9 | 93.5 | 95.8 | 0.3 | 0.4 | 0.7 |
| | 30.4 | 10 | 152.6 | 164.5 | 163.3 | 49.0 | 70.0 | 182.0 | 153.8 | 154.1 | 155.1 | 1.2 | 1.5 | 2.5 | 82.1 | 84.1 | 88.1 | 0.6 | 0.7 | 0.9 |
| | 33.2 | 9 | 153.6 | 167.1 | 164.5 | 49.0 | 70.0 | 182.0 | 155.1 | 155.4 | 156.4 | 1.5 | 1.8 | 2.8 | 99.0 | 101.1 | 107.1 | 0.5 | 0.6 | 0.8 |
| Houay khinguak | 34.8 | 8 | 152.6 | 165.3 | 166.4 | 49.0 | 70.0 | 182.0 | 155.5 | 155.8 | 156.8 | 2.9 | 3.2 | 4.3 | 83.4 | 84.9 | 87.6 | 0.4 | 0.5 | 0.7 |
| Houay Khinguak | 36.3 | 7 | 155.0 | 182.1 | 166.0 | 46.6 | 67.6 | 179.6 | 156.2 | 156.5 | 157.5 | 1.2 | 1.4 | 2.4 | 77.6 | 79.9 | 86.0 | 0.7 | 0.7 | 1.0 |
| | 37.3 | 6 | 154.4 | 166.4 | 167.2 | 45.5 | 65.5 | 178.5 | 156.7 | 157.0 | 158.0 | 2.4 | 2.6 | 3.6 | 81.7 | 85.7 | 89.6 | 0.5 | 0.6 | 0.9 |
| | 38.6 | 5 | 150.9 | 194.1 | 165.9 | 45.5 | 65.5 | 178.5 | 157.0 | 157.3 | 158.4 | 6.1 | 6.4 | 7.4 | 67.6 | 69.4 | 74.3 | 0.2 | 0.3 | 0.6 |
| Houay Soup | 39.7 | 4 | 155.6 | 168.5 | 169.3 | 45.5 | 65.5 | 178.5 | 157.4 | 157.6 | 158.7 | 1.8 | 2.0 | 3.1 | 67.8 | 71.2 | 79.4 | 0.7 | 0.7 | 1.1 |
| | 42.1 | 3 | 158.9 | 189.0 | 186.1 | 43.1 | 64.1 | 176.1 | 159.9 | 160.1 | 160.8 | 0.9 | 1.1 | 1.9 | 101.5 | 112.8 | 122.4 | 0.7 | 0.8 | 1.0 |
| Nam Xao, Nam th | 43.5 | 2 | 158.8 | 172.4 | 170.3 | 43.1 | 64.1 | 176.1 | 160.9 | 161.1 | 161.8 | 2.1 | 2.3 | 3.0 | 114.0 | 115.5 | 118.3 | 0.2 | 0.3 | 0.6 |
| | 44.2 | 1 | 158.6 | 170.6 | 172.3 | 28.3 | 49.3 | 161.3 | 161.0 | 161.2 | 161.9 | 2.4 | 2.6 | 3.4 | 80.1 | 81.3 | 85.2 | 0.3 | 0.4 | 0.8 |
| | 44.7 | CR-35 | 159.9 | 172.5 | 172.0 | 28.3 | 49.3 | 161.3 | 161.1 | 161.3 | 162.2 | 1.2 | 1.4 | 2.3 | 80.2 | 83.1 | 86.0 | 0.4 | 0.6 | 1.0 |
| B Hat Gnion | 45.2 | CR-34 | 160.5 | 172.2 | 171.2 | 28.3 | 49.3 | 161.3 | 161.7 | 161.9 | 162.8 | 1.2 | 1.5 | 2.3 | 1.2 | 83.3 | 95.6 | 0.7 | 0.8 | 1.2 |
| Nam Miang | 45.6 | CR-33 | 161.1 | 172.6 | 172.9 | 28.3 | 49.3 | 161.3 | 162.5 | 162.7 | 163.3 | 1.4 | 1.6 | 2.2 | 1.4 | 127.9 | 165.0 | 0.7 | 0.8 | 1.0 |
| | 46.1 | CR-32 | 159.2 | 180.3 | 171.5 | 27.0 | 48.0 | 160.0 | 163.4 | 163.5 | 163.9 | 4.1 | 4.2 | 4.7 | 4.1 | 81.7 | 83.2 | 0.2 | 0.3 | 0.8 |
| | 46.5 | CR-31 | 162.7 | 174.0 | 173.3 | 27.0 | 48.0 | 160.0 | 163.7 | 163.8 | 164.4 | 1.0 | 1.1 | 1.7 | 1.0 | 107.5 | 116.4 | 0.6 | 0.8 | 1.3 |
| | 46.9 | CR-30 | 161.3 | 172.4 | 176.1 | 27.0 | 48.0 | 160.0 | 164.0 | 164.2 | 165.0 | 2.7 | 2.9 | 3.7 | 2.7 | 61.4 | 95.1 | 0.3 | 0.5 | 1.0 |
| | 47.5 | CR-29 | 158.1 | 172.8 | 178.7 | 27.0 | 48.0 | 160.0 | 160.0 | 164.3 | 165.3 | 5.9 | 6.2 | 7.2 | 5.9 | 95.1 | 101.9 | 0.1 | 0.1 | 0.4 |
| | 47.9 | CR-28 | 162.7 | 173.9 | 176.2 | 27.0 | 48.0 | 160.0 | 164.1 | 164.4 | 165.4 | 1.5 | 1.8 | 2.8 | 1.5 | 69.0 | 73.2 | 0.5 | 0.7 | 1.1 |
| Average | | | 151.6 | 166.7 | 165.0 | 46.1 | 67.1 | 179.1 | 154.5 | 154.7 | 155.5 | 2.9 | 3.1 | 3.9 | 70.1 | 88.5 | 96.1 | 0.4 | 0.5 | 0.8 |
| Maximum | | | 162.7 | 194.1 | 186.1 | 59.9 | 80.9 | 192.9 | 164.1 | 164.4 | 165.4 | 9.4 | 9.4 | 9.5 | 114.0 | 127.9 | 165.0 | 0.7 | 0.8 | 1.3 |
| Minimum | | | 141.7 | 154.4 | 154.4 | 27.0 | 48.0 | 160.0 | 147.7 | 147.7 | 147.8 | 0.9 | 1.1 | 1.7 | 1.0 | 58.4 | 72.1 | 0.1 | 0.1 | 0.4 |

Case-1

| No. | Distance from Mekong (m) | River bed (EL.m) | Discharge (m ³ /sec) | Area (m ²) | velocity (m/sec) | Width (m) | Hydraulic mean depth (m) | Coefficient of roughness | Coefficient of adjustment of energy head | Energy head (m) | Water level (m) | Water depth (m) | Critical water depth (m) | Fr |
|-----|--------------------------|------------------|---------------------------------|------------------------|------------------|-----------|--------------------------|--------------------------|--|-----------------|-----------------|-----------------|--------------------------|---------|
| 1 | 0.000 | 143.040 | 59.900 | 443.717 | 0.135 | 112.049 | 3.87999 | 0.04000 | 1.00000 | 147.661 | 147.660 | 4.620 | 0.700 | 0.02167 |
| 2 | 938.100 | 138.230 | 59.900 | 391.040 | 0.153 | 73.287 | 5.09915 | 0.04000 | 1.00000 | 147.665 | 147.664 | 9.434 | 2.302 | 0.02118 |
| 3 | 1877.600 | 141.730 | 59.900 | 361.496 | 0.166 | 90.283 | 3.90667 | 0.04000 | 1.00000 | 147.671 | 147.669 | 5.939 | 1.320 | 0.02645 |
| 4 | 3383.800 | 144.310 | 55.830 | 282.923 | 0.197 | 105.279 | 2.66714 | 0.04000 | 1.00000 | 147.689 | 147.687 | 3.377 | 0.687 | 0.03845 |
| 5 | 4511.300 | 142.190 | 55.830 | 313.115 | 0.178 | 73.135 | 4.16430 | 0.04000 | 1.00000 | 147.702 | 147.701 | 5.511 | 0.879 | 0.02753 |
| 6 | 6061.500 | 144.880 | 55.830 | 211.103 | 0.264 | 91.040 | 2.28985 | 0.04000 | 1.00000 | 147.737 | 147.733 | 2.853 | 0.766 | 0.05548 |
| 7 | 8002.600 | 145.350 | 55.830 | 178.181 | 0.313 | 95.596 | 1.83884 | 0.04000 | 1.00000 | 147.841 | 147.836 | 2.486 | 0.853 | 0.07331 |
| 8 | 9595.300 | 144.320 | 55.830 | 158.931 | 0.351 | 68.974 | 2.27792 | 0.04000 | 1.00000 | 147.949 | 147.942 | 3.622 | 1.412 | 0.07392 |
| 9 | 10606.900 | 144.340 | 55.830 | 202.044 | 0.276 | 74.615 | 2.67170 | 0.04000 | 1.00000 | 147.999 | 147.995 | 3.655 | 0.866 | 0.05364 |
| 10 | 13378.700 | 146.150 | 55.830 | 124.263 | 0.449 | 95.271 | 1.29360 | 0.04000 | 1.00000 | 148.362 | 148.352 | 2.202 | 1.116 | 0.12567 |
| 11 | 15862.100 | 143.230 | 55.830 | 190.667 | 0.293 | 79.399 | 2.35800 | 0.04000 | 1.00000 | 148.701 | 148.696 | 5.466 | 1.470 | 0.06036 |
| 12 | 17466.700 | 147.320 | 55.830 | 75.148 | 0.743 | 66.236 | 1.12980 | 0.04000 | 1.00000 | 149.338 | 149.310 | 1.990 | 1.147 | 0.22281 |
| 13 | 18547.400 | 148.080 | 52.250 | 96.000 | 0.544 | 77.019 | 1.23799 | 0.04000 | 1.00000 | 149.936 | 149.921 | 1.841 | 0.897 | 0.15573 |
| 14 | 20490.500 | 148.620 | 52.250 | 105.427 | 0.496 | 100.029 | 1.04973 | 0.04000 | 1.00000 | 150.640 | 150.628 | 2.008 | 1.042 | 0.15421 |
| 15 | 22160.500 | 148.970 | 52.250 | 115.833 | 0.451 | 104.949 | 1.09632 | 0.04000 | 1.00000 | 151.188 | 151.178 | 2.208 | 1.293 | 0.13716 |
| 16 | 23327.300 | 149.020 | 51.170 | 110.689 | 0.462 | 56.860 | 1.91157 | 0.04000 | 1.00000 | 151.441 | 151.430 | 2.410 | 0.756 | 0.10584 |
| 17 | 25870.900 | 150.440 | 51.170 | 102.827 | 0.498 | 90.196 | 1.13597 | 0.04000 | 1.00000 | 152.049 | 152.036 | 1.596 | 0.691 | 0.14888 |
| 18 | 27030.500 | 150.910 | 50.690 | 82.166 | 0.617 | 100.699 | 0.81401 | 0.04000 | 1.00000 | 152.707 | 152.688 | 1.778 | 0.957 | 0.21817 |
| 19 | 27961.500 | 150.570 | 50.690 | 148.357 | 0.342 | 85.912 | 1.70885 | 0.04000 | 1.00000 | 153.123 | 153.117 | 2.547 | 0.684 | 0.08306 |
| 20 | 30435.000 | 152.640 | 49.020 | 85.201 | 0.575 | 82.105 | 1.03560 | 0.04000 | 1.00000 | 153.861 | 153.844 | 1.204 | 0.442 | 0.18042 |

| No. | Distance from Mekong (m) | River bed (EL.m) | Discharge (m ³ /sec) | Area (m ²) | velocity (m/sec) | Width (m) | Hydraulic mean depth (m) | Coefficient of roughness | Coefficient of adjustment of energy head | Energy head (m) | Water level (m) | Water depth (m) | Critical water depth (m) | Fr |
|-----|--------------------------|------------------|---------------------------------|------------------------|------------------|-----------|--------------------------|--------------------------|--|-----------------|-----------------|-----------------|--------------------------|---------|
| 21 | 33227.200 | 153.600 | 49.020 | 99.200 | 0.494 | 99.007 | 0.99777 | 0.04000 | 1.00000 | 155.114 | 155.101 | 1.501 | 0.691 | 0.15770 |
| 22 | 34808.300 | 152.570 | 49.020 | 131.977 | 0.371 | 83.415 | 1.57418 | 0.04000 | 1.00000 | 155.519 | 155.512 | 2.942 | 1.168 | 0.09433 |
| 23 | 36327.400 | 155.040 | 46.590 | 70.380 | 0.662 | 77.567 | 0.90560 | 0.04000 | 1.00000 | 156.218 | 156.196 | 1.156 | 0.480 | 0.22199 |
| 24 | 37269.200 | 154.390 | 45.510 | 90.503 | 0.503 | 81.735 | 1.10316 | 0.04000 | 1.00000 | 156.762 | 156.749 | 2.359 | 1.103 | 0.15265 |
| 25 | 38559.700 | 150.920 | 45.510 | 224.473 | 0.203 | 67.601 | 3.25035 | 0.04000 | 1.00000 | 157.000 | 156.998 | 6.078 | 1.361 | 0.03554 |
| 26 | 39672.500 | 155.600 | 45.510 | 68.658 | 0.663 | 67.794 | 1.00887 | 0.04000 | 1.00000 | 157.394 | 157.372 | 1.772 | 0.810 | 0.21040 |
| 27 | 42092.500 | 158.930 | 43.120 | 63.648 | 0.677 | 101.471 | 0.62472 | 0.04000 | 1.00000 | 159.899 | 159.875 | 0.945 | 0.530 | 0.27325 |
| 28 | 43517.300 | 158.790 | 43.120 | 175.594 | 0.246 | 114.040 | 1.53281 | 0.04000 | 1.00000 | 160.917 | 160.914 | 2.124 | 0.709 | 0.06322 |
| 29 | 44181.000 | 158.590 | 28.320 | 111.066 | 0.255 | 80.142 | 1.36882 | 0.04000 | 1.00000 | 160.958 | 160.955 | 2.365 | 0.990 | 0.06919 |
| 30 | 44721.100 | 159.922 | 28.320 | 63.005 | 0.449 | 80.185 | 0.78162 | 0.04000 | 1.00000 | 161.098 | 161.088 | 1.166 | 0.536 | 0.16198 |
| 31 | 45225.200 | 160.456 | 28.320 | 39.710 | 0.713 | 77.286 | 0.51286 | 0.04000 | 1.00000 | 161.711 | 161.685 | 1.229 | 0.843 | 0.31781 |
| 32 | 45580.800 | 161.102 | 28.320 | 43.003 | 0.659 | 122.985 | 0.34822 | 0.04000 | 1.00000 | 162.567 | 162.545 | 1.443 | 1.023 | 0.35577 |
| 33 | 46146.700 | 159.238 | 27.000 | 155.721 | 0.173 | 81.377 | 1.88840 | 0.04000 | 1.00000 | 163.374 | 163.373 | 4.135 | 1.230 | 0.04004 |
| 34 | 46530.900 | 162.682 | 27.000 | 46.523 | 0.580 | 101.144 | 0.45867 | 0.04000 | 1.00000 | 163.671 | 163.653 | 0.971 | 0.618 | 0.27335 |
| 35 | 46924.200 | 161.332 | 27.000 | 85.369 | 0.316 | 58.088 | 1.43971 | 0.04000 | 1.00000 | 163.990 | 163.985 | 2.653 | 0.793 | 0.08334 |
| 36 | 47506.300 | 158.130 | 27.000 | 294.427 | 0.092 | 93.156 | 3.12325 | 0.04000 | 1.00000 | 164.019 | 164.019 | 5.889 | 0.911 | 0.01648 |
| 37 | 47930.000 | 162.670 | 27.000 | 50.908 | 0.530 | 64.634 | 0.78562 | 0.04000 | 1.00000 | 164.151 | 164.137 | 1.467 | 0.724 | 0.19090 |

Case-2

| No. | Distance from Mekong (m) | River bed (EL.m) | Discharge (m ³ /sec) | Area (m ²) | velocity (m/sec) | Width (m) | Hydraulic mean depth (m) | Coefficient of roughness | Coefficient of adjustment of energy head | Energy head (m) | Water level (m) | Water depth (m) | Critical water depth (m) | Fr |
|-----|--------------------------|------------------|---------------------------------|------------------------|------------------|-----------|--------------------------|--------------------------|--|-----------------|-----------------|-----------------|--------------------------|---------|
| 1 | 0.000 | 143.040 | 80.900 | 443.717 | 0.182 | 112.049 | 3.87999 | 0.04000 | 1.00000 | 147.662 | 147.660 | 4.620 | 0.780 | 0.02927 |
| 2 | 938.100 | 138.230 | 80.900 | 391.280 | 0.207 | 73.295 | 5.10160 | 0.04000 | 1.00000 | 147.669 | 147.667 | 9.437 | 2.547 | 0.02859 |
| 3 | 1877.600 | 141.730 | 80.900 | 362.173 | 0.223 | 90.329 | 3.91191 | 0.04000 | 1.00000 | 147.679 | 147.677 | 5.947 | 1.500 | 0.03563 |
| 4 | 3383.800 | 144.310 | 76.830 | 285.242 | 0.269 | 105.365 | 2.68654 | 0.04000 | 1.00000 | 147.712 | 147.709 | 3.399 | 0.782 | 0.05229 |
| 5 | 4511.300 | 142.190 | 76.830 | 315.604 | 0.243 | 73.299 | 4.18753 | 0.04000 | 1.00000 | 147.738 | 147.735 | 5.545 | 1.027 | 0.03748 |
| 6 | 6061.500 | 144.880 | 76.830 | 216.486 | 0.355 | 91.288 | 2.34128 | 0.04000 | 1.00000 | 147.799 | 147.792 | 2.912 | 0.852 | 0.07362 |
| 7 | 8002.600 | 145.350 | 76.830 | 189.867 | 0.405 | 95.886 | 1.95178 | 0.04000 | 1.00000 | 147.966 | 147.958 | 2.608 | 0.967 | 0.09186 |
| 8 | 9595.300 | 144.320 | 76.830 | 171.203 | 0.449 | 69.422 | 2.43387 | 0.04000 | 1.00000 | 148.130 | 148.120 | 3.800 | 1.552 | 0.09128 |
| 9 | 10606.900 | 144.340 | 76.830 | 217.310 | 0.354 | 75.244 | 2.84514 | 0.04000 | 1.00000 | 148.205 | 148.198 | 3.858 | 1.039 | 0.06646 |
| 10 | 13378.700 | 146.150 | 76.830 | 148.164 | 0.519 | 96.536 | 1.52087 | 0.04000 | 1.00000 | 148.615 | 148.601 | 2.451 | 1.216 | 0.13371 |
| 11 | 15862.100 | 143.230 | 76.830 | 214.228 | 0.359 | 82.692 | 2.54269 | 0.04000 | 1.00000 | 148.994 | 148.987 | 5.757 | 1.693 | 0.07118 |
| 12 | 17466.700 | 147.320 | 76.830 | 93.553 | 0.821 | 68.559 | 1.35743 | 0.04000 | 1.00000 | 149.617 | 149.583 | 2.263 | 1.288 | 0.22458 |
| 13 | 18547.400 | 148.080 | 73.250 | 116.663 | 0.628 | 78.085 | 1.48105 | 0.04000 | 1.00000 | 150.207 | 150.187 | 2.107 | 1.006 | 0.16409 |
| 14 | 20490.500 | 148.620 | 73.250 | 132.469 | 0.553 | 102.614 | 1.28418 | 0.04000 | 1.00000 | 150.911 | 150.895 | 2.275 | 1.163 | 0.15546 |
| 15 | 22160.500 | 148.970 | 73.250 | 142.685 | 0.513 | 106.855 | 1.32546 | 0.04000 | 1.00000 | 151.445 | 151.432 | 2.462 | 1.399 | 0.14191 |
| 16 | 23327.300 | 149.020 | 72.170 | 126.752 | 0.569 | 58.387 | 2.12747 | 0.04000 | 1.00000 | 151.725 | 151.708 | 2.688 | 0.881 | 0.12344 |
| 17 | 25870.900 | 150.440 | 72.170 | 131.179 | 0.550 | 93.553 | 1.39620 | 0.04000 | 1.00000 | 152.360 | 152.345 | 1.905 | 0.793 | 0.14841 |
| 18 | 27030.500 | 150.910 | 71.690 | 109.399 | 0.655 | 114.095 | 0.95638 | 0.04000 | 1.00000 | 152.963 | 152.941 | 2.031 | 1.096 | 0.21378 |
| 19 | 27961.500 | 150.570 | 71.690 | 169.969 | 0.422 | 93.501 | 1.79779 | 0.04000 | 1.00000 | 153.363 | 153.354 | 2.784 | 0.814 | 0.09993 |
| 20 | 30435.000 | 152.640 | 70.020 | 107.457 | 0.652 | 84.122 | 1.27302 | 0.04000 | 1.00000 | 154.133 | 154.111 | 1.471 | 0.540 | 0.18417 |

| No. | Distance from Mekong (m) | River bed (EL.m) | Discharge (m ³ /sec) | Area (m ²) | velocity (m/sec) | Width (m) | Hydraulic mean depth (m) | Coefficient of roughness | Coefficient of adjustment of energy head | Energy head (m) | Water level (m) | Water depth (m) | Critical water depth (m) | Fr |
|-----|--------------------------|------------------|---------------------------------|------------------------|------------------|-----------|--------------------------|--------------------------|--|-----------------|-----------------|-----------------|--------------------------|---------|
| 21 | 33227.200 | 153.600 | 70.020 | 124.117 | 0.564 | 101.094 | 1.21938 | 0.04000 | 1.00000 | 155.366 | 155.350 | 1.750 | 0.792 | 0.16264 |
| 22 | 34808.300 | 152.570 | 70.020 | 154.746 | 0.452 | 84.902 | 1.81128 | 0.04000 | 1.00000 | 155.793 | 155.782 | 3.212 | 1.368 | 0.10706 |
| 23 | 36327.400 | 155.040 | 67.590 | 90.530 | 0.747 | 79.867 | 1.13060 | 0.04000 | 1.00000 | 156.480 | 156.452 | 1.412 | 0.597 | 0.22401 |
| 24 | 37269.200 | 154.390 | 65.510 | 111.685 | 0.587 | 85.686 | 1.29826 | 0.04000 | 1.00000 | 157.020 | 157.002 | 2.612 | 1.326 | 0.16412 |
| 25 | 38559.700 | 150.920 | 65.510 | 243.882 | 0.269 | 69.361 | 3.43900 | 0.04000 | 1.00000 | 157.285 | 157.281 | 6.361 | 1.640 | 0.04576 |
| 26 | 39672.500 | 155.600 | 65.510 | 87.759 | 0.746 | 71.201 | 1.22700 | 0.04000 | 1.00000 | 157.675 | 157.647 | 2.047 | 0.968 | 0.21478 |
| 27 | 42092.500 | 158.930 | 64.120 | 85.142 | 0.753 | 112.800 | 0.75133 | 0.04000 | 1.00000 | 160.104 | 160.075 | 1.145 | 0.637 | 0.27690 |
| 28 | 43517.300 | 158.790 | 64.120 | 197.405 | 0.325 | 115.492 | 1.70084 | 0.04000 | 1.00000 | 161.110 | 161.104 | 2.314 | 0.797 | 0.07936 |
| 29 | 44181.000 | 158.590 | 49.320 | 128.658 | 0.383 | 81.253 | 1.56161 | 0.04000 | 1.00000 | 161.180 | 161.173 | 2.583 | 1.138 | 0.09731 |
| 30 | 44721.100 | 159.922 | 49.320 | 84.127 | 0.586 | 83.070 | 1.00544 | 0.04000 | 1.00000 | 161.363 | 161.345 | 1.423 | 0.665 | 0.18609 |
| 31 | 45225.200 | 160.456 | 49.320 | 58.668 | 0.841 | 83.330 | 0.70250 | 0.04000 | 1.00000 | 161.957 | 161.921 | 1.465 | 1.004 | 0.32004 |
| 32 | 45580.800 | 161.102 | 49.320 | 62.823 | 0.785 | 127.939 | 0.48881 | 0.04000 | 1.00000 | 162.734 | 162.703 | 1.601 | 1.332 | 0.35788 |
| 33 | 46146.700 | 159.238 | 48.000 | 163.667 | 0.293 | 81.689 | 1.97591 | 0.04000 | 1.00000 | 163.474 | 163.470 | 4.232 | 1.585 | 0.06619 |
| 34 | 46530.900 | 162.682 | 48.000 | 63.322 | 0.758 | 107.480 | 0.58726 | 0.04000 | 1.00000 | 163.844 | 163.815 | 1.133 | 0.780 | 0.31547 |
| 35 | 46924.200 | 161.332 | 48.000 | 100.546 | 0.477 | 61.423 | 1.59817 | 0.04000 | 1.00000 | 164.250 | 164.239 | 2.907 | 1.066 | 0.11919 |
| 36 | 47506.300 | 158.130 | 48.000 | 321.653 | 0.149 | 95.149 | 3.33846 | 0.04000 | 1.00000 | 164.309 | 164.308 | 6.178 | 1.155 | 0.02593 |
| 37 | 47930.000 | 162.670 | 48.000 | 71.002 | 0.676 | 68.954 | 1.02600 | 0.04000 | 1.00000 | 164.460 | 164.437 | 1.767 | 0.922 | 0.21282 |

Case-3

| No. | Distance from Mekong (m) | River bed (EL.m) | Discharge (m ³ /sec) | Area (m ²) | velocity (m/sec) | Width (m) | Hydraulic mean depth (m) | Coefficient of roughness | Coefficient of adjustment of energy head | Energy head (m) | Water level (m) | Water depth (m) | Critical water depth (m) | Fr |
|-----|--------------------------|------------------|---------------------------------|------------------------|------------------|-----------|--------------------------|--------------------------|--|-----------------|-----------------|-----------------|--------------------------|---------|
| 1 | 0.000 | 143.040 | 192.900 | 443.717 | 0.435 | 112.049 | 3.87999 | 0.04000 | 1.00000 | 147.670 | 147.660 | 4.620 | 1.114 | 0.06979 |
| 2 | 938.100 | 138.230 | 192.900 | 393.757 | 0.490 | 73.374 | 5.12687 | 0.04000 | 1.00000 | 147.713 | 147.701 | 9.471 | 3.475 | 0.06755 |
| 3 | 1877.600 | 141.730 | 192.900 | 369.046 | 0.523 | 90.909 | 3.96023 | 0.04000 | 1.00000 | 147.766 | 147.753 | 6.023 | 2.152 | 0.08287 |
| 4 | 3383.800 | 144.310 | 188.830 | 306.739 | 0.616 | 106.162 | 2.86485 | 0.04000 | 1.00000 | 147.931 | 147.912 | 3.602 | 1.164 | 0.11569 |
| 5 | 4511.300 | 142.190 | 188.830 | 338.085 | 0.559 | 74.762 | 4.39346 | 0.04000 | 1.00000 | 148.054 | 148.038 | 5.848 | 1.594 | 0.08390 |
| 6 | 6061.500 | 144.880 | 188.830 | 258.997 | 0.729 | 93.282 | 2.73598 | 0.04000 | 1.00000 | 148.280 | 148.253 | 3.373 | 1.221 | 0.13977 |
| 7 | 8002.600 | 145.350 | 188.830 | 261.303 | 0.723 | 98.277 | 2.60873 | 0.04000 | 1.00000 | 148.722 | 148.695 | 3.345 | 1.329 | 0.14157 |
| 8 | 9595.300 | 144.320 | 188.830 | 236.646 | 0.798 | 72.099 | 3.21468 | 0.04000 | 1.00000 | 149.078 | 149.046 | 4.726 | 2.085 | 0.14069 |
| 9 | 10606.900 | 144.340 | 188.830 | 296.075 | 0.638 | 78.388 | 3.69362 | 0.04000 | 1.00000 | 149.244 | 149.224 | 4.884 | 1.615 | 0.10483 |
| 10 | 13378.700 | 146.150 | 188.830 | 257.534 | 0.733 | 99.306 | 2.55015 | 0.04000 | 1.00000 | 149.745 | 149.717 | 3.567 | 1.618 | 0.14544 |
| 11 | 15862.100 | 143.230 | 188.830 | 321.241 | 0.588 | 94.002 | 3.33527 | 0.04000 | 1.00000 | 150.189 | 150.171 | 6.941 | 2.558 | 0.10157 |
| 12 | 17466.700 | 147.320 | 188.830 | 175.503 | 1.076 | 76.296 | 2.27659 | 0.04000 | 1.00000 | 150.774 | 150.715 | 3.395 | 1.784 | 0.22661 |
| 13 | 18547.400 | 148.080 | 185.250 | 203.303 | 0.911 | 80.444 | 2.47830 | 0.04000 | 1.00000 | 151.322 | 151.280 | 3.200 | 1.415 | 0.18309 |
| 14 | 20490.500 | 148.620 | 185.250 | 244.765 | 0.757 | 105.113 | 2.29451 | 0.04000 | 1.00000 | 152.001 | 151.972 | 3.352 | 1.647 | 0.15843 |
| 15 | 22160.500 | 148.970 | 185.250 | 256.428 | 0.722 | 112.584 | 2.25290 | 0.04000 | 1.00000 | 152.490 | 152.464 | 3.494 | 1.772 | 0.15291 |
| 16 | 23327.300 | 149.020 | 184.170 | 281.294 | 0.655 | 111.140 | 2.46312 | 0.04000 | 1.00000 | 152.776 | 152.754 | 3.734 | 1.003 | 0.13146 |
| 17 | 25870.900 | 150.440 | 184.170 | 233.773 | 0.788 | 98.560 | 2.35105 | 0.04000 | 1.00000 | 153.442 | 153.410 | 2.970 | 1.186 | 0.16340 |
| 18 | 27030.500 | 150.910 | 183.690 | 224.870 | 0.817 | 128.348 | 1.73293 | 0.04000 | 1.00000 | 153.923 | 153.889 | 2.979 | 1.639 | 0.19714 |
| 19 | 27961.500 | 150.570 | 183.690 | 254.166 | 0.723 | 95.754 | 2.60823 | 0.04000 | 1.00000 | 154.270 | 154.244 | 3.674 | 1.345 | 0.14170 |
| 20 | 30435.000 | 152.640 | 182.020 | 194.756 | 0.935 | 88.080 | 2.18833 | 0.04000 | 1.00000 | 155.167 | 155.122 | 2.482 | 0.946 | 0.20077 |

| No. | Distance from Mekong (m) | River bed (EL.m) | Discharge (m ³ /sec) | Area (m ²) | velocity (m/sec) | Width (m) | Hydraulic mean depth (m) | Coefficient of roughness | Coefficient of adjustment of energy head | Energy head (m) | Water level (m) | Water depth (m) | Critical water depth (m) | Fr |
|-----|--------------------------|------------------|---------------------------------|------------------------|------------------|-----------|--------------------------|--------------------------|--|-----------------|-----------------|-----------------|--------------------------|---------|
| 21 | 33227.200 | 153.600 | 182.020 | 228.356 | 0.797 | 107.069 | 2.09406 | 0.04000 | 1.00000 | 156.383 | 156.351 | 2.751 | 1.172 | 0.17435 |
| 22 | 34808.300 | 152.570 | 182.020 | 245.537 | 0.741 | 87.640 | 2.76230 | 0.04000 | 1.00000 | 156.863 | 156.835 | 4.265 | 1.989 | 0.14148 |
| 23 | 36327.400 | 155.040 | 179.590 | 175.754 | 1.022 | 86.013 | 2.02981 | 0.04000 | 1.00000 | 157.529 | 157.475 | 2.435 | 1.063 | 0.22835 |
| 24 | 37269.200 | 154.390 | 178.510 | 200.001 | 0.893 | 89.566 | 2.20622 | 0.04000 | 1.00000 | 158.044 | 158.003 | 3.613 | 2.009 | 0.19080 |
| 25 | 38559.700 | 150.920 | 178.510 | 321.931 | 0.554 | 74.338 | 4.21193 | 0.04000 | 1.00000 | 158.377 | 158.361 | 7.441 | 2.657 | 0.08512 |
| 26 | 39672.500 | 155.600 | 178.510 | 169.940 | 1.050 | 79.409 | 2.12021 | 0.04000 | 1.00000 | 158.778 | 158.721 | 3.121 | 1.575 | 0.22937 |
| 27 | 42092.500 | 158.930 | 176.120 | 172.210 | 1.023 | 122.395 | 1.39465 | 0.04000 | 1.00000 | 160.861 | 160.808 | 1.878 | 0.999 | 0.27542 |
| 28 | 43517.300 | 158.790 | 176.120 | 274.327 | 0.642 | 118.298 | 2.30075 | 0.04000 | 1.00000 | 161.781 | 161.760 | 2.970 | 1.146 | 0.13467 |
| 29 | 44181.000 | 158.590 | 161.320 | 192.965 | 0.836 | 85.192 | 2.22282 | 0.04000 | 1.00000 | 161.981 | 161.945 | 3.355 | 1.682 | 0.17744 |
| 30 | 44721.100 | 159.922 | 161.320 | 159.091 | 1.014 | 86.024 | 1.82575 | 0.04000 | 1.00000 | 162.284 | 162.232 | 2.310 | 1.122 | 0.23819 |
| 31 | 45225.200 | 160.456 | 161.320 | 134.943 | 1.195 | 95.585 | 1.40636 | 0.04000 | 1.00000 | 162.836 | 162.763 | 2.307 | 1.488 | 0.32140 |
| 32 | 45580.800 | 161.102 | 161.320 | 160.111 | 1.008 | 164.983 | 0.96427 | 0.04000 | 1.00000 | 163.397 | 163.345 | 2.243 | 1.659 | 0.32671 |
| 33 | 46146.700 | 159.238 | 160.000 | 202.119 | 0.792 | 83.184 | 2.38909 | 0.04000 | 1.00000 | 163.968 | 163.936 | 4.698 | 2.733 | 0.16222 |
| 34 | 46530.900 | 162.682 | 160.000 | 127.407 | 1.256 | 116.361 | 1.09023 | 0.04000 | 1.00000 | 164.461 | 164.380 | 1.698 | 1.155 | 0.38337 |
| 35 | 46924.200 | 161.332 | 160.000 | 162.402 | 0.985 | 95.120 | 1.66598 | 0.04000 | 1.00000 | 165.058 | 165.008 | 3.676 | 1.939 | 0.24085 |
| 36 | 47506.300 | 158.130 | 160.000 | 418.376 | 0.382 | 101.917 | 4.04611 | 0.04000 | 1.00000 | 165.297 | 165.290 | 7.160 | 1.991 | 0.06029 |
| 37 | 47930.000 | 162.670 | 160.000 | 141.517 | 1.131 | 73.186 | 1.91272 | 0.04000 | 1.00000 | 165.487 | 165.422 | 2.752 | 1.539 | 0.25972 |

Fluctuation of water level, water surface area for Case-1 to Case-3

| No. | Distance from Mekong (km) | decrease in water level (m) | decrease in water flow velocity (m ³ /s) | decrease in water surface width (m) | Increase in water level (m) | Increase in water flow velocity (m ³ /s) | Increase in water surface width (m) | increase in water level (m) | Increase in water flow velocity (m ³ /s) | Increase in water surface width (m) |
|---------|---------------------------|-----------------------------|---|-------------------------------------|-----------------------------|---|-------------------------------------|-----------------------------|---|-------------------------------------|
| | | 160→27 | | | 27→48 | | | 48→160 | | |
| 29 | 0.00 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.0 |
| 28 | 0.94 | 0.0 | 0.3 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.3 | 0.1 |
| 27 | 1.88 | 0.1 | 0.4 | 0.6 | 0.0 | 0.1 | 0.0 | 0.1 | 0.3 | 0.6 |
| 26 | 3.38 | 0.2 | 0.4 | 0.9 | 0.0 | 0.1 | 0.1 | 0.2 | 0.3 | 0.8 |
| 25 | 4.51 | 0.3 | 0.4 | 1.6 | 0.0 | 0.1 | 0.2 | 0.3 | 0.3 | 1.5 |
| 24 | 6.06 | 0.5 | 0.5 | 2.2 | 0.1 | 0.1 | 0.2 | 0.5 | 0.4 | 2.0 |
| 23 | 8.00 | 0.9 | 0.4 | 2.7 | 0.1 | 0.1 | 0.3 | 0.7 | 0.3 | 2.4 |
| 22 | 9.60 | 1.1 | 0.4 | 3.1 | 0.2 | 0.1 | 0.4 | 0.9 | 0.3 | 2.7 |
| 21 | 10.61 | 1.2 | 0.4 | 3.8 | 0.2 | 0.1 | 0.6 | 1.0 | 0.3 | 3.1 |
| 20 | 13.38 | 1.4 | 0.3 | 4.0 | 0.2 | 0.1 | 1.3 | 1.1 | 0.2 | 2.8 |
| 19 | 15.86 | 1.5 | 0.3 | 14.6 | 0.3 | 0.1 | 3.3 | 1.2 | 0.2 | 11.3 |
| 18 | 17.47 | 1.4 | 0.3 | 10.1 | 0.3 | 0.1 | 2.3 | 1.1 | 0.3 | 7.7 |
| 17 | 18.55 | 1.4 | 0.4 | 3.4 | 0.3 | 0.1 | 1.1 | 1.1 | 0.3 | 2.4 |
| 16 | 20.49 | 1.3 | 0.3 | 5.1 | 0.3 | 0.1 | 2.6 | 1.1 | 0.2 | 2.5 |
| 15 | 22.16 | 1.3 | 0.3 | 7.6 | 0.3 | 0.1 | 1.9 | 1.0 | 0.2 | 5.7 |
| 14 | 23.33 | 1.3 | 0.2 | 54.3 | 0.3 | 0.1 | 1.5 | 1.0 | 0.1 | 52.8 |
| 13 | 25.87 | 1.4 | 0.3 | 8.4 | 0.3 | 0.1 | 3.4 | 1.1 | 0.2 | 5.0 |
| 12 | 27.03 | 1.2 | 0.2 | 27.6 | 0.3 | 0.0 | 13.4 | 0.9 | 0.2 | 14.3 |
| 11 | 27.96 | 1.1 | 0.4 | 9.8 | 0.2 | 0.1 | 7.6 | 0.9 | 0.3 | 2.3 |
| 10 | 30.44 | 1.3 | 0.4 | 6.0 | 0.3 | 0.1 | 2.0 | 1.0 | 0.3 | 4.0 |
| 9 | 33.23 | 1.3 | 0.3 | 8.1 | 0.2 | 0.1 | 2.1 | 1.0 | 0.2 | 6.0 |
| 8 | 34.81 | 1.3 | 0.4 | 4.2 | 0.3 | 0.1 | 1.5 | 1.1 | 0.3 | 2.7 |
| 7 | 36.33 | 1.3 | 0.4 | 8.4 | 0.3 | 0.1 | 2.3 | 1.0 | 0.3 | 6.1 |
| 6 | 37.27 | 1.3 | 0.4 | 7.8 | 0.3 | 0.1 | 4.0 | 1.0 | 0.3 | 3.9 |
| 5 | 38.56 | 1.4 | 0.4 | 6.7 | 0.3 | 0.1 | 1.8 | 1.1 | 0.3 | 5.0 |
| 4 | 39.67 | 1.3 | 0.4 | 11.6 | 0.3 | 0.1 | 3.4 | 1.1 | 0.3 | 8.2 |
| 3 | 42.09 | 0.9 | 0.3 | 20.9 | 0.2 | 0.1 | 11.3 | 0.7 | 0.3 | 9.6 |
| 2 | 43.52 | 0.8 | 0.4 | 4.3 | 0.2 | 0.1 | 1.5 | 0.7 | 0.3 | 2.8 |
| 1 | 44.18 | 1.0 | 0.6 | 5.1 | 0.2 | 0.1 | 1.1 | 0.8 | 0.5 | 3.9 |
| CR-35 | 44.72 | 1.1 | 0.6 | 5.8 | 0.3 | 0.1 | 2.9 | 0.9 | 0.4 | 3.0 |
| CR-34 | 45.23 | 1.1 | 0.5 | 94.4 | 0.2 | 0.1 | 82.1 | 0.8 | 0.4 | 12.3 |
| CR-33 | 45.58 | 0.8 | 0.3 | 163.5 | 0.2 | 0.1 | 126.5 | 0.6 | 0.2 | 37.0 |
| CR-32 | 46.15 | 0.6 | 0.6 | 79.0 | 0.1 | 0.1 | 77.6 | 0.5 | 0.5 | 1.5 |
| CR-31 | 46.53 | 0.7 | 0.7 | 115.4 | 0.2 | 0.2 | 106.5 | 0.6 | 0.5 | 8.9 |
| CR-30 | 46.92 | 1.0 | 0.7 | 92.5 | 0.3 | 0.2 | 58.8 | 0.8 | 0.5 | 33.7 |
| CR-29 | 47.51 | 1.3 | 0.3 | 96.0 | 0.3 | 0.1 | 89.3 | 1.0 | 0.2 | 6.8 |
| CR-28 | 47.93 | 1.3 | 0.6 | 71.7 | 0.3 | 0.1 | 67.5 | 1.0 | 0.5 | 4.2 |
| Average | | 1.0 | 0.4 | 26.0 | 0.2 | 0.1 | 18.4 | 0.8 | 0.3 | 7.5 |
| Maximum | | 1.5 | 0.7 | 163.5 | 0.3 | 0.2 | 126.5 | 1.2 | 0.5 | 52.8 |
| Minimum | | 0.1 | 0.2 | 0.6 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.6 |

4-2 Data sheet of Case-4 (5.5 m³/s)

| Tributary | Distance from Mekong (km) | No. | River bed | Discharge (m ³ /s) | Water level (EL.m) | Width depth (m) | Width of water surface (m) | Water velocity (m/s) |
|-----------------|---------------------------|-------|-----------|-------------------------------|--------------------|-----------------|----------------------------|----------------------|
| | | | | 5.5 | 5.5 | 5.5 | 5.5 | 5.5 |
| Mekong | 0.0 | 29 | 143.0 | 32.1 | 149.3 | 6.2 | 124.3 | 0.1 |
| | 0.9 | 28 | 138.2 | 32.1 | 149.3 | 11.0 | 79.3 | 0.1 |
| Nam Teknoy | 1.9 | 27 | 141.7 | 32.1 | 149.3 | 7.5 | 103.3 | 0.1 |
| | 3.4 | 26 | 144.3 | 28.8 | 149.3 | 4.9 | 110.8 | 0.1 |
| | 4.5 | 25 | 142.2 | 28.8 | 149.3 | 7.1 | 80.6 | 0.1 |
| | 6.1 | 24 | 144.9 | 28.8 | 149.3 | 4.4 | 97.9 | 0.1 |
| | 8.0 | 23 | 145.4 | 28.8 | 149.3 | 3.9 | 101.4 | 0.1 |
| | 9.6 | 22 | 144.3 | 28.8 | 149.3 | 4.9 | 72.8 | 0.1 |
| | 10.6 | 21 | 144.3 | 28.8 | 149.3 | 4.9 | 78.5 | 0.1 |
| | 13.4 | 20 | 146.2 | 28.8 | 149.3 | 3.1 | 98.3 | 0.1 |
| | 15.9 | 19 | 143.2 | 28.8 | 149.3 | 6.1 | 87.9 | 0.1 |
| Nam Pa | 17.5 | 18 | 147.3 | 28.8 | 149.4 | 2.1 | 67.2 | 0.3 |
| | 18.5 | 17 | 148.1 | 25.9 | 149.6 | 1.5 | 75.0 | 0.4 |
| | 20.5 | 16 | 148.6 | 25.9 | 150.2 | 1.6 | 96.7 | 0.4 |
| B Muong Mai | 22.2 | 15 | 149.0 | 25.9 | 150.8 | 1.8 | 101.9 | 0.3 |
| | 23.3 | 14 | 149.0 | 25.1 | 151.0 | 2.0 | 49.7 | 0.3 |
| Houay Pongxan | 25.9 | 13 | 150.4 | 25.1 | 151.6 | 1.2 | 85.4 | 0.4 |
| | 27.0 | 12 | 150.9 | 24.7 | 152.3 | 1.4 | 77.5 | 0.5 |
| Houay kokkhen | 28.0 | 11 | 150.6 | 24.7 | 152.7 | 2.2 | 79.3 | 0.2 |
| | 30.4 | 10 | 152.6 | 23.3 | 153.4 | 0.8 | 77.2 | 0.4 |
| | 33.2 | 9 | 153.6 | 23.3 | 154.7 | 1.1 | 90.4 | 0.4 |
| Houay khinguak | 34.8 | 8 | 152.6 | 23.3 | 155.1 | 2.5 | 80.5 | 0.2 |
| Houay Khinguak | 36.3 | 7 | 155.0 | 21.4 | 155.8 | 0.7 | 64.4 | 0.5 |
| | 37.3 | 6 | 154.4 | 21.4 | 156.3 | 2.0 | 75.2 | 0.4 |
| | 38.6 | 5 | 150.9 | 21.4 | 156.5 | 5.6 | 64.1 | 0.1 |
| Houay Soup | 39.7 | 4 | 155.6 | 20.5 | 156.9 | 1.3 | 49.6 | 0.5 |
| | 42.1 | 3 | 158.9 | 18.6 | 159.6 | 0.6 | 92.6 | 0.5 |
| Nam Xao, Nam th | 43.5 | 2 | 158.8 | 18.6 | 160.8 | 2.0 | 113.1 | 0.1 |
| | 44.2 | 1 | 158.6 | 6.6 | 160.8 | 2.2 | 79.0 | 0.1 |
| | 44.7 | CR-35 | 159.9 | 6.6 | 160.8 | 0.9 | 74.3 | 0.2 |
| | 45.2 | CR-34 | 160.5 | 6.6 | 161.3 | 0.8 | 47.0 | 0.5 |
| Nam Miang | 45.6 | CR-33 | 161.1 | 6.6 | 161.9 | 0.8 | 16.1 | 0.8 |
| | 46.1 | CR-32 | 159.2 | 5.5 | 162.6 | 3.3 | 73.5 | 0.1 |
| | 46.5 | CR-31 | 162.7 | 5.5 | 163.2 | 0.5 | 50.0 | 0.5 |
| | 46.9 | CR-30 | 161.3 | 5.5 | 163.9 | 2.5 | 54.3 | 0.1 |
| | 47.5 | CR-29 | 158.1 | 5.5 | 163.9 | 5.7 | 92.1 | 0.0 |
| | 47.9 | CR-28 | 162.7 | 5.5 | 163.9 | 1.2 | 55.7 | 0.2 |
| Average | | | 151.6 | 21.0 | 154.6 | 3.0 | 78.8 | 0.3 |
| Maximum | | | 162.7 | 32.1 | 163.9 | 11.0 | 113.1 | 0.8 |
| Minimum | | | 141.7 | 5.5 | 149.3 | 0.5 | 16.1 | 0.02 |

Case-4

| No. | Distance from Mekong (m) | River bed (EL.m) | Discharge (m ³ /sec) | Area (m ²) | velocity (m/sec) | Width (m) | Hydraulic mean depth (m) | Coefficient of roughness | Coefficient of adjustment of energy head | Energy head (m) | Water level (m) | Water depth (m) | Critical water depth (m) | Fr |
|-----|--------------------------|------------------|---------------------------------|------------------------|------------------|-----------|--------------------------|--------------------------|--|-----------------|-----------------|-----------------|--------------------------|---------|
| 1 | 0.000 | 143.040 | 32.100 | 630.819 | 0.051 | 124.323 | 4.96245 | 0.04000 | 1.00000 | 149.250 | 149.250 | 6.210 | 0.577 | 0.00722 |
| 2 | 938.100 | 138.230 | 32.100 | 511.269 | 0.063 | 79.272 | 6.11551 | 0.04000 | 1.00000 | 149.251 | 149.250 | 11.020 | 1.892 | 0.00790 |
| 3 | 1877.600 | 141.730 | 32.100 | 514.722 | 0.062 | 103.291 | 4.85434 | 0.04000 | 1.00000 | 149.251 | 149.251 | 7.521 | 1.010 | 0.00892 |
| 4 | 3383.800 | 144.310 | 28.800 | 452.445 | 0.064 | 110.812 | 4.02206 | 0.04000 | 1.00000 | 149.253 | 149.252 | 4.942 | 0.543 | 0.01006 |
| 5 | 4511.300 | 142.190 | 28.800 | 432.337 | 0.067 | 80.597 | 5.19077 | 0.04000 | 1.00000 | 149.254 | 149.253 | 7.063 | 0.646 | 0.00919 |
| 6 | 6061.500 | 144.880 | 28.800 | 354.833 | 0.081 | 97.850 | 3.56047 | 0.04000 | 1.00000 | 149.256 | 149.255 | 4.375 | 0.631 | 0.01362 |
| 7 | 8002.600 | 145.350 | 28.800 | 317.758 | 0.091 | 101.435 | 3.06916 | 0.04000 | 1.00000 | 149.260 | 149.260 | 3.910 | 0.668 | 0.01636 |
| 8 | 9595.300 | 144.320 | 28.800 | 252.565 | 0.114 | 72.820 | 3.39174 | 0.04000 | 1.00000 | 149.266 | 149.265 | 4.945 | 1.149 | 0.01956 |
| 9 | 10606.900 | 144.340 | 28.800 | 299.624 | 0.096 | 78.517 | 3.73053 | 0.04000 | 1.00000 | 149.269 | 149.269 | 4.929 | 0.622 | 0.01572 |
| 10 | 13378.700 | 146.150 | 28.800 | 214.969 | 0.134 | 98.275 | 2.15738 | 0.04000 | 1.00000 | 149.287 | 149.286 | 3.136 | 0.693 | 0.02894 |
| 11 | 15862.100 | 143.230 | 28.800 | 241.343 | 0.119 | 87.940 | 2.69293 | 0.04000 | 1.00000 | 149.308 | 149.307 | 6.077 | 1.095 | 0.02301 |
| 12 | 17466.700 | 147.320 | 28.800 | 82.812 | 0.348 | 67.219 | 1.22628 | 0.04000 | 1.00000 | 149.431 | 149.425 | 2.105 | 0.829 | 0.10009 |
| 13 | 18547.400 | 148.080 | 25.900 | 72.962 | 0.355 | 75.024 | 0.96695 | 0.04000 | 1.00000 | 149.624 | 149.618 | 1.538 | 0.685 | 0.11499 |
| 14 | 20490.500 | 148.620 | 25.900 | 65.787 | 0.394 | 96.662 | 0.67857 | 0.04000 | 1.00000 | 150.233 | 150.225 | 1.605 | 0.760 | 0.15244 |
| 15 | 22160.500 | 148.970 | 25.900 | 76.664 | 0.338 | 101.926 | 0.74780 | 0.04000 | 1.00000 | 150.805 | 150.799 | 1.829 | 1.126 | 0.12444 |
| 16 | 23327.300 | 149.020 | 25.100 | 86.844 | 0.289 | 54.244 | 1.57684 | 0.04000 | 1.00000 | 151.005 | 151.000 | 1.980 | 0.498 | 0.07297 |
| 17 | 25870.900 | 150.440 | 25.100 | 62.775 | 0.400 | 85.228 | 0.73478 | 0.04000 | 1.00000 | 151.588 | 151.580 | 1.140 | 0.499 | 0.14882 |
| 18 | 27030.500 | 150.910 | 24.680 | 46.892 | 0.526 | 77.445 | 0.60427 | 0.04000 | 1.00000 | 152.315 | 152.300 | 1.390 | 0.742 | 0.21606 |
| 19 | 27961.500 | 150.570 | 24.680 | 117.226 | 0.211 | 79.269 | 1.46531 | 0.04000 | 1.00000 | 152.738 | 152.736 | 2.166 | 0.473 | 0.05530 |
| 20 | 30435.000 | 152.640 | 23.300 | 52.495 | 0.444 | 77.162 | 0.67945 | 0.04000 | 1.00000 | 153.444 | 153.433 | 0.793 | 0.296 | 0.17190 |

| | | | | | | | | | | | | | | |
|----|-----------|---------|--------|---------|-------|---------|---------|---------|---------|---------|---------|-------|-------|---------|
| 21 | 33227.200 | 153.600 | 23.300 | 61.682 | 0.378 | 90.374 | 0.68057 | 0.04000 | 1.00000 | 154.713 | 154.705 | 1.105 | 0.527 | 0.14606 |
| 22 | 34808.300 | 152.570 | 23.300 | 95.823 | 0.243 | 80.468 | 1.18649 | 0.04000 | 1.00000 | 155.074 | 155.071 | 2.501 | 0.803 | 0.07118 |
| 23 | 36327.400 | 155.040 | 21.400 | 39.786 | 0.538 | 64.352 | 0.61752 | 0.04000 | 1.00000 | 155.800 | 155.785 | 0.745 | 0.306 | 0.21852 |
| 24 | 37269.200 | 154.390 | 21.400 | 58.828 | 0.364 | 75.198 | 0.77972 | 0.04000 | 1.00000 | 156.353 | 156.346 | 1.956 | 0.804 | 0.13138 |
| 25 | 38559.700 | 150.920 | 21.400 | 194.610 | 0.110 | 64.125 | 2.97356 | 0.04000 | 1.00000 | 156.546 | 156.546 | 5.626 | 0.906 | 0.02016 |
| 26 | 39672.500 | 155.600 | 20.480 | 39.652 | 0.516 | 49.638 | 0.79639 | 0.04000 | 1.00000 | 156.871 | 156.857 | 1.257 | 0.539 | 0.18460 |
| 27 | 42092.500 | 158.930 | 18.550 | 34.865 | 0.532 | 92.571 | 0.37555 | 0.04000 | 1.00000 | 159.593 | 159.578 | 0.648 | 0.377 | 0.27694 |
| 28 | 43517.300 | 158.790 | 18.550 | 161.764 | 0.115 | 113.104 | 1.42415 | 0.04000 | 1.00000 | 160.793 | 160.792 | 2.002 | 0.520 | 0.03063 |
| 29 | 44181.000 | 158.590 | 6.570 | 98.656 | 0.067 | 79.037 | 1.23409 | 0.04000 | 1.00000 | 160.799 | 160.799 | 2.209 | 0.689 | 0.01904 |
| 30 | 44721.100 | 159.922 | 6.570 | 42.356 | 0.155 | 74.324 | 0.56793 | 0.04000 | 1.00000 | 160.823 | 160.822 | 0.900 | 0.315 | 0.06564 |
| 31 | 45225.200 | 160.456 | 6.600 | 14.193 | 0.465 | 47.047 | 0.30113 | 0.04000 | 1.00000 | 161.275 | 161.264 | 0.808 | 0.578 | 0.27045 |
| 32 | 45580.800 | 161.102 | 6.600 | 8.676 | 0.761 | 16.072 | 0.53127 | 0.04000 | 1.00000 | 161.963 | 161.933 | 0.831 | 0.475 | 0.33072 |
| 33 | 46146.700 | 159.238 | 5.500 | 92.662 | 0.059 | 73.466 | 1.24899 | 0.04000 | 1.00000 | 162.573 | 162.573 | 3.335 | 0.610 | 0.01688 |
| 34 | 46530.900 | 162.682 | 5.500 | 10.695 | 0.514 | 49.980 | 0.21361 | 0.04000 | 1.00000 | 163.210 | 163.197 | 0.515 | 0.382 | 0.35510 |
| 35 | 46924.200 | 161.332 | 5.500 | 78.439 | 0.070 | 54.349 | 1.41460 | 0.04000 | 1.00000 | 163.863 | 163.862 | 2.530 | 0.347 | 0.01864 |
| 36 | 47506.300 | 158.130 | 5.500 | 280.111 | 0.020 | 92.050 | 3.00811 | 0.04000 | 1.00000 | 163.864 | 163.864 | 5.734 | 0.458 | 0.00360 |
| 37 | 47930.000 | 162.670 | 5.500 | 35.290 | 0.156 | 55.701 | 0.63194 | 0.04000 | 1.00000 | 163.879 | 163.878 | 1.208 | 0.413 | 0.06255 |

Annex D

Release of Environment Flow

D1 THE NUMBERS OF DAYS WHEN RIPARIAN RELEASES OCCURRED AT THE YEARS 1972, 1977 AND 1992 (ESTIMATED BY THE MODEL)

| Date | Classification | Rule curve (upper) | Rule curve (lower) | Inflow to main dam | Reservoir water level | Discharge from spillway/bottom outlet | Peak plant discharge | Peak discharge (24hour) | Off-Peak discharge | Off Peak discharge (24hour) | Inflow to re-regulation dam |
|------------|----------------|--------------------|--------------------|--------------------|-----------------------|---------------------------------------|----------------------|-------------------------|--------------------|-----------------------------|-----------------------------|
| | 1: Weekend | | | | | | | | | | |
| | 0: Weekday | m | m | m ³ /s | m | m ³ /s | m ³ /s | | m ³ /s | | m ³ /s |
| 20/09/1972 | 0 | 318.3 | 312.8 | 106.7 | 312.9 | 0 | 227.0131 | 151.342 | 0 | 0 | 152.1 |
| 21/09/1972 | 0 | 318.3 | 313.0 | 106.7 | 312.8 | 27 | 0 | 0 | 0 | 0 | 27 |
| 22/09/1972 | 0 | 318.4 | 313.2 | 106.7 | 312.9 | 27 | 0 | 0 | 0 | 0 | 27 |
| 23/09/1972 | 0 | 318.5 | 313.4 | 106.7 | 313.1 | 27 | 0 | 0 | 0 | 0 | 27 |
| 24/09/1972 | 1 | 318.5 | 313.6 | 106.7 | 313.2 | 27 | 0 | 0 | 0 | 0 | 27 |
| 25/09/1972 | 0 | 318.6 | 313.8 | 106.7 | 313.3 | 27 | 0 | 0 | 0 | 0 | 27 |
| 26/09/1972 | 0 | 318.7 | 314.0 | 106.7 | 313.4 | 27 | 0 | 0 | 0 | 0 | 27 |
| 27/09/1972 | 0 | 318.7 | 314.2 | 106.7 | 313.6 | 27 | 0 | 0 | 0 | 0 | 27 |
| 28/09/1972 | 0 | 318.8 | 314.4 | 106.7 | 313.7 | 27 | 0 | 0 | 0 | 0 | 27 |
| 29/09/1972 | 0 | 318.9 | 314.6 | 106.7 | 313.8 | 27 | 0 | 0 | 0 | 0 | 27 |
| 30/09/1972 | 0 | 318.9 | 314.8 | 106.7 | 313.9 | 27 | 0 | 0 | 0 | 0 | 27 |
| 01/10/1972 | 1 | 319.0 | 315.0 | 86.8 | 314.0 | 27 | 0 | 0 | 0 | 0 | 27 |
| 02/10/1972 | 0 | 319.0 | 315.0 | 86.8 | 314.1 | 27 | 0 | 0 | 0 | 0 | 27 |
| 03/10/1972 | 0 | 319.1 | 315.1 | 86.8 | 314.2 | 27 | 0 | 0 | 0 | 0 | 27 |
| 04/10/1972 | 0 | 319.1 | 315.1 | 86.8 | 314.3 | 27 | 0 | 0 | 0 | 0 | 27 |
| 05/10/1972 | 0 | 319.1 | 315.1 | 86.8 | 314.4 | 27 | 0 | 0 | 0 | 0 | 27 |
| 06/10/1972 | 0 | 319.2 | 315.2 | 86.8 | 314.5 | 0 | 95.99673 | 63.99782 | 0 | 0 | 64.6 |

| Date | Classification | Rule curve (upper) | Rule curve (lower) | Inflow to main dam | Reservoir water level | Discharge from spillway | Peak plant discharge | Peak discharge (24hour) | Off-Peak discharge | Off Peak discharge (24hour) | Inflow to re-regulation dam |
|------------|----------------|--------------------|--------------------|--------------------|-----------------------|-------------------------|----------------------|-------------------------|--------------------|-----------------------------|-----------------------------|
| | 1: Weekend | | | | | | | | | | |
| | 0: Weekday | m | m | m ³ /s | m | m ³ /s | m ³ /s | | m ³ /s | | m ³ /s |
| 30/09/1977 | 0 | 318.9333 | 314.8 | 196.3584 | 314.7 | 0 | 93.22367 | 62.14911 | 0 | 0 | 63.47586 |
| 01/10/1977 | 0 | 319 | 315 | 85.18534 | 314.9 | 27 | 0 | 0 | 0 | 0 | 27 |
| 02/10/1977 | 1 | 319.0323 | 315.0323 | 85.18534 | 315.0 | 27 | 0 | 0 | 0 | 0 | 27 |
| 03/10/1977 | 0 | 319.0645 | 315.0645 | 85.18534 | 315.1 | 0 | 112.6692 | 75.11279 | 0 | 0 | 75.68836 |

| Date | Classification | Rule curve (upper) | Rule curve (lower) | Inflow to main dam | Reservoir water level | Discharge from spillway | Peak plant discharge | Peak discharge (24hour) | Off-Peak discharge | Off Peak discharge (24hour) | Inflow to re-regulation dam |
|------------|----------------|--------------------|--------------------|--------------------|-----------------------|-------------------------|----------------------|-------------------------|--------------------|-----------------------------|-----------------------------|
| | 1: Weekend | | | | | 0 | | | | | |
| | 0: Weekday | m | m | m ³ /s | m | m ³ /s | m ³ /s | | m ³ /s | | m ³ /s |
| 03/09/1992 | 0 | 317.1 | 309.4 | 120.1 | 309.3 | 0.0 | 47.0 | 31.3 | 0.0 | 0.0 | 32.1 |
| 04/09/1992 | 0 | 317.2 | 309.6 | 120.1 | 309.5 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 05/09/1992 | 0 | 317.3 | 309.8 | 120.1 | 309.7 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 06/09/1992 | 1 | 317.3 | 310.0 | 120.1 | 309.9 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 07/09/1992 | 0 | 317.4 | 310.2 | 120.1 | 310.1 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 08/09/1992 | 0 | 317.5 | 310.4 | 120.1 | 310.3 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 09/09/1992 | 0 | 317.5 | 310.6 | 120.1 | 310.4 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 10/09/1992 | 0 | 317.6 | 310.8 | 120.1 | 310.6 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 11/09/1992 | 0 | 317.7 | 311.0 | 120.1 | 310.8 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 12/09/1992 | 0 | 317.7 | 311.2 | 120.1 | 311.0 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 13/09/1992 | 1 | 317.8 | 311.4 | 120.1 | 311.2 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 14/09/1992 | 0 | 317.9 | 311.6 | 120.1 | 311.4 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 15/09/1992 | 0 | 317.9 | 311.8 | 120.1 | 311.6 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 16/09/1992 | 0 | 318.0 | 312.0 | 120.1 | 311.8 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |

| Date | Classification | Rule curve (upper) | Rule curve (lower) | Inflow to main dam | Reservoir water level | Discharge from spillway | Peak plant discharge | Peak discharge (24hour) | Off-Peak discharge | Off Peak discharge (24hour) | Inflow to re-regulation dam |
|------------|----------------|--------------------|--------------------|--------------------|-----------------------|-------------------------|----------------------|-------------------------|--------------------|-----------------------------|-----------------------------|
| | 1: Weekend | | | | | 0 | | | | | |
| | 0: Weekday | m | m | m ³ /s | m | m ³ /s | m ³ /s | | m ³ /s | | m ³ /s |
| 17/09/1992 | 0 | 318.1 | 312.2 | 120.1 | 311.9 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 18/09/1992 | 0 | 318.1 | 312.4 | 120.1 | 312.1 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 19/09/1992 | 0 | 318.2 | 312.6 | 120.1 | 312.3 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 20/09/1992 | 1 | 318.3 | 312.8 | 120.1 | 312.5 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 21/09/1992 | 0 | 318.3 | 313.0 | 120.1 | 312.7 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 22/09/1992 | 0 | 318.4 | 313.2 | 120.1 | 312.9 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 23/09/1992 | 0 | 318.5 | 313.4 | 120.1 | 313.0 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 24/09/1992 | 0 | 318.5 | 313.6 | 120.1 | 313.2 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 25/09/1992 | 0 | 318.6 | 313.8 | 120.1 | 313.4 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 26/09/1992 | 0 | 318.7 | 314.0 | 120.1 | 313.6 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 27/09/1992 | 1 | 318.7 | 314.2 | 120.1 | 313.7 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 28/09/1992 | 0 | 318.8 | 314.4 | 120.1 | 313.9 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 29/09/1992 | 0 | 318.9 | 314.6 | 120.1 | 314.1 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 30/09/1992 | 0 | 318.9 | 314.8 | 120.1 | 314.3 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 01/10/1992 | 0 | 319.0 | 315.0 | 80.9 | 314.4 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 02/10/1992 | 0 | 319.0 | 315.0 | 80.9 | 314.5 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 03/10/1992 | 0 | 319.1 | 315.1 | 80.9 | 314.7 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 04/10/1992 | 1 | 319.1 | 315.1 | 80.9 | 314.8 | 27 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| 05/10/1992 | 0 | 319.1 | 315.1 | 80.9 | 314.9 | 0.0 | 55.7 | 37.2 | 0.0 | 0.0 | 37.7 |

**ERM has over 100 offices
across the following
countries worldwide**

| | |
|------------|----------------------|
| Argentina | The Netherlands |
| Australia | New Zealand |
| Belgium | Panama |
| Brazil | Peru |
| Canada | Poland |
| Chile | Portugal |
| China | Puerto Rico |
| Colombia | Romania |
| France | Russia |
| Germany | Singapore |
| Hong Kong | South Africa |
| Hungary | Spain |
| India | Sweden |
| Indonesia | Taiwan |
| Ireland | Thailand |
| Italy | United Arab Emirates |
| Japan | United Kingdom |
| Kazakhstan | United States |
| Korea | Venezuela |
| Malaysia | Vietnam |
| Mexico | |

ERM's Bangkok Office

179 Bangkok City Tower
24th Floor, South Sathom Road
Tungmahamek, Sathorn
Bangkok 10120, Thailand
Tel: +66 2 679 5200
Fax: +66 2 679 5209

www.erm.com