SFG2188 V4



FEDERAL REPUBLIC OF NIGERIA

COMMUNITY AND SOCIAL DEVELOPMENT PROJECT (CSDP)



ENVIRONMENTAL AND SOCIAL MANAGEMENT PLAN (ESMP)

For

BLOCK OF 2 CLASS ROOMS & VIP TOILET

AT

ARKO MALLE COMMUNITY IN AKKO LGA OF GOMBE STATE

DRAFT FINAL REPORT

May, 2016

Table (of Contents		
EXECU	F ABBREVIATIONS AND ACRONYMS TTIVE SUMMARY ER 1INTRODUCTION	3 4 6	
1.1	Background		6
1.2	CSDP Project Development Objectives and Components		6
1.3	Environmental Classification and Rationale for Preparing an Environmental and Social		
Mana	gement Plan (ESMP)		7
1.4	Objectives of the ESMP		7
СНАРТ	ER 2:MICRO PROJECT DESCRIPTION AND ENVIRONMENTAL AND SOCIAL	IMPAC 8	CTS
2.1	Micro Project Description		8
2.2	Beneficial Impacts		8
2.3	Negative Impacts		8
2.4	Mitigation Measures		8
СНАРТ	'ER 3:POTENTIAL ENVIRONMENTAL AND SOCIAL MANAGEMENT PLAN	9	
3.1	ESMP and Monitoring Matrix		9
3.2	Capacity Building Need and Targets		10
3.4	Summary of ESMP cost is as follows:		11
APPEN	ENCES DIX 1:ESMP CHECKLIST DIX 2: CSDP PROJECT CYCLE AND EA PROCESS	12 13 14	

LIST OF ABBREVIATIONS AND ACRONYMS

AF	Additional Financing	GO	Gender Officer
BH	Boko Haram	GRM	Grievance Redress Mechanism
СВО	Community Based Organization	IDA	International Development
			Association
CDA	Community Development	<i>IDPs</i>	Internally Displaced Persons
	Association		
CDD	Community Driven Development	LGA	Local Government Area
CPMC	Community Project Management	LGRC	Local Government Review Committee
	Committee		
CSDA	Community and Social	M&E	Monitoring & Evaluation
	Development Agency		
CSDP	Community and Social	00	Operation Officer
	Development Project		
EA	Environmental Assessment	OP	Operational Policy
EIA	Environmental Impact Assessment	PO	Project officer
ESMF	Environmental and Social	PRA	Participatory Rural Appraisal
	Management Framework		
ESMP	Environmental and Social	RPBA	Recovery and Peace Building
	Management Plan		Assessment
ESSF	Environmental and Social Screening	SA	State Agency
	Form		

EXECUTIVE SUMMARY

Ardo Malle Community has identified the construction of block of 2 classrooms with ventilated improved toilet (VIP) as a priority project in their community which they believe will help in the improvement of sanitation and hygiene and reduce the incidences of water borne diseases. The community seeks the assistance of CSDP to fund the project.

Based on the environmental and social checklist screening carried out in the area, this micro project is classified as a category B project. The screening result shows that this micro project is envisaged to have minimal environmental and social impacts resulting from the construction activities and wastes. But these are site specific and limited in scope, and can be readily addressed through mitigation measures contained in this ESMP.

Beneficial Impacts

The beneficial impacts of this micro project are as follow:

- Increase in enrolment of pupils will result from the improved environment which the new school block construction will provide;
- The block of class room will reduce the teacher-pupil ratio and result to improved learning
- Creation of job opportunities for the locals such as teachers and artisans

Negative Impacts

The negative or adverse impacts of this micro project at the implementation stage are as follow:

- Waste generation and poor disposal including human faeces and urine
- Outbreak of diseases due to congestion and poor hygiene
- Traffic flow obstruction and risk of accident
- Escalation of threat to insecurity due to exposure of the school premises to trespassers

To mitigate the minimal adverse potential impacts, an ESMP is prepared which include impact, mitigations and monitoring measures, cost implications which are all in this document. Also, capacity need and training requirements and cost implications were prepared.

The overall cost of implementing the ESMP is as follows:

Item	Responsibility	Cost Estimate(N)	Cost Estimate in (USD)
Mitigation & monitoring	CDA, CPMC, Head Teacher	510,000	2550
Training & Capacity Building	Consultant	450,000	2250
Sub-Total		960,000	4800
Management (10%)	SA	96000	480
Contingency (10%)	_	96000	480
Total	_	1,152,000	5760

CHAPTER 1: INTRODUCTION

1.1 **Background**

The Federal Government of Nigeria has received financing from the World Bank (WB) for implementing a 2-year World Bank Assisted Additional Financing (AF) of Community and Social Development Project (CSDP). The thrust of the Community and Social Development Project (CSDP) is to contribute to the realization of the Nigerian government's strategy for poverty reduction by improving the welfare and living conditions of many poor and vulnerable communities in most states of Nigeria. The project has the objective to increase access by the poor to improved social and natural resources infrastructure services in a sustainable manner throughout Nigeria. This will be achieved through the provision of grant support to benefiting Communities for the implementation of community-driven micro projects under approved Community Development Plan (CDP). To commence State-level implementation of the additional financing, the Project intends to use part of the proceeds for consultancy services for the review/upgrade of Environmental and Social Management Plan (ESMP) and prepare Abbreviated Resettlement Action Plan (ARAP) for the participating States in the North East Geopolitical Zone.

1.2 **CSDP Project Development Objectives and Components**

The initial consultation suggest that the Project Development Objective (PDO) for the CSDP AF will remain unchanged as the original PDO- "to sustainably increase access of poor people to social and natural resource infrastructure services", but the key performance indicators (KPIs) will be revised. The CSDP AF KPIs will put some emphasis on support to vulnerable and disenfranchised household and individuals expand scope of assistance to such households beyond public goods (schools, health center, water etc.). It will also include demand side support i.e. a safety net. The use of a community managed approach and emphasis on local government active partnership with community groups will be retained and strengthened during CSDP AF period. The new emphasis on safety net will result in an additional component, for 'vulnerable groups' transfers, to the original design. In essence, the additional financing will now have 4 components:

- Component 1: Coordination and Program Support Component (Federal and State Level)
- Component 2: LGA/Sectoral Ministries Capacity and Partnership building Component
- Component 3: Community-Driven Investment Component
- Component 4: Vulnerable Groups livelihood investment grants/transfers component.

1.3 Environmental Classification and Rationale for Preparing an Environmental and Social Management Plan (ESMP)

As part of the credit agreement with the World Bank, projects supported by Bank's funding are usually subjected to safeguard screening to determine the environmental and social risk before approval.

The environmental and social checklist screening carried out in the field is consistent with the ESMF classification of the CSDP micro-projects as a category B project. The screening result shows that this micro project is envisaged to have minimal environmental and social impacts resulting from the construction activities and wastes. But these are site specific and limited in scope, and can be readily addressed through mitigation measures

This ESMP is therefore prepared to set out site specific mitigation, monitoring and institutional measures to be taken during implementation to eliminate adverse environmental and social impacts, offset them or reduce them to acceptable levels.

1.4 Objectives of the ESMP

The main objective of this ESMP is to review and update the environmental and social checklist prepared for the micro-project and document the actions necessary to prevent or minimize predicted negative impacts of the sub-project during project implementation.

Specifically, this ESMP is designed to ensure the following:

- Identify potential impacts that may occur during implementation stage of the various project activities;
- Develop detailed specific mitigation measures with relevant costs implication that will need to be achieved during and after sub-project implementation;
- Specify responsibilities and institutional arrangement that will be put in place to ensure that the mitigation measures are implemented
- Integrating environment fully into the various activities of the proposed project and ensuring
 inclusion of environmental requirements into tender documents, continuing management
 and evaluation of the environmental performance of the project.
- Providing detailed design criteria for specific mitigation measures to be implemented.

- Tracking to ensure the effectiveness of the mitigation measures at meeting the discharge standards.
- Provide implementation and monitoring schedule

CHAPTER 2: MICRO PROJECT DESCRIPTION AND ENVIRONMENTAL AND SOCIAL IMPACTS

2.1 Micro Project Description

The subproject shall be the construction of block of 2 classrooms with ventilated improved toilet (VIP), for Ardo malle Community in Akko LGA of Gombe State. The project is expected to be completed within 6 months.

The construction works of block of 2 classrooms and VIP toilets shall include, but are not limited to: earth works – site clearance and soil excavation for classroom foundations, concrete works for foundations and superstructures and Concrete form works/reinforcement.

2.2 Beneficial Impacts

The beneficial impacts of this micro project are as follow:

- Increase in enrolment of pupils will result from the improved environment which the new school block construction will provide;
- The block of class room will reduce the teacher-pupil ratio and result to improved learning
- Creation of job opportunities for the locals such as teachers and artisans

2.3 Negative Impacts

The negative or adverse impacts of this micro project at the implementation stage are as follow:

- Waste generation and poor disposal including human faeces and urine
- Outbreak of diseases due to congestion and poor hygiene
- Traffic flow obstruction and risk of accident
- Escalation of threat to insecurity due to exposure of the school premises to trespassers

2.4 Mitigation Measures

Necessary and specific mitigation measures to the identified adverse impacts are described in the ESMP matrix that follows in the next section.

CHAPTER 3: POTENTIAL ENVIRONMENTAL AND SOCIAL MANAGEMENT PLAN

In line with the TOR, this ESMP is to mitigate the adverse impacts at the implementation/operation phase since construction activities have been completed. It details the identified impacts, mitigation measures, responsibility for implementation and cost amongst others. The sub-section after the ESMP matrix is the monitoring arrangement to ensure effective implementation and delivery of project development objectives.

3.1 ESMP and Monitoring Matrix

	OPERATIONAL PHASE						
Impact identification	Mitigation measures	Method of Performance indicator Monitoring	Responsibility		Time frame	Cost estimate (N)	
				Mitigation	Monitoring		
Solid waste generation	-Effective use and maintenance of VIP toiletProvide dustbins	Site inspection	-Evidence of cleanliness -Evidence of dust bin/waste bins available	CDA, CPMC, Head Teacher	CPMC, SA	Daily	N50,000
Disease outbreak may occur due to poor hygiene	-Ensure proper hygiene and sanitation -Sensitization on hygiene and sanitation	•	-Availability of sanitary materials (soap, tissue paper, disinfectant) -Educate and enlighten the pupils on common hygiene practices	CDA, CPMC, Head Teacher	CPMC, SA, GO	Daily	120,000
Uncontrolled entry and exit may predispose the pupils and staff to insecurity	-Provide parameter fencing around the school - Engage the services of security personnel for 24 hours surveillance		-Evidence of fenced area - Number of security personnel	CDA, CPMC, Head Teacher	CPMC, SA	After construction	250, 000
Loss of asset/income due to theft	-Engage security personnel	Visit, Inspection, Information gathering	- Evidence of security personnel engaged -Evidence of fenced area -Number of complaints	CDA, CPMC, Head Teacher	CPMC, SA, GO	-During operation	40 000
Accident/ traffic obstruction	-Provide speed breakers and road signage -Provide First Aid Kits	Visit, Inspection, Information	-Number of speed breakers and evidence of road signage	CDA, CPMC, Head Teacher	CPMC, SA	-After construction -Annually	50 000

	gathering	-Availability of First Aid Kits		
Total (Mitigation)				510,000

3.2 Capacity Building Need and Targets

The ESMP would also include a detailed capacity building/training for staff of CSDP at the Federal level and for the 26 states. Here below is a breakdown of the proposed training and cost implications. Details of the capacity building plan are contained below:

Capacity Need	Participants	Subject	Resource Person	Duration	Cost (N)
Environmental and Social Management	OO, PO, GO, M&E	CSDP project cycle and	WB Safeguards	1 day	150,000
in Micro Projects		Environmental checklist	Consultant		
		process			
WB safeguard policies and guidelines	GO, M&E	Principles and Application of	WB Safeguards	1 day	150,000
		OP 4.01 and OP 4.12	Consultant		
Medical Waste Management, Sanitation	OO, PO,	Preparation and	WB Safeguards	1 day	150,000
and Hygiene		Implementation of Waste	Consultant		
		management			
Total (Capacity Building)					450,000

This cost is exclusive of cost of hall, and other logistics which shall be undertaken by the CSDP under management cost.

3.4 Summary of ESMP cost is as follows:

Item	Responsibility	Cost Estimate(N)	Cost Estimate in (USD)
Mitigation &	CDA, CPMC, Head	510,000	2550
monitoring	Teacher	310,000	2330
Training & Capacity	Consultant	450,000	2250
Building	Consultant	430,000	2230
Sub-Total		960,000	4800
Management (10%)	SA	96000	480
Contingency (10%)		96000	480
Total		1,152,000	5760

Note: The budget for capacity building as identified will serve for implementing all the state micro projects and not necessarily repetitive.


REFERENCES

- Environmental and Social Management Plan Framework for CSDP-AF (2014)
- ESMP for the Construction of Alternative Bridge No 2 at Emene, Enugu (2012); RSDT Federal Ministry of Works, Nigeria
- Federal Ministry of Agriculture and Water Resources (2003): Third National Fadama Development Project (Fadama III), Rural Infrastructure, Manual No. 4, August
- IFC General Environmental Health and Safety Guidelines: Occupational Health and Safety
- Lochner, P. (2005): Guideline for Environmental Management Plans. CSIR Report No ENV-S-C 2005-053 H. Republic of South Africa, Provincial Government of the Western Cape, Department of Environmental Affairs & Development Planning, Cape Town.
- Ministry Of Agriculture And Animal Resources (Minagri) (2010): Environmental Management Plan (EMP) For Nyanza 23 Sub Project, Land Husbandry, Water Harvesting And Hillside Irrigation Project (LWH) Prepared by Green and Clean Solution Ltd
- Project Appraisal Document (PAD) for CSDP-AF
- Pollution Prevention and Abatement Handbook (World Bank Group) 1998
- Resettlement Policy Framework for CSDP-AF, (2014)
- UNEP (1988): Environmental Impact Assessment, Basic procedures for developing Countries.

APPENDIX 1: ESMP CHECKLIST

S/n	Description	Response/Yes	No
1	Name of District	-	
2	Is the site close to		
	a. Market		
	b. School		
	c. Hospital		
	d. Residence		
	e. Government institution		
	f. Surface water		
3	What is the distance of the site to settlement/economic		
	activity area		
4	Type of settlement in the area Are there economic activities within the corridor?		
5	Are there economic activities within the corridor?		
6	Will construction work affect the movement of road		
	users?		
7	Will it cause a slowdown of traffic flow?		
8	Will bridge construction result to public accident?		
9	Will bridge construction result to occupational hazard?		
10	Will there be waste management concerns during		
	construction stage		
11	Will there be involuntary displacement of persons		
12	Soil: Is the project leading to changes in soil		
	characteristics within the project area		
13	During operation, are pedestrians likely to voluntarily use		
	the pedestrian bridge?		
14	Are there social menaces to worry about during operation		
	(eg robbery during night hours)?		
15	Are there going to be vulnerability concerns (women,		
	disables) that need to be addressed?		
16	Will the sitting of the bridge bring about trading activities		
	and clustering in the vicinity?		
17	If yes to question #16:		
	a. Will this affect/increase social menace in the area?		
	b. Will it lead to poor/bad traffic condition within		
	the arena?		
	c. Will it lead to waste littering on the bridge and		
	around the area?		

APPENDIX 2: CSDP PROJECT CYCLE AND EA PROCESS





Source: CSDP Environmental Checklist Training by Earthquards Consult (2009)