

 Early Warning System

EIB-20160632

ENGIE FRANCE RESEAUX



## Quick Facts

Countries	France
Financial Institutions	European Investment Bank (EIB)
Status	Approved
Bank Risk Rating	U
Voting Date	2017-07-18
Borrower	ENGIE
Sectors	Energy
Investment Type(s)	Loan
Investment Amount (USD)	\$ 300.24 million
Loan Amount (USD)	\$ 300.24 million
Project Cost (USD)	\$ 415.72 million



---

## Project Description

According to EIB website, the project consists of the rehabilitation of the district heating and cooling networks and optimisation of heat/cooling-generation facilities. It will consist of the refurbishment of heat distribution pipes and the extension of pipeline networks to new customers as well as of building new renewable heat/cooling-generation capacity. Some sub-projects are within the Paris district heating system operated by Compagnie Parisienne de Chauffage Urbain (CPCU) for which the Bank has already financed two operations. Other sub-projects implemented by Climespace consist of a new cooling plant, piping and new connections to customers to be implemented in the Paris region.



---

## Investment Description

- European Investment Bank (EIB)



---

## Contact Information

\*No contact information provided at the time of disclosure.\*

### ACCOUNTABILITY MECHANISM OF EIB

The EIB Complaints Mechanism is designed to facilitate and handle complaints against the EIB by individuals, organizations or corporations affected by EIB activities. When exercising the right to lodge a complaint against the EIB, any member of the public has access to a two-tier procedure, one internal - the Complaints Mechanism Office - and one external - the European Ombudsman. A complaint can be lodged via a written communication addressed to the Secretary General of the EIB, via email to the dedicated email address [complaints@eib.org](mailto:complaints@eib.org), by completing the online complaint form available at the following address: <http://www.eib.org/complaints/form>, via fax or delivered directly to the EIB Complaints Mechanism Division, any EIB local representation office or any EIB staff. For further details, check:

[http://www.eib.org/attachments/strategies/complaints\\_mechanism\\_policy\\_en.pdf](http://www.eib.org/attachments/strategies/complaints_mechanism_policy_en.pdf)

When dissatisfied with a complaint to the EIB Complaints Mechanism, citizens can then turn towards the European Ombudsman. A memorandum of Understanding has been signed between the EIB and the European Ombudsman establishes that citizens (even outside of the EU if the Ombudsman finds their complaint justified) can turn towards the Ombudsman on issues related to 'maladministration' by the EIB. Note that before going to the Ombudsman, an attempt must be made to resolve the case by contacting the EIB. In addition, the complaint must be made within two years of the date when the facts on which your complaint is based became known to you. You can write to the Ombudsman in any of the languages of the European Union. Additional details, including filing requirements and complaint forms, are available at: <http://www.ombudsman.europa.eu/atyourservice/interactiveguide.faces>



---

## Bank Documents

- Demande d'autorisation d'exploiter - Chaufferie "Les Roses" à Bagnolet
- Demande d'autorisation de recherche d'un gîte géothermique et d'ouverture de travaux de forage au Do
- Environmental and Social Data Sheet
- etude d'Impact - Demande d'autorisation d'exploiter Chaufferie "Fort de l'Est" à Saint-Denis
- Etude d'Impact - Demande d'autorisation d'exploiter Chaufferie de Sevrans
- Etude d'Impact - Demande d'autorisation d'exploiter Unité de valorisation énergétique et de distribu
- Etude d'impact - Gîte géothermique d'Arcueil - Gentilly
- Investment Plan for Europe (Juncker Plan)
- Porter a Connaissance - Article R512-33 du code de l'environnement - Chaufferie de Dammarie-les-Lys
- Réalisation d'une opération de géothermie au Dogger à Ivry-sur-Seine