

 Early Warning System

IADB-EC-T1388

Support to the Implementation of the National Plan for Irrigation and
Drainage



Quick Facts

Countries	Ecuador
Specific Location	Ecuador
Financial Institutions	Inter-American Development Bank (IADB)
Status	Approved
Bank Risk Rating	C
Voting Date	2018-12-03
Borrower	Government of Ecuador
Sectors	Agriculture and Forestry, Water and Sanitation
Investment Type(s)	Fund
Investment Amount (USD)	\$ 0.40 million
Loan Amount (USD)	\$ 0.40 million
Project Cost (USD)	\$ 0.52 million



Project Description

According to the bank, the project objective is to support the Secretariat of Water (SENAGUA) in elaborating specific studies to update the National Plan for Irrigation and Drainage 2012-2027 as a tool to increase the productivity of small and medium farmers, reduce poverty and decrease inequality levels in access to irrigation water, as well as to generate a sustainable use of water resources as a mechanism for climate change adaptation



Investment Description

- Inter-American Development Bank (IADB)



Contact Information

ACCOUNTABILITY MECHANISM OF IADB

The Independent Consultation and Investigation Mechanism (MICI) is the independent complaint mechanism and fact-finding body for people who have been or are likely to be adversely affected by an Inter-American Development Bank (IDB) or Inter-American Investment Corporation (IIC)-funded project. If you submit a complaint to MICI, they may assist you in addressing the problems you raised through a dispute-resolution process with those implementing the project and/or through an investigation to assess whether the IDB or IIC is following its own policies for preventing or mitigating harm to people or the environment. You can submit a complaint by sending an email to MICI@iadb.org. You can learn more about the MICI and how to file a complaint at <http://www.iadb.org/en/mici/mici,1752.html> (in English) or <http://www.iadb.org/es/mici/mici,1752.html> (Spanish).



Bank Documents

- [Abstracto de CT - EC-T1388.pdf](#)
- [Documento de CT publicado - EC-T1388.pdf](#)