## Early Warning System

## WB-P168308

Urban Resilience and Solid Waste Management Project



## Early Warning System

## Urban Resilience and Solid Waste Management Project

### **Quick Facts**

Countries	Ivory Coast
Financial Institutions	World Bank (WB)
Status	Proposed
Bank Risk Rating	U
Voting Date	2020-03-26
Borrower	Republic of Cote d'Ivoire
Sectors	Education and Health
Investment Amount (USD)	\$ 315.00 million
Project Cost (USD)	\$ 315.00 million



# Early Warning System Urban Resilience and Solid Waste Management Project

WB-P168308

### **Project Description**

The development objective of the project is to improve (i) resilience to flood risk and (ii) solid waste management services in vulnerable neighborhoods of the District of Abidjan and targeted secondary cities.



# Early Warning System Urban Resilience and Solid Waste Management Project

WB-P168308

### **Investment Description**

• World Bank (WB)

## Early Warning System

WB-P168308

### Urban Resilience and Solid Waste Management Project

#### **Contact Information**

Republic of Cote d'Ivoire Bernard Yapo Akpess Deputy Chief of Staff akpessbernard@hotmail.com

#### ACCOUNTABILITY MECHANISM OF WORLD BANK

The World Bank Inspection Panel is the independent complaint mechanism and fact-finding body for people who believe they are likely to be, or have been, adversely affected by a World Bank-financed project. If you submit a complaint to the Inspection Panel, they may investigate to assess whether the World Bank is following its own policies and procedures for preventing harm to people or the environment. You can contact the Inspection Panel or submit a complaint by emailing ipanel@worldbank.org. You can learn more about the Inspection Panel and how to file a complaint at: http://ewebapps.worldbank.org/apps/ip/Pages/Home.aspx.



# Early Warning System Urban Resilience and Solid Waste Management Project

WB-P168308

#### **Bank Documents**

• Concept Project Information Document (PID) - Urban Resilience and Solid Waste Management Project - P [Original Source]